

Supplemental Label

BIFENTURE® EC Agricultural Insecticide

(EPA Reg. No. 70506-57)

DIRECTIONS FOR USE ON GRAPES

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on the federally-registered label.

This label must be in the possession of the user at the time of pesticide application.

PESTS	RATE BIFENTURE		PHI
CONTROLLED	EC/ACRE	APPLICATION INSTRUCTIONS	(days)
Cutworms	0.05-0.10 lb. ai	Apply in a minimum of 25 gallons/A by ground	30
Eastern Grape	(3.2 to 6.4 fl. oz.	or in a minimum of 10 gallons/A by air.	
Lady Beetle	product)		
(Scymnus)		Substitute 1-2 quarts of emulsified oil for 1-2	
Leafhopper		quarts water if desired.	
Grape Berry Moth		For best control thorough coverage is	
Japanese Beetle		necessary.	
(adult)			
Variegated		Use the higher rate when insect pressure is	
Leafhopper		moderate to severe.	
Western Grape		Do not apply more than 0.10 lb. a.i. per acre	
Leafhopper		per season.	
Black Vine Weevil	0.10 lb. ai		
Glassywinged	(6.4 fl. oz. product)		
Sharpshooter			
Twospotted Spider			
Mite			

Rev. 5/09

CA appr. 10/28/09