

SUPPLEMENTAL LABELING

PYRAFLUFEN-ETHYL

GROUP

14

HERBICIDE



EPA Reg. No. 71711-41

Crops: Triticale, Wheat

State: California Only

This supplemental label expires January 31, 2026 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This labeling and the EPA approved container label must be in the possession of the user at the time of application.

Read the label affixed to the container for ET[®]X Herbicide/Defoliant before applying. Use of ETX Herbicide/Defoliant according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for ETX Herbicide/Defoliant.

New use directions appear on this supplemental label that may be different from those that appear on the container label.

APPLICATION AND DOSAGE

Triticale, Wheat (Postemergence) – California Only		
Pest	Rate/Acre	Directions for Use
Listed Broadleaf Weeds	0.3 to 1.25 fl oz/acre (0.0008 to 0.0033 lb ai/acre)	<ul style="list-style-type: none">Limited to the State of California for postemergence uses.ETX Herbicide/Defoliant can be applied from crop emergence to the appearance of the flag leaf.Some temporary herbicidal leaf speckling may appear on the crop. This effect is transient and will NOT appear on new growth.Apply in a minimum of 5 gallons spray solution per acre by air or 10 gallons spray solution per acre by ground.The addition of a NIS adjuvant or silicone surfactant is recommended for optimum weed control. Refer to adjuvant or surfactant label for rates. USE RESTRICTIONS <ul style="list-style-type: none">DO NOT apply ETX Herbicide/Defoliant to flag leaf stage or beyond.DO NOT apply more than 1.25 fl oz (0.0033 lb ai) per acre in a single application for this use.DO NOT make more than 2 applications or exceed 1.25 fl oz/acre (0.0033 lb ai/acre) per year for this use.In California, DO NOT apply more than 2.5 fl oz/acre (0.0065 lb ai/acre) per year for all after planting, prior to crop emergence and postemergence uses combined.DO NOT use for forage within 30 days of last application.

©2024 Nichino America, Inc. ET is a registered trademark of Nichino America, Inc.



Nichino America, Inc.
4550 Linden Hill Road, Suite 501
Wilmington, DE 19808
888-740-7700