

## FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

TOLFENPYRAD	GROUP	21A	INSECTICIDE
	GROUP	39	FUNGICIDE



EPA Reg. No. 71711-36

**For Use On:** Diaprepes in Citrus

**Application Method:** Ground Only

**State(s):** Florida

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling and the EPA approved container label must be in the possession of the user at the time of application. Read the label affixed to the container for **APTA**® Insecticide before applying. Use of **APTA** Insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **APTA** Insecticide.

Citrus		
Pest	Rate/Acre	Directions for Use
Diaprepes	21.0 to 27.0 fl oz/acre  (0.22 to 0.28 lb ai/acre)	For high air velocity, low volume or air curtain sprayers, apply using a minimum of 30 gallons of water per acre.  <b>USE RESTRICTIONS</b> <ul style="list-style-type: none"><li>• Do not apply by air on citrus fruit.</li><li>• Apply by ground only, using a minimum of 100 gallons of water per acre.</li><li>• Do not use on nursery stock.</li><li>• Do not apply more than 27.0 fluid ounces (0.28 lb ai) per acre per growing season.</li><li>• Do not make more than 1 application per growing season.</li><li>• Do not make more than 2 applications per year.</li><li>• Preharvest Interval (PHI): 3 days</li></ul>

©2019 Nichino America, Inc. APTA and Nichino America logo are registered trademarks of Nichino America, Inc.

**NICHINO**  
AMERICA®

Nichino America, Inc.  
4550 Linden Hill Road, Suite 501  
Wilmington, DE 19808  
888-740-7700