

Revision date : 2024/05/07 Page: 1/15

Version: 5.0 (30710614/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Obvius Plus Fungicide Seed Treatment

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713 USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 900785

Registration number: EPA Registration number: 7969-426

Synonyms: Fluxapyroxad, pyraclostrobin, metalaxylthiophanate-methyl, metalaxyl

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (oral) Acute toxicity

Muta. 2 Germ cell mutagenicity

Carc. 2 Carcinogenicity

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Safety Data Sheet

Obvius Plus Fungicide Seed Treatment

Revision date: 2024/05/07 Page: 2/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

Repr. Add. cat. lact. Reproductive toxicity Repr. 2 (unborn child) Reproductive toxicity

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word: Warning

Hazard Statement:

H302 Harmful if swallowed.

H362 May cause harm to breast-fed children.

H351 Suspected of causing cancer.

H361 Suspected of damaging the unborn child. H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust or mist.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.
P263 Avoid contact during pregnancy and while nursing.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P330 Rinse mouth. P391 Collect spillage.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: The substance may cause sensitization of the skin in particularly sensitive individuals. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with

Revision date: 2024/05/07 Page: 3/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

suitable precautions for designated uses. metalaxyl, Thiophanate-methyl, 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Fluxapyroxad

CAS Number: 907204-31-3 Content (W/W): 4.46 %

Synonym: 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1H-

pyrazole-4-carboxamide

Pyraclostrobin

CAS Number: 175013-18-0 Content (W/W): 3.57 % Synonym: No data available.

thiophanate-methyl

CAS Number: 23564-05-8 Content (W/W): 8.93 %

Synonym: Carbamic acid, [1,2-phenylenebis(iminocarbamothioyl)]bis-, dimethyl

ester

metalaxyl

CAS Number: 57837-19-1 Content (W/W): 14.73 %

Synonym: DL-Alanine, N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-, methyl ester

glycerol

CAS Number: 56-81-5

Content (W/W): >= 7.0 - < 10.0% Synonym: 1,2,3-Propanetriol; Glycerol

bronopol

CAS Number: 52-51-7

Content (W/W): > 0.0 - < 0.1%

Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS Number: 55965-84-9 Content (W/W): > 0.0 - < 0.1%

Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-

isothiazolone

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Revision date: 2024/05/07 Page: 4/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

If on skin:

Wash thoroughly with soap and water

If in eves:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Revision date: 2024/05/07 Page: 5/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Revision date: 2024/05/07 Page: 6/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

glycerol OSHA Z1: PEL 15 mg/m3 Total dust ;

OSHA Z1: PEL 5 mg/m3 Respirable fraction;

thiophanate-methyl TWA value 0.86 mg/m3;

Pyraclostrobin TWA value 0.13 mg/m3;

Fluxapyroxad TWA value 0.5 mg/m3;

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid Odour: odourless

Odour threshold: not applicable, odour not perceivable

Colour: white

pH value: approx. 6.5 - 8.5

(1 %(m), 20 °C)

Melting point: The product has not been tested.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: No flash point - Measurement made

up to the boiling point.

Revision date: 2024/05/07 Page: 7/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 455 °C

Vapour pressure: approx. 23 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.12 g/cm3

(20°C)

Vapour density: not applicable Partitioning coefficient n-not applicable

octanol/water (log Pow): Information on: metalaxyl

Partitioning coefficient n- 1.65

octanol/water (log Pow):

Information on: Thiophanate-methyl Partitioning coefficient n- approx.

Partitioning coefficient n- approx. 1.44 (OECD Guideline octanol/water (log Pow): (25 °C) 107)

.....

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: approx. 89 mPa.s

(20°C)

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Revision date: 2024/05/07 Page: 8/15

Version: 5.0 (30710614/SDS_CPA_US/EN)

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat

Value: > 500 - < 2,000 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 2.251 mg/l An aerosol was tested. No mortality was observed.

Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Skin contact causes slight irritation. Not irritating to the eyes.

Revision date: 2024/05/07 Page: 9/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

<u>Skin</u>

Species: rabbit

Eye

Species: rabbit Result: non-irritant

Sensitization

Assessment of sensitization: No sensitizing effect.

Buehler test

Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: Pyraclostrobin

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Target organs:

Liver, gastrointestinal tract and nasal cavity

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl

Assessment of mutagenicity: Mutagenic properties can not be excluded on the basis of experimental

data.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: thiophanate-methyl

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

Information on: Fluxapyroxad

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is

caused by an animal specific mechanism that has no human counter part.

Revision date: 2024/05/07 Page: 10/15

Version: 5.0 (30710614/SDS_CPA_US/EN)

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Information on: metalaxyl

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen

in animal studies.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: pyraclostrobin

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Information on: Fluxapyroxad

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static) LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static) LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on: metalaxyl

LC50 (96 h) 27 mg/l, Lepomis macrochirus LC50 (96 h) > 100 mg/l, Cyprinus carpio

Information on: Thiophanate-methyl

Aquatic invertebrates

Revision date: 2024/05/07 Page: 11/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

EC50 (96 h) 0.00416 mg/l, Americamysis bahia

Information on: Fluxapyroxad

EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: metalaxvl

LC50 12.5 mg/l, Daphnia magna

Information on: Thiophanate-methyl

Aquatic plants

Information on: pyraclostrobin

EC10 (7 d) 0.82 mg/l (growth rate), Lemna gibba EC50 (7 d) > 1.007 mg/l (growth rate), Lemna gibba EC50 (72 h) 0.011 mg/l (growth rate), Navicula pelliculosa

Information on: Fluxapyroxad

EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on: Thiophanate-methyl

No observed effect concentration (72 h) 4.38 mg/l, Pseudokirchneriella subcapitata

Chronic toxicity to fish

Information on: pyraclostrobin

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD

Guideline 210, Flow through.)

Information on: Fluxapyroxad

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210,

Flow through.)

Information on: Thiophanate-methyl

No observed effect concentration (28 d) 0.32 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates

Information on: pyraclostrobin

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2,

semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia

Information on: Fluxapyroxad

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Information on: Thiophanate-methyl

Revision date: 2024/05/07 Page: 12/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

EC50 (21 d) 0.18 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: pyraclostrobin

Not readily biodegradable (by OECD criteria).

Information on: Fluxapyroxad

Not readily biodegradable (by OECD criteria).

Information on: metalaxyl

Not readily biodegradable (by OECD criteria).

Information on: Thiophanate-methyl

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: metalaxyl

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: Thiophanate-methyl

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

·

Bioaccumulation potential

Information on: pyraclostrobin

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD Guideline 305) Accumulation in organisms is not to be expected.

Information on: Fluxapyroxad

Revision date: 2024/05/07 Page: 13/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

Bioconcentration factor: 36 - 37 (28 d), Lepomis macrochirus (OECD Guideline 305) Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Fluxapyroxad

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Thiophanate-methyl

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class: 9 Packing group: III

Revision date: 2024/05/07 Page: 14/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains THIOPHANATE-METHYL, PYRACLOSTROBIN)

Air transport IATA/ICAO

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains THIOPHANATE-METHYL, PYRACLOSTROBIN)

Further information

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this SDS for the RQ for this product. DOT: Not classified as dangerous goods/hazardous material (class 9, marine pollutant) for road and rail. For export (IMO/IATA) ship as class 9.

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS NumberChemical name23564-05-8thiophanate-methyl

CERCLA RQ
10 LBSCAS Number
23564-05-8Chemical name
thiophanate-methyl

State regulations

State RTK	CAS Number	Chemical name
NJ	56-81-5	glycerol
	00504.05.0	

23564-05-8 thiophanate-methyl

PA 56-81-5 glycerol

Revision date: 2024/05/07 Page: 15/15 Version: 5.0 (30710614/SDS_CPA_US/EN)

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HARMFUL IF SWALLOWED.

Causes moderate eye irritation.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

16. Other Information

SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2024/05/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET