

REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Trade name REASON® 500 SC FUNGICIDE

Product code (UVP) 05947073

SDS Number 102000003216

EPA Registration No. 264-695

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

1-800-334-7577

Emergency telephone no.

Emergency Telephone

Number (24hr/ 7 days)

Product Information

Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation: Category 2B

Labelling in accordance with regulation HCS 29CFR §1910.1200

Signal word: Warning

Hazard statements Causes eye irritation.

Precautionary statements

Wash face, hands and any exposed skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Hazards Not Otherwise Classified (HNOC)



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Fenamidone 161326-34-7 44.4

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. DO NOT induce

vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire., In the event of fire the following may be released:, Carbon monoxide (CO), Nitrogen

oxides (NOx), Sulphur oxides

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Contain the spread of the

fire-fighting media.

Flash point $>100 \,^{\circ}\text{C} / 212 \,^{\circ}\text{F}$

Auto-ignition temperature510 °C / 950 °FLower explosion limitNo data available

Upper explosion limit No data available

Explosivity Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice If the product is accidentally spilled, do not allow to enter soil,

waterways or waste water canal. Do not allow product to contact non-

target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fenamidone	161326-34-7	1 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

When respirators are required, select NIOSH approved equipment Respiratory protection

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Chemical resistant goggles must be worn.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



Revision Date: 09/21/2021

Print Date: 09/22/2021

REASON® 500 SC FUNGICIDE

Version 5.0 / USA 102000003216

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension

Colour white to light beige

Odour slight

Odour Threshold No data available

pH 6.5 - 8.0 (100 %) (23 °C)

Melting point/rangeNo data availableBoiling PointNo data availableFlash point> 100 °C / 212 °FFlammabilityNo data availableAuto-ignition temperature510 °C / 950 °F

Thermal decomposition > 500 °C

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature

(SADT)

emperature

Upper explosion limit

Lower explosion limit

No data available

Vapour pressure

No data available

Evaporation rate

Relative vapour density

Relative density

No data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

Fenamidone: log Pow: 2.8

Viscosity, dynamic 500 - 900 mPa.s (20 °C)

Viscosity, kinematic No data available

Surface tension 41 mN/m

Oxidizing properties No data available Explosivity Not explosive

Other information Further safety related physical-chemical data are not known.



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects

Eye Causes moderate eye irritation.

Skin Not expected to produce significant adverse effects when

recommended use instructions are followed.

Ingestion Not expected to produce significant adverse effects when

recommended use instructions are followed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 0.9 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (Rabbit) > 5,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye

irritation

Irritating to eyes. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - single exposure

Fenamidone: Based on available data, the classification criteria are not met.



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

Assessment STOT Specific target organ toxicity - repeated exposure

Fenamidone did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Fenamidone was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fenamidone was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Fenamidone did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fenamidone did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.74 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fenamidone.

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) 0.055 mg/l static test; Exposure

time: 48 h

The value mentioned relates to the active ingredient fenamidone.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) 3.4 mg/l

Exposure time: 72 h



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

The value mentioned relates to the active ingredient fenamidone.

Biodegradability Fenamidone:

Not rapidly biodegradable

Koc Fenamidone: Koc: 387

Bioaccumulation Fenamidone:

Does not bioaccumulate.

Mobility in soil Fenamidone: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Fenamidone: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

(FENAMIDONE SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FENAMIDONE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-695

US Federal Regulations

TSCA list

Water 7732-18-5 1,2-Propanediol 57-55-6 Poly(oxy-1,2-ethanediyl), α-[2,4,6-tris(1-163436-84-8

phenylethyl)phenyl]- ω -hydroxy-, phosphate, potassium salt

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Yes. Export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Environmental CERCLA

None.



REASON® 500 SC FUNGICIDE

Version 5.0 / USA Revision Date: 09/21/2021 102000003216 Print Date: 09/22/2021

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Causes moderate eye irritation.

Harmful if inhaled.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard



REASON® 500 SC FUNGICIDE

Version 5.0 / USA 102000003216

Revision Date: 09/21/2021 Print Date: 09/22/2021

Reason for Revision: The following sections have been revised: Section 8: Exposure Controls / Personal Protection. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 09/21/2021

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.