# SAFETY DATA SHEET



#### 1. Identification

Product identifier NDemand® Polish 10-0-0

Other means of identification None.

Recommended use Ag Product - Plant Nutrition

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address Wilbur-Ellis Company LLC

8131 W. Grandbridge Blvd, Suite 200

Kennewick, WA 99336

**United States** 

**Telephone** Branded Products Information (800) 500-1698

E-mail SDS@WilburEllis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

May cause respiratory irritation.

**Precautionary statement** 

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Use

only outdoors or in a well-ventilated area. Wear eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Material name: NDemand® Polish 10-0-0
4284 Version #: 02 Revision date: 03-15-2017 Issue date: 03-15-2017

Chemical name	Common name and synonyms	CAS number	%	
Calcium Nitrate Tetrahydrate Crystal		13477-34-4	20 - < 30	
Magnesium Nitrate		13446-18-9	5 - < 10	
Urea		57-13-6	5 - < 10	
Nitric Acid		7697-37-2	1 - < 3	
Zinc Oxide		1314-13-2	1 - < 3	
Ferrous Sulfate		7720-78-7	< 1	
Other components below reportable	e levels		50 - < 60	

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eve contact Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Never return spills to original containers for re-use.

Environmental precautions Avoid disch

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### Occupational exposure limits

Components	Туре	Value	Form
Nitric Acid (CAS 7697-37-2)	PEL	5 mg/m3	
		2 ppm	
Zinc Oxide (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction
,		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values	•		
Components	Туре	Value	Form
Ferrous Sulfate (CAS 7720-78-7)	TWA	1 mg/m3	
Nitric Acid (CAS 7697-37-2)	STEL	4 ppm	
	TWA	2 ppm	
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction
,	TWA	2 mg/m3	Respirable fraction
US. NIOSH: Pocket Guide to Chem	ical Hazards		
Components	Туре	Value	Form
Ferrous Sulfate (CAS 7720-78-7)	TWA	1 mg/m3	
Nitric Acid (CAS 7697-37-2)	STEL	10 mg/m3	
		4 ppm	
	TWA	5 mg/m3	
		2 ppm	
Zinc Oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
,	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Dust.
		- , ,	_

Biol	ogical	limit	va	lues
------	--------	-------	----	------

Components

Appropriate engineering controls

Urea (CAS 57-13-6)

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

5 mg/m3

10 mg/m3

Value

Fume.

**Form** 

Total particulate.

### Individual protection measures, such as personal protective equipment

US. Workplace Environmental Exposure Level (WEEL) Guides

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Type TWA

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Material name: NDemand® Polish 10-0-0

SDS US

4284 Version #: 02 Revision date: 03-15-2017 Issue date: 03-15-2017

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapor cartridge.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Amber liquid.

Physical stateLiquid.FormLiquid.ColorAmber.

OdorNot available.Odor thresholdNot available.pH7.3 - 7.7Melting point/freezing pointNot available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Initial boiling point and boiling

(%)

Not available.

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density

Relative density

Not available.

Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

Pounds per gallon 11.07 Specific gravity 1.33

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong acids. Strong oxidizing agents.

Incompatible materials Strong acids. Strong oxidizing agents
Hazardous decomposition Irritating and/or toxic fumes and gase

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

Material name: NDemand® Polish 10-0-0

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness,

swelling, and blurred vision. May cause respiratory irritation.

#### Information on toxicological effects

**Acute toxicity** In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if swallowed. **Species Test Results** Components Calcium Nitrate Tetrahydrate Crystal (CAS 13477-34-4) **Acute Dermal** LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Rat 300 - 2000 mg/kg Ferrous Sulfate (CAS 7720-78-7) **Acute Dermal** LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Mouse 670 - 680 mg/kg Mouse, Rat 2625 mg/kg > 2000 mg/kg Rat 3.2 g/kg Magnesium Nitrate (CAS 13446-18-9) **Acute** Dermal LD50 Rat > 5000 mg/kg, 24 Hours Oral LD50 Rat > 5000 mg/kg

Nitric Acid (CAS 7697-37-2)

**Acute** Inhalation Vapor/aerosol

LC50 Rat 2800 ppm, 1 Hours

Urea (CAS 57-13-6)

**Acute** Oral

LD50 Mouse 13000 mg/kg

Rat 15000 mg/kg

Material name: NDemand® Polish 10-0-0

5/8 4284 Version #: 02 Revision date: 03-15-2017 Issue date: 03-15-2017

SDS US

Components **Species Test Results** 

Zinc Oxide (CAS 1314-13-2)

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Inhalation

LC50 Rat > 5700 mg/m3, 4 Hours

Oral

LD50 Mouse > 5000 mg/kg

> Rat > 15000 mg/kg

> > > 5000 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Causes serious eye damage.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure

Not classified.

Not an aspiration hazard. Aspiration hazard

**Chronic effects** May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings, if applicable, even after container is emptied. Empty containers should be taken to an approved waste handling site

for recycling or disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

# 15. Regulatory information

**US federal regulations** 

All components are listed on or exempted from the U.S. EPA TSCA Inventory List. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Ferrous Sulfate (CAS 7720-78-7) Listed. Nitric Acid (CAS 7697-37-2) Listed. Zinc Oxide (CAS 1314-13-2) Listed.

SARA 304 Emergency release notification

Nitric Acid (CAS 7697-37-2) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
Nitric Acid	7697-37-2	1000	1000			

Nitric Acid 7697-37-2 1000 No

SARA 311/312 Hazardous

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
NITRATE COMPOUNDS (WATER DISSOCIABLE; REPORTABLE ONLY WHEN IN AQUEOUS	13477-34-4	20 - < 30
SOLUTION)		
NITRATE COMPOUNDS (WATER DISSOCIABLE;	13446-18-9	5 - < 10
REPORTABLE ONLY WHEN IN AQUEOUS		
SOLUTION)		
NITRIC ACID	7697-37-2	1 - < 3
ZINC COMPOUNDS	1314-13-2	1 - < 3

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: NDemand® Polish 10-0-0

4284 Version #: 02 Revision date: 03-15-2017 Issue date: 03-15-2017

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Nitric Acid (CAS 7697-37-2)

Safe Drinking Water Act Not regulated.

(SDWA)

#### **US state regulations**

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Magnesium Nitrate (CAS 13446-18-9)

Nitric Acid (CAS 7697-37-2)

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# 16. Other information, including date of preparation or last revision

 Issue date
 03-15-2017

 Revision date
 03-15-2017

Version # 02

NFPA ratings Health: 3

Flammability: 0 Instability: 0

**NFPA** ratings



**Disclaimer** This information was developed from information on the constituent materials. No warranty is

expressed or implied regarding the completeness or continuing accuracy of the information

contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy

himself that he has all current data relevant to his particular use.

Material name: NDemand® Polish 10-0-0

4284 Version #: 02 Revision date: 03-15-2017 Issue date: 03-15-2017 8 / 8