

Product Bulletin



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Blackhawk®

EPA Reg. No. 62719-523

Special 2(ee) Recommendation[†]

(For Distribution and Use in the States of Alabama, Arkansas, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, Oklahoma, South Carolina, Tennessee, and Virginia)

Control of Tobacco Budworm on Peanuts

ATTENTION

[†]This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for Blackhawk® Naturalyte® insect control before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of Blackhawk according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for Blackhawk.

Directions for Use

Refer to product label for Blackhawk for Use Precautions, Mixing, and Application directions.

Apply Blackhawk to peanuts at the rate of 1.7 to 3.3 oz per acre to control tobacco budworm. The minimum re-treatment interval is 7 days.

Read the label affixed to the container for Blackhawk and follow all use directions and restrictions for peanuts.

®Trademark of Dow AgroSciences LLC

R373-001

Issued: 03/01/12

Initial printing.