

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date : 2022/07/22
Version: 2.0

Page: 1/14
(30805867/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Lexicon Intrinsic Brand Fungicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, fungicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Agricultural Solutions US LLC
2 TW Alexander Drive
Research Triangle Park, NC 27713
USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	854472
Registration number:	EPA Registration number: 7969-350
Synonyms:	Pyraclostrobin, fluxapyroxad

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Repr.	Add. cat. lact.	Reproductive toxicity

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 2/14
(30805867/SDS_CPA_US/EN)

STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:
Warning

Hazard Statement:

H302	Harmful if swallowed.
H362	May cause harm to breast-fed children.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust or mist.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P263	Avoid contact during pregnancy and while nursing.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 3/14
(30805867/SDS_CPA_US/EN)

Pyraclostrobin

CAS Number: 175013-18-0
Content (W/W): 28.3 %
Synonym: No data available.

Fluxapyroxad

CAS Number: 907204-31-3
Content (W/W): 14.2 %
Synonym: No data available.

bronopol

CAS Number: 52-51-7
Content (W/W): < 0.1%
Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

Toluene

CAS Number: 108-88-3
Content (W/W): < 0.3%
Synonym: Benzene, methyl-

1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5
Content (W/W): < 0.1%
Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 4/14
(30805867/SDS_CPA_US/EN)

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22

Version: 2.0

Page: 5/14

(30805867/SDS_CPA_US/EN)

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No substance specific occupational exposure limits known.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22

Version: 2.0

Page: 6/14

(30805867/SDS_CPA_US/EN)

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid, suspension
Odour:	faint odour, fruity
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	off-white
pH value:	approx. 6 - 8 (20 °C)
crystallization temperature:	approx. -5 °C
Boiling point:	approx. 100 °C Information based on the main component/s.
Flash point:	No flash point - Measurement made up to the boiling point.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	approx. 535 °C
SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)
Vapour pressure:	approx. 23 hPa (20 °C) Information based on the main component/s.
Density:	approx. 1.16 g/cm ³ (20 °C)
Vapour density:	not applicable

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22

Version: 2.0

Page: 7/14

(30805867/SDS_CPA_US/EN)

Partitioning coefficient n-octanol/water (log Pow):	not applicable
Thermal decomposition:	270 °C, 590 kJ/kg (DSC (OECD 113)) 95 °C, 20 kJ/kg (DSC (OECD 113)) 165 °C, 140 kJ/kg (DSC (OECD 113)) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
Viscosity, dynamic:	approx. 39 mPa.s (40 °C)
Viscosity, kinematic:	approx. 33.9 mm ² /s (40 °C)
Solubility in water:	(20 °C) dispersible
Evaporation rate:	not applicable
Other Information:	The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

270 °C, 2.5 K/min (DSC (OECD 113))

95 °C, 2. K/min (DSC (OECD 113))

165 °C, 2.5 K/min (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22

Version: 2.0

Page: 8/14

(30805867/SDS_CPA_US/EN)

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral

Type of value: LD50

Species: rat (female)

Value: > 500 - < 2,000 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50

Species: rat (male)

Value: 6.11 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol with respirable particles was tested.

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

Eye

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

Sensitization

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 9/14
(30805867/SDS_CPA_US/EN)

Assessment of sensitization: There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Buehler test
Species: guinea pig
Result: Non-sensitizing.
Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: bronopol

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Information on: Toluene

Assessment of repeated dose toxicity: Repeated exposure to large quantities may affect certain organs. Damages the central nerve system. The substance may cause deafness after repeated inhalation.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol

Assessment of mutagenicity: The substance was mutagenic in a mammalian cell culture test system. No mutagenic effect was found in various tests with bacteria and mammals.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 10/14
(30805867/SDS_CPA_US/EN)

Information on: Fluxapyroxad

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Toluene

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: pyraclostrobin

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Information on: Fluxapyroxad

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Aquatic invertebrates

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 11/14
(30805867/SDS_CPA_US/EN)

Information on: *Fluxapyroxad*
EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants

Information on: *pyraclostrobin*
EC50 (72 h) > 0.843 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)
EC10 (72 h) 0.078 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: *Fluxapyroxad*
EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)
EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata
EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata
EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata

Chronic toxicity to fish

Information on: *pyraclostrobin*
No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Information on: *Fluxapyroxad*
No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: *pyraclostrobin*
No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)
The details of the toxic effect relate to the nominal concentration.
No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)
The statement of the toxic effect relates to the analytically determined concentration.

Information on: *Fluxapyroxad*
No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: *pyraclostrobin*

Not readily biodegradable (by OECD criteria).

Information on: *Fluxapyroxad*

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 12/14
(30805867/SDS_CPA_US/EN)

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: pyraclostrobin

*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)
Accumulation in organisms is not to be expected.*

Information on: Fluxapyroxad

*Bioconcentration factor: 36 - 37 (28 d), Lepomis macrochirus (OECD-Guideline 305)
Does not accumulate in organisms.*

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Fluxapyroxad

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 13/14
(30805867/SDS_CPA_US/EN)

recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

Air transport IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Safety Data Sheet

Lexicon Intrinsic Brand Fungicide

Revision date: 2022/07/22
Version: 2.0

Page: 14/14
(30805867/SDS_CPA_US/EN)

State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
NJ	57-55-6	Propylene glycol
	108-88-3	Toluene
PA	57-55-6	Propylene glycol

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

Avoid contact with the skin, eyes and clothing.

16. Other Information

SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2022/07/22

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET