

Safety Data Sheet

Outlook Herbicide

Revision date : 2025/12/01
Version: 8.0

Page: 1/16
(30128706/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Outlook Herbicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	472794
Registration number:	EPA Registration number: 7969-156
Molecular formula:	C12 H18 Cl N O2 S
Chemical family:	No applicable information available.
Synonyms:	dimethenamid-P

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Asp. Tox.	1	Aspiration hazard
Acute Tox.	4 (oral)	Acute toxicity
Skin Irrit.	2	Skin irritation

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 2/16
(30128706/SDS_CPA_US/EN)

Eye Irrit.	2A	Eye irritation
Skin Sens.	1B	Skin sensitization
Carc.	2	Carcinogenicity
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H304	May be fatal if swallowed and enters airways.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P261	Avoid breathing mist or vapour or spray.
P280	Wear eye protection.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P330	Rinse mouth.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P331	Do NOT induce vomiting.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 3/16
(30128706/SDS_CPA_US/EN)

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 10 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 10 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 10 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 10 % Inhalation - mist

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

dimethenamid-P

CAS Number: 163515-14-8

Content (W/W): 63.9 %

Synonym: Acetamide, 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(1S)-2-methoxy-1-methylethyl]-

solvent naphtha

CAS Number: 64742-94-5

Content (W/W): ≥ 7.0 - $< 30.0\%$

Synonym: Solvent naphtha, petroleum, heavy arom.

Naphthalene, 2-methyl-

CAS Number: 91-57-6

Content (W/W): ≥ 3.0 - $\leq 10.0\%$

Synonym: No data available.

naphthalene

CAS Number: 91-20-3

Content (W/W): ≥ 1.0 - $< 7.0\%$

Synonym: Naphthalin

Naphthalene, 1-methyl-

CAS Number: 90-12-0

Content (W/W): ≥ 1.0 - $\leq 7.0\%$

Synonym: No data available.

Unknown POE (6) Tridecyl ether phosphate, reaction product with POE (5) soya amine of BI 000000104545, ATLOX AL-2927

Content (W/W): ≥ 1.0 - $< 7.0\%$

Synonym: No data available.

Oxirane, methyl-, polymer with oxirane, monobutyl ether

CAS Number: 9038-95-3

Content (W/W): ≥ 1.0 - $< 7.0\%$

Synonym: Butoxypolyethylen-/Propylenglycol (mittl. MW > 500)

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 4/16
(30128706/SDS_CPA_US/EN)

Ethane, 1,1,1,2-tetrachloro-
CAS Number: 630-20-6
Content (W/W): ≥ 0.1 - $\leq 1.0\%$
Synonym: No data available.

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Do not give solids or liquids. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: aspiration pneumonia

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 5/16
(30128706/SDS_CPA_US/EN)

Hazards: Contains petroleum distillates.

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Vomiting may cause aspiration pneumonia due to the ingredients.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, sulfur oxides, nitrogen oxides, halogenated compounds, Phosphorus compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 6/16
(30128706/SDS_CPA_US/EN)

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

naphthalene	ACGIH, US:	TWA value 10 ppm ;
	ACGIH, US:	Skin Designation ; Danger of cutaneous absorption
	NIOSH, US:	REL value 10 ppm 50 mg/m3 ;
	NIOSH, US:	STEL value 15 ppm 75 mg/m3 ;
	OSHA Z1:	PEL 10 ppm 50 mg/m3 ;
	NIO ID, US:	IDLH 250 ppm ; IDLH values based on the 1994 Revised Criteria
	NIO ID, US:	LEL 0.9 % ;

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 7/16
(30128706/SDS_CPA_US/EN)

solvent naphtha	NIOSH, US: ACGIH, US:	REL value 100 mg/m3 ; TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures.
	ACGIH, US:	Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption
(S)-dimethenamid	TWA value 0.2 mg/m3 ; ACGIH, US:	TWA value 0.2 mg/m3 Inhalable fraction and vapor ;
Naphthalene, 1-methyl-	ACGIH, US: ACGIH, US:	TWA value 0.05 ppm ; Skin Designation ; Danger of cutaneous absorption
	ACGIH, US:	TLV-SL 3 mg/100 cm2 ;
Naphthalene, 2-methyl-	ACGIH, US: ACGIH, US:	TWA value 0.5 ppm ; Skin Designation ; The substance can be absorbed through the skin.
	ACGIH, US: ACGIH, US:	TLV-SL 3 mg/100 cm2 ; Skin Designation ; Danger of cutaneous absorption
	ACGIH, US:	TWA value 0.05 ppm ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 8/16
(30128706/SDS_CPA_US/EN)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	strong, aromatic	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	dark brown	
pH value:	approx. 3.1 (1 %(m), 25 °C)	
Melting point:	The product has not been tested.	
Boiling point:	> 280 °C The data given are those of the active ingredient.	
Sublimation point:	No applicable information available.	
Flash point:	approx. 105 °C	(Directive 92/69/EEC, A.9)
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition:	approx. 425 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	< 1 mmHg (25 °C) approx. 0.00347 Pa (20 °C) The data given are those of the active ingredient.	
Density:	approx. 1.13 g/cm3 (20 °C) approx. 9.4303 Lb/USg (68 °F)	(OECD Guideline 109)

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 9/16
(30128706/SDS_CPA_US/EN)

Relative density:	approx. 1.130 (approx. 20 °C)	(OECD Guideline 109)
Relative vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	approx. 16.3 mPa.s (40 °C)	
Viscosity, kinematic:	approx. 14.7 mm ² /s (40 °C)	
Solubility in water:	emulsifiable	
Solubility (quantitative):	No data available.	
Solubility (qualitative):	No data available.	
Molecular weight:	275.8 g/mol	
Evaporation rate:	not applicable	
Other Information:	The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing. (Directive 2004/73/EC, A.21)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

Sulfuric acid, strong oxidizing agents

Hazardous decomposition products

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 10/16
(30128706/SDS_CPA_US/EN)

Decomposition products:

Hazardous decomposition products: nitrogen oxides, sulfur oxides, aldehydes

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: 695 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 5.6 mg/l

Exposure time: 4 h

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Causes substantial but temporary eye injury. May cause slight irritation to the skin.

Skin

Species: rabbit

Result: Slightly irritating.

Eye

Species: rabbit

Result: Irritant.

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 11/16
(30128706/SDS_CPA_US/EN)

Sensitization

Assessment of sensitization: Caused skin sensitization in animal studies.

Skin sensitization test
Species: guinea pig
Result: skin sensitizing

Aspiration Hazard

May also damage the lung at swallowing (aspiration hazard). The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: naphthalene

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. The substance may cause damage to the olfactory epithelium after repeated inhalation. Repeated dermal uptake of the substance did not cause substance-related effects.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: naphthalene

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in a mammalian cell culture test system. The substance was not mutagenic in a test with mammals. Literature data.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: naphthalene

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was observed. EU-classification The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

Information on: solvent naphtha

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 12/16
(30128706/SDS_CPA_US/EN)

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for fish. Acutely harmful for aquatic invertebrates. Very toxic (acute effect) to aquatic plants.

Toxicity to fish

LC50 (96 h) 7.94 mg/l, Oncorhynchus mykiss

LC50 (96 h) 7.94 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

EC50 (48 h) 17.1 mg/l, Daphnia magna

EC50 (48 h) 17.1 mg/l, Daphnia magna

Aquatic plants

EC50 (72 h) 0.1327 mg/l, Scenedesmus subspicatus

EC50 (7 d) 0.0085 mg/l (growth rate), Lemna gibba

No observed effect concentration (7 d) 0.003 mg/l (growth rate), Lemna gibba

EC50 (72 h) 0.1327 mg/l (growth rate), Desmodium subspicatus

EC10 (72 h) 0.0245 mg/l (growth rate), Desmodium subspicatus

EC50 (72 h) 0.1327 mg/l, Scenedesmus subspicatus

Assessment of terrestrial toxicity

With high probability not acutely harmful to honeybees. With high probability not acutely harmful to terrestrial organisms.

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 13/16
(30128706/SDS_CPA_US/EN)

Other terrestrial non-mammals

Information on: dimethenamid-P
LD50 1,068 mg/kg, *Colinus virginianus*
LC50 > 5,620 mg/kg, *Colinus virginianus*
LC50 > 5,620 mg/kg, *Anas platyrhynchos*
LD50 (24 d) > 1000 ug/bee, *Apis mellifera*

Bioaccumulative potential

Assessment bioaccumulation potential

Information on: dimethenamid-P

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA:

This product is not regulated by RCRA.

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 14/16
(30128706/SDS_CPA_US/EN)

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class:

9

Packing group:

III

ID number:

UN 3082

Hazard label:

9, EHSM

Marine pollutant:

YES

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIMETHENAMID-P, NAPHTHALENE)

Air transport

IATA/ICAO

Hazard class:

9

Packing group:

III

ID number:

UN 3082

Hazard label:

9, EHSM

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIMETHENAMID-P, NAPHTHALENE)

Further information

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this SDS for the RQ for this product.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS Number

91-20-3

Chemical name

naphthalene

CERCLA RQ

100 LBS

CAS Number

142-82-5; 64742-
94-5

Chemical name

heptane; solvent naphtha

State regulations

State RTK

CAS Number

Chemical name

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 15/16
(30128706/SDS_CPA_US/EN)

NJ	57-55-6	Propylene glycol
	91-20-3	naphthalene
	64742-94-5	solvent naphtha
	90-12-0	Naphthalene, 1-methyl-
	630-20-6	Ethane, 1,1,1,2-tetrachloro-
PA	57-55-6	Propylene glycol
	91-20-3	naphthalene
	64742-94-5	solvent naphtha
	90-12-0	Naphthalene, 1-methyl-
	91-57-6	Naphthalene, 2-methyl-

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

WARNING:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Causes substantial but temporary eye injury.

HARMFUL IF INHALED.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Do not get in eyes, on skin, or on clothing.

Avoid inhalation of mists/vapours.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove contaminated clothing and wash before reuse.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/12/01

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Safety Data Sheet

Outlook Herbicide

Revision date: 2025/12/01
Version: 8.0

Page: 16/16
(30128706/SDS_CPA_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/12/01
Date / Previous version: 2025/01/30

Version: 8.0
Previous version: 7.1

END OF DATA SHEET