

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

1 Identification

· **Product identifier**

· **Trade name:** Quintec® Fungicide

· **Article number:** US85026

· **CAS Number:**

EPA Registration No.: 81880-30-10163

Active Ingredient: Quinoxifen (22.58%), CAS:124495-18-7

· **Application of the substance / the mixture** Agricultural Fungicide

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Gowan Company, LLC.

P.O. Box 5569

Yuma, Arizona 85366-5569

(928) 783-8844

· **Information department:** sds@gowanco.com

· **Emergency telephone number:**

Chemtrec® Emergency Telephone 24 - Hours: (Spills, leak or fire) Inside U.S. & Canada: (800) 424-9300

Outside the U.S. & Canada: +011 (703) 527-3887

For medical emergency (ProPharma Group®): (888) 478-0798

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07



GHS09

· **Signal word** Warning

· **Hazard-determining components of labeling:**

Quinoxifen

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 1)

- **Hazard statements**
 - H317 May cause an allergic skin reaction.
 - H400 Very toxic to aquatic life.
- **Precautionary statements**
 - P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 - P272 Contaminated work clothing must not be allowed out of the workplace.
 - P280 Wear protective gloves.
 - P302+P352 If on skin: Wash with plenty of soap and water.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P363 Wash contaminated clothing before reuse.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Hazard description:**
 - Harmful If Swallowed
 - Harmful If Absorbed Through Skin
 - Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable in US.
 - **vPvB:** Not applicable in US.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 124495-18-7	Quinoxifen ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Sensitization - Skin 1, H317	22.58%
CAS: 57-55-6	Propylene glycol ⚠ Acute Toxicity - Oral 4, H302	6.7%

4 First-aid measures

- **Description of first aid measures**
 - **General information:**
 - Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
 - You may also contact 1-888-478-0798 for emergency medical treatment information.
 - **After inhalation:**
 - Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
 - Call poison control center or doctor for further treatment advice.
 - Supply fresh air and to be sure call for a doctor.
 - In case of unconsciousness place patient stably in side position for transportation.
 - **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
 - **After eye contact:**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 2)

- **After swallowing:**
 - Call a poison control center or doctor immediately for treatment advice.
 - Have affected person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.
- **Advice for firefighters**
Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Burning liquids may be extinguished by dilution with water. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.
- **Protective equipment:**
Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-I:

CAS: 57-55-6 Propylene glycol

30 mg/m³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 3)

· PAC-2:		
CAS: 57-55-6	Propylene glycol	1,300 mg/m ³
· PAC-3:		
CAS: 57-55-6	Propylene glycol	7,900 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Keep out of reach of children. Keep away from heat, sparks and flame. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Use with adequate ventilation. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

· **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

· Storage:

· **Requirements to be met by storerooms and receptacles:** Store in a dry place.

· **Information about storage in one common storage facility:**

Do not ship or store near food, feed, seed and fertilizers.

· **Further information about storage conditions:** Keep only in the original container.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 57-55-6 Propylene glycol	
WEEL	Long-term value: 10 mg/m ³

· **Regulatory information WEEL:** Guide to Occupational Exposure Values (AIHA WEELs)

· Additional information:

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 4)

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves** Chemical-resistant gloves.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses

· **Body protection:**

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Chemical resistant gloves
- Shoes plus socks

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

- **Form:** Liquid
- **Color:** Off-white
- **Odor:** Faint
- **Odor threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 8 (1% aqueous suspension)

· **Change in condition**

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** No test data available

· **Flash point:** > 93.3 °C (> 199.9 °F) (closed cup)

· **Flammability:** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not self-igniting.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: Quintec® Fungicide

(Contd. of page 5)

· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	1.11 g/cm ³ (9.26295 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Dispersible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic at 20 °C (68 °F):	130 mPas
· Kinematic at 20 °C (68 °F):	117 mm ² /s
· Solvent content:	
· Organic solvents:	6.7 %
· VOC content:	6.70 %
· Solids content:	70.7 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No dangerous reaction known under conditions of normal use.
- **Chemical stability** This mixture is stable at the handling and storage conditions recommended in Section 7.
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Polymerization will not occur.
- **Conditions to avoid**
Active ingredient decomposes at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.
- **Incompatible materials:** Avoid contact with: Strong acids. Strong bases. Strong oxidizers.
- **Hazardous decomposition products:**
Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Hydrogen chloride. Hydrogen fluoride. Nitrogen oxides.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**
 - **LD/LC50 values that are relevant for classification:**
Acute oral toxicity
Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.
 - As product: Single dose oral LD50 has not been determined.
 - For similar material(s):

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: Quintec® Fungicide

(Contd. of page 6)

LD50, Rat, > 2,000 mg/kg No deaths occurred at this concentration.

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

For similar material(s):

LD50, Rat, > 2,000 mg/kg No deaths occurred at this concentration.

Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. Based on the available data, respiratory irritation was not observed.

As product: The LC50 has not been determined.

For similar material(s):

LC50, Rat, Mist, > 5 mg/l Estimated.

ATE (Acute Toxicity Estimate)		
Oral	LD50	29,851 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** Brief contact is essentially nonirritating to skin.

· **on the eye:** Essentially nonirritating to eyes.

· **Sensitization:**

Sensitization possible through skin contact.

For the active ingredient(s):

Has caused allergic skin reactions when tested in guinea pigs.

For similar material(s):

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization:

No relevant information found.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s):

In animals, effects have been reported on the following organs: Kidney. Liver. Blood.

Carcinogenicity

For the active ingredient(s): Did not cause cancer in laboratory animals.

Teratogenicity

For the active ingredient(s): Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

Reproductive toxicity

For the active ingredient(s): In animal studies, did not interfere with reproduction.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 7)

Mutagenicity

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **NTP (National Toxicology Program)**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

12 Ecological information

· **Toxicity****Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

For similar material(s):

LC50, *Oncorhynchus mykiss* (rainbow trout), 96 Hour, > 100 mg/l

Acute toxicity to aquatic invertebrates**For similar material(s):**

EC50, *Daphnia magna* (Water flea), 48 Hour, 0.2 mg/l

Acute toxicity to algae/aquatic plants**For similar material(s):**

ErC50, *Pseudokirchneriella subcapitata* (green algae), 72 Hour, 0.28 mg/l

Toxicity to soil-dwelling organisms

LC50, *Eisenia fetida* (earthworms), 14 d, > 1,000 mg/kg

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability****Quinoxifen**

Biodegradability: Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions. 10-day Window: Fail

Biodegradation: 2 - 3 %

Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

Stability in Water (1/2-life)

Hydrolysis, half-life, > 1 year

Photodegradation

Atmospheric half-life: 1.88 d

Propylene glycol

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: Quintec® Fungicide

(Contd. of page 8)

Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

10-day Window: Pass

Biodegradation: 81 %

Exposure time: 28 d

Method: OECD Test Guideline 301F or Equivalent

10-day Window: Not applicable

Biodegradation: 96 %

Exposure time: 64 d

Method: OECD Test Guideline 306 or Equivalent

Theoretical Oxygen Demand: 1.68 mg/mg

Chemical Oxygen Demand: 1.53 mg/mg

Biological oxygen demand (BOD)

Incubation Time	BOD
5 d	69.000 %
10 d	70.000 %
20 d	86.000 %

· **Other information:**

Photodegradation

Atmospheric half-life: 10 Hour

Method: Estimated.

· **Behavior in environmental systems:**

· **Bioaccumulative potential**

Quinoxifen

Bioaccumulation: Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

Partition coefficient: n-octanol/water(log Pow): 4.66 Measured

Bioconcentration factor (BCF): 5,040 Fish Measured

Propylene glycol

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -1.07 Measured

Bioconcentration factor (BCF): 0.09 Estimated.

Balance

Bioaccumulation: No relevant data found.

· **Mobility in soil**

Quinoxifen

Expected to be relatively immobile in soil (Koc > 5000).

Partition coefficient (Koc): 22929 Estimated.

Propylene glycol

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): < 1 Estimated.

Balance

No relevant data found.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 9)

· **Additional ecological information:**· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Very toxic for aquatic organisms

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:**

Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

14 Transport information

· **UN-Number**· **DOT**

Void

· **ADR, IMDG, IATA**

UN3082

· **UN proper shipping name**· **DOT**

Void

· **ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Quinoxifen)

· **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Quinoxifen), MARINE POLLUTANT

· **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Quinoxifen)

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025


Reviewed on 10/17/2025

Trade name: Quintec® Fungicide

(Contd. of page 10)

· **Transport hazard class(es)**· **DOT**· **Class**

Void

· **ADR, IMDG, IATA**· **Class**

9 Miscellaneous dangerous substances and articles

· **Label**

9

· **Packing group**· **DOT**

Void

· **ADR, IMDG, IATA**

III

· **Environmental hazards:**· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADR):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

· **Special precautions for user**

Warning: Miscellaneous dangerous substances and articles

· **Hazard identification number (Kemler code):** 90· **EMS Number:**

F-A,S-F

· **Stowage Category**

A

· **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

· **Transport/Additional information:**· **ADR**· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **IMDG**· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

US DOT: Not Regulated

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (QUINOXYFEN), 9, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EPA /FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 11)

· **Marketing authorization number:**· **SARA Title III**· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

CAS: 57-55-6 Propylene glycol

ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenicity categories**· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **TLV (Threshold Limit Value)**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

Not applicable

· **Signal word**

(USA EPA) CAUTION

· **Hazard-determining components of labeling:**

Quinoxifen

· **Hazard statements**

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2025

Reviewed on 10/17/2025

Trade name: **Quintec® Fungicide**

(Contd. of page 12)

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.


P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment**· **Categoria Seveso E1** E1 Hazardous to the Aquatic Environment· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **NFPA ratings (Scale 0-4)**

Health = 0

Fire = 0

Reactivity = 0

· **Department issuing SDS:** Supply Chain· **Contact:** sds@gowanco.com· **Date of preparation / last revision** 10/21/2025 / 8.0· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Sensitization - Skin 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1