

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

BUPROFEZIN GROUP 16 INSECTICIDE



EPA Reg. No. 71711-20

States: For Use and Distribution in the State of Texas Only

Use: Control of Cotton Jassid/Two-Spotted Cotton Leafhopper (*Amrasca biguttula*)

This recommendation expires 12/31/2029 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This recommendation and the EPA approved container label must be in the possession of the user at the time of application. Read the label affixed to the container for Courier® SC Insect Growth Regulator before applying. Use of Courier SC according to this recommendation is subject to the use precautions and limitations imposed by the label affixed to the container for Courier SC.

Cotton		
Pest	Rate/Acre	Directions for Use
Cotton jassid/two-spotted cotton leafhopper	12 to 12.5 fl oz/A (0.33 to 0.35 lb ai/A)	• Aerial Application: Minimum of 5 gallons of water per acre • Ground Application: 10 to 50 gallons of water per acre USE RESTRICTIONS • Do not make more than 2 applications per crop cycle. • Allow at least 28 days between applications. • Do not apply more than 24.9 fl oz (0.70 lb ai) per acre per crop cycle. • Preharvest Interval (PHI): 14 days

©2026 Nichino America, Inc. Courier is a registered trademark of Nichino America, Inc.



Nichino America, Inc.
4550 Linden Hill Road, Suite 501
Wilmington, DE 19808
888-740-7700