




FIRST AID	
If Swallowed:	• Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in Eyes:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.

Poisoning Hotline: Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns and pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378. **Metaldelhyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.**
Note to Physician: Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.
Note to Veterinarian: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion is suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit adsorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Harmful if inhaled. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.
IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldelhyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

APPLICATION INFORMATION

Apply pellets as a barrier around plants by distributing pellets evenly in a line at the following rates, pellets per linear foot.

Crop Use Site	Maximum Pellets per Linear Foot	Minimum Days Between Retreatment	Maximum Number of Applications Per Growing Season	Preharvest Interval	Maximum Number of Applications Per Year
Artichoke -perennial -annual	20	18	6	0	12
Berries:	20	18	2	0	4
Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, loganberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) Bushberries (cranberry, red currant, black currant, elderberry, gooseberry, huckleberry, lingonberry, juneberry, salal) Blueberries	18	14	3	0	3
Citrus	20	14	6	0	6
Tomatoes	20	14	3	0	6
Lettuce, Cole Crops and the following leafy greens (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo, broccolo, collards, kale, kohlrabi, mizuna, mustard greens, spinach, rape greens)	20	14	3	0	6
Strawberries	20	14	3	0	6
Ornamental Plants:	20	21	6	0	6

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage and disposal.
PESTICIDE STORAGE: This product can be harmful to children and fatal to dogs and other domestic animals if ingested. Dogs have been known to ingest metaldelhyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.
CONTAINER DISPOSAL: If **empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

OR-CAL, Inc.
29454 Meadowview Road
Junction City, OR 97448
541-689-4413



Slug & snail bait

TRUSTED SINCE 1926
BONIDE®

Slug & snail bait

fast acting
formula

Fast-effective control of slugs & snails

Use around listed fruits, vegetables and ornamentals
Longer lasting. The all weather formula is effective for up to 3 to 4 weeks

Attractants draw in all species of slugs and snails



ACTIVE INGREDIENT: Metaldelhyde 3.25%
OTHER INGREDIENTS: 96.75%
TOTAL 100.00%
EPA Est No. 66876-OR-001 EPA Reg. No. 71096-7

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal".




Keep Out Of Reach Of Children
CAUTION (See Back Panel for Additional Precautionary Statements and First Aid)

NET WEIGHT 2 LBS. (907g)

Slug & Snail bait

Easy Spread
Mini Pellets



Slug & Snail bait