



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

SECTION 1: Identification

1.1 Product identifier

Trade name **Diquat 2SL**
CAS number 85-00-7
EPA Reg. No. 19713-729

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses general use

1.3 Details of the supplier of the safety data sheet

Drexel Chemical Company, Inc
1700 Channel Avenue
Memphis TN 38113-0327
United States

Telephone: +1 (901) 774-4370
e-mail: info@drexchem.com
Website: <https://www.DrexChem.com>

e-mail (competent person) cbothwell@drexchem.com (Cyndi Bothwell)

1.4 Emergency telephone number

Emergency information service
CHEMTREC 800-424-9300
DREXEL CHEMICAL CO. 901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Refer to SECTION 15: REGULATORY INFORMATION for explanation.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.1O	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	acute toxicity (dermal)	5	Acute Tox. 5	H313
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitization	1	Skin Sens. 1	H317
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	hazardous to the aquatic environment - acute hazard	2	Aquatic Acute 2	H401
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05, GHS06, GHS07,
GHS08



- Hazard statements

May be corrosive to metals.

Harmful if swallowed.

May be harmful in contact with skin.

Causes skin irritation and serious eye irritation.

May cause an allergic skin reaction.

Toxic if inhaled.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

- Precautionary statements

Keep only in original packaging.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Store in corrosion resistant container with a resistant inner liner.

Dispose of contents/container to industrial combustion plant.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

2.3 Other hazards

Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).
Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Inert Ingredients	CAS No non-hazardous	62.7		
Diquat Dibromide	CAS No 85-00-7	37.3	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 STOT SE 3 / H335 STOT RE 1 / H372 Met. Corr. 1 / H290	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Ammonia (NH₃), Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen bromide (HBr), Phosgene

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations



Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
US	diquat dibromide	85-00-7	REL		0.5 (10 h)						NIOSH REL
US	diquat dibromide	85-00-7	TLV®		0.5					i, cation, H	ACGIH® 2025
US	diquat dibromide	85-00-7	TLV®		0.1					r, cation, H	ACGIH® 2025
US	diquat dibromide (1,1'-ethylene-2,2'-dipyridinium dibromide)	85-00-7	PEL (CA)		0.5					dust	Cal/OSHA PEL
US	diquat dibromide (1,1'-ethylene-2,2'-dipyridinium dibromide)	85-00-7	PEL (CA)		0.1					r	Cal/OSHA PEL

Notation

cation	as the cation
Ceiling-C	ceiling value is a limit value above which exposure should not occur
dust	as dust
H	absorbed through the skin
i	inhalable fraction
r	respirable fraction



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

Notation

STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diquat Dibromide	85-00-7	DNEL	0.011 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Diquat Dibromide	85-00-7	DNEL	0.26 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Diquat Dibromide	85-00-7	DNEL	0.15 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Diquat Dibromide	85-00-7	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
Diquat Dibromide	85-00-7	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Diquat Dibromide	85-00-7	PNEC	8.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Diquat Dibromide	85-00-7	PNEC	0.21 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Diquat Dibromide	85-00-7	PNEC	0.021 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Diquat Dibromide	85-00-7	PNEC	0.56 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	brown
Odor	mild

Other safety parameters

pH (value)	3 – 7
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	>200 °F
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	0.0176 Pa
Density	10 lb/gal
Vapor density	this information is not available

Solubility(ies)

- Water solubility	640.9 g/l
--------------------	-----------

Partition coefficient

- n-octanol/water (log KOW)	-1.48
Auto-ignition temperature	not determined
Explosive properties	none
Oxidizing properties	none



Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Stable in acidic and neutral solution; decomposed by alkaline and in the presence of UV light. Compound inactivated by absorption onto inert clay.

10.5 Incompatible materials

Oxidizers, Hydrolyzes in alkaline media. Reacts with aluminum to produce flammable hydrogen gas. Do not mix or store in containers or systems made of aluminum or having aluminum fittings.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

- Acute toxicity estimate (ATE)

Oral	1,340 mg/kg
Dermal	>2,123 mg/kg
Inhalation: dust/mist	0.5 mg/l/4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity



Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Exposure time
LC50	13.9 mg/l	bluegill	96 h
LC50	14.8 mg/l	rainbow trout	96 h
EC50	0.77 – 1.19 mg/l	daphnia	48 h

Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Diquat Dibromide	85-00-7	LC50	11.39 mg/l	fish	96 h
Diquat Dibromide	85-00-7	ErC50	2.3 µg/l	algae	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Exposure time
EC50	2.2 mg/l	daphnia magna	48 h

Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Diquat Dibromide	85-00-7	EC50	>1,000 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT

UN 2927 - Non-regulated when shipped domestically by land in individual containers less than the reportable quantity.

IMDG-Code

UN 2927

ICAO-TI

UN 2927

14.2 UN proper shipping name

DOT

Toxic liquid, corrosive, organic, n.o.s.

IMDG-Code

TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.

ICAO-TI

Toxic liquid, corrosive, organic, n.o.s.

14.3 Transport hazard class(es)

DOT

6.1 (8)

IMDG-Code

6.1 (8)

ICAO-TI

6.1 (8)

14.4 Packing group

DOT

II

IMDG-Code

II

ICAO-TI

II

14.5 Environmental hazards

hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN2927, Toxic liquid, corrosive, organic, n.o.s., 6.1 (8), II, environmentally hazardous
Reportable quantity (RQ)	2,681 lbs (1,217 kg) (Diquat Dibromide)
Danger label(s)	6.1+8, fish and tree
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	IB2, T11, TP2, TP27
ERG No	154
Remarks	Marine Pollutant Note: Ground-shipments are excluded from Marine Pollutant labeling requirements as per 49CFR172.101 Appendix B (4).

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	yes (hazardous to the aquatic environment) (Diquat Dibromide)
Danger label(s)	6.1+8, fish and tree
	
Special provisions (SP)	274
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 mL
EmS	F-A, S-B
Stowage category	B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	6.1+8
	
Special provisions (SP)	A4, A137
Excepted quantities (EQ)	E4
Limited quantities (LQ)	0,5 L



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200

This product contains hazardous components as defined under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.

Pesticide Registration

This product is a pesticide registered by the Environmental Protection Agency (EPA) and is subject to certain FIFRA labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

EPA Reg. No.

19713-729

FIFRA Label Signal Word:

WARNING

FIFRA Label Information

KEEP OUT OF REACH OF CHILDREN
Hazards to Humans and Domestic Animals
WARNING: Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Remove and wash contaminated clothing before reuse.

Toxic Substance Control Act (TSCA)

none of the ingredients are listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Diquat Dibromide	85-00-7		1	1000 (454)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Diquat Dibromide	85-00-7		CECBP - Priority Chemicals



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Diquat Dibromide	85-00-7				1.0 %

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
DIPYRIDO[1,2-A:2',1'-C]PYRAZINEDIIUM, 6,7-DIHYDRO-, DIBROMIDE	85-00-7	E

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Diquat Dibromide	85-00-7	T

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)


NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0
PERSONAL PROTECTION		-

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).





Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Diquat 2SL

Version number: 5.0
Replaces version of: 2025-08-02 (4)

Revision: 2025-08-11

SECTION 16: Other information, including date of preparation or last revision

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.