

FIFRA Sec. 2(ee) Recommendation

Priaxor®

Xemium® Brand Fungicide

For control of areolate mildew (*Ramularia gossypii*) in cotton

For use in: Alabama, Georgia, North Carolina, South Carolina, and Virginia.

This Section 2(ee) Recommendation expires on December 31, 2028.

EPA Reg. No. 7969-311

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty on the EPA registered label are to be followed.

Information contained in this Section 2(ee) Recommendation is not intended to replace or amend any product labeling. Always read and follow all label directions when using any pesticide alone or in tank mix combinations.

The user must have this recommendation in their possession at the time of use.

Directions For Use

Apply 4-8 fl ozs/A of **Priaxor® Xemium® brand fungicide** to control areolate mildew (*Ramularia gossypii*) in cotton. See container label for all cotton application instructions and restrictions.

Priaxor and Xemium are registered trademarks of BASF.

© 2025 BASF Agricultural Solutions US LLC
All rights reserved.

007969-00311.20251010.NVA 2025-04-0372-0262
Supersedes: NVA 2024-04-0372-0419