



LAWN FERTILIZER 27-0-2

GUARANTEED ANALYSIS:

Total Nitrogen (N)	27.0%
6.8% Ammoniacal Nitrogen	
6.7% Nitrate Nitrogen	
13.5% Urea Nitrogen	
Soluble Potash (K ₂ O)	2.0%
Iron (Fe)	0.1%
0.1% Chelated Iron	

Derived From:
Ammonium Nitrate, Urea,
Potassium Hydroxide, Iron EDTA

Covers up to 5,000 sq. ft.

KEEP FROM FREEZING
SHAKE WELL BEFORE USING



READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.

Directions for Use

For Best Results Read the Entire Label First and Follow Directions Carefully

This ready-to-use 27-0-2 liquid fertilizer with iron is for residential lawns. The fast-acting formula promotes green growth and is easy to apply using the hose-end sprayer. Regular feeding provides essential nutrients to strengthen your lawn, helping it withstand stresses like heat, drought, and heavy traffic.

Entire Lawn Treatment: This 32 fl.oz. container covers up to 5,000 sq. ft. Measure the size of your yard. If the area to be treated is larger than 5,000 sq. ft., you may need to buy more containers. This product provides 0.72lbs. of nitrogen and 0.05 lbs. of potassium for your lawn.

Determining the Size of the Area to be Treated:

Estimate the length and width of the area to be treated in feet. Multiply the length of the area by its width to determine the total square footage to be treated. Deduct any areas that will not be treated (house, shed, driveway etc.).

For Best Results:

- Delay mowing 1 - 3 days after application
- Avoid applying when temperatures exceed 85°F.
- Avoid applying to lawns under drought conditions or experiencing stress.

Where To Use

For use on residential lawn types. Apply only to actively growing turf.
DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN AND SWEEP ANY PRODUCT THAT LANDS ON THE DRIVEWAY, SIDEWALK, OR STREET, BACK INTO YOUR LAWN.

Avoid contact with unfinished wood products, painted surfaces, or concrete as this product may cause staining.

How To Apply

1. Connect your garden hose to the hose-end sprayer. With your thumb, snap off the safety locking tab that prevents accidental discharge of spray solution. Leave control valve in the OFF position.
2. To BEGIN spraying: Turn on water at faucet. Extend the hose to the furthest point from the faucet. Point nozzle toward the lawn to be treated and turn the control valve to the ON position. Water will automatically mix with the product. Walk backwards as you apply in order to avoid contact with the treated area. For best results, spray evenly over the measured area.
3. To STOP spraying: Turn control valve to the OFF position. Turn off water at faucet. To relieve pressure, turn control valve to ON position and wait until water stops spraying before removing sprayer from hose.

When To Apply

Apply this fertilizer during the growing seasons:

Spring: Apply early to support lush, green growth as your lawn comes out of dormancy. This helps establish a strong foundation for the growing season. Repeat applications every 4-6 weeks to maintain a deep green color.

Fall: Applying in the fall restores nutrients depleted during the summer, encourages deep root development, prepares your lawn for winter, and boosts its resilience to seasonal stresses. Repeat applications every 4-6 weeks to maintain a deep green color.

Additional Information:

Lawns typically utilize over 1 lb. of nitrogen per 1,000 sq. ft. each growing season. When used as directed, this product will supplement your fertilizer program by adding 0.14 lbs. of nitrogen per 1,000 sq. ft. Please consult your local extension office for questions regarding a regular fertilizer program.

DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.html>

STORAGE & DISPOSAL:

Keep from freezing. Do not reuse this container for any purpose other than its intended use.
Properly rinse and recycle or dispose of according to local regulations.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the composition of this product conforms to the guaranteed analysis given on the label, and that the product is reasonably suited for the labeled use when applied according to the directions on the label.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED.

This limited warranty does not extend to the use of the product inconsistent with label instructions, warning or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Gordon's® logo is a registered trademark of PBI-Gordon Corporation.

745/1-2026 F987



MANUFACTURED BY
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286
www.GordonsUSA.com

ATTENTION: This specimen label is provided for informational use only.
This product may not yet be available for sale in your state or area. The
information found in this label may differ from the information found on
the product label you are using. Always follow the instructions for use
and precautions on the label of the product you are using.



LAWN FERTILIZER 27-0-2

GUARANTEED ANALYSIS:

Total Nitrogen (N)	27.0%
6.8% Ammoniacal Nitrogen	
6.7% Nitrate Nitrogen	
13.5% Urea Nitrogen	
Soluble Potash (K ₂ O)	2.0%
Iron (Fe)	0.1%
0.1% Chelated Iron	

Derived From:

Ammonium Nitrate, Urea,
Potassium Hydroxide, Iron EDTA

Cubre hasta 5,000 pies cuadrados.

EVITE QUE SE CONGELE AGITE BIEN ANTES DE USAR



**LEA LA ETIQUETA COMPLETA PRIMERO.
OBSERVE TODAS LAS PRECAUCIONES Y SIGA
CUIDADOSAMENTE LAS INSTRUCCIONES.**

Modo de empleo

Para mejores resultados lea primero la etiqueta completa y siga cuidadosamente las instrucciones

Este fertilizante líquido 27-0-2 con hierro, listo para usar, es para céspedes residenciales. La fórmula de acción rápida favorece el crecimiento verde y es fácil de aplicar con el pulverizador de manguera. La fertilización regular proporciona nutrientes esenciales para fortalecer el césped, al ayudar a resistir el estrés causado por el calor, la sequía y el tráfico constante.

Tratamiento para todo el césped: Este envase de 32 fl oz. cubre hasta 5,000 ft². Mida el tamaño de su jardín. Si el área a tratar es mayor de 5,000 ft² es posible que necesite comprar más envases. Este producto aporta 0.72 libras de nitrógeno y 0.05 libras de potasio para su césped.

Cómo determinar el tamaño del área a tratar:

Estime el largo y el ancho del área en pies. Multiplique el largo por el ancho para determinar el total de ft² a tratar. Reste cualquier área que no se vaya a tratar (casa, cobertizo, entrada de autos, etc.).

Para mejores resultados:

- Espere de 1 a 3 días después de la aplicación para podar.
- Evite la aplicación cuando las temperaturas superan los 85°F.
- Evite la aplicación en céspedes en condiciones de sequía o que sufren estrés.

Dónde usar el producto

Para usar en céspedes residenciales. Aplíquelo únicamente sobre césped en crecimiento activo.

NO LO APLIQUE CERCA DEL AGUA, DESAGÜES PLUVIALES O ZANJAS DE DRENAJE. NO LO APLIQUE SI SE ESPERAN LLUVIAS INTENSAS. APLIQUE ESTE PRODUCTO SOLAMENTE SOBRE EL CÉSPED Y, EN CASO DE QUE CAIGA SOBRE LA ENTRADA, LA ACERA O LA CALLE, BÁRRALO NUEVAMENTE HACIA EL CÉSPED.

Evite el contacto con productos de madera sin terminar, superficies pintadas o concreto, ya que este producto puede causar manchas.

Cómo aplicarlo:

1. Conecte la manguera de jardín al rociador con el pulverizador de manguera. Con el pulgar, rompa la lengüeta de seguridad que evita la descarga accidental de la solución. Deje la válvula de control en la posición OFF (apagado).
2. Para COMENZAR la aplicación: Abra el grifo. Extienda la manguera hasta el punto más alejado del grifo. Apunte la boquilla hacia el césped que se va a tratar y gire la válvula de control a la posición ON (encendido). El agua se mezclará automáticamente con el producto. Camine hacia atrás mientras aplica, para evitar el contacto con el área tratada. Para mejores resultados, rocíe de manera uniforme sobre el área medida.
3. Para DETENER la aplicación: Gire la válvula de control a la posición OFF (apagado). Cierre el grifo. Para liberar la presión, gire la válvula de control a la posición ON y espere hasta que el agua deje de salir antes de desconectar el rociador de la manguera.

Cuándo aplicarlo:

Aplique este fertilizante durante las temporadas de crecimiento:

Primavera: Aplíquelo temprano para fomentar un crecimiento verde y vigoroso cuando el césped salga del letargo. Esto ayuda a establecer una base sólida para la temporada de crecimiento. Repita la aplicación cada 4 a 6 semanas para mantener un color verde intenso.

Otoño: Aplicar en otoño ayuda a reponer los nutrientes perdidos durante el verano, estimula el desarrollo profundo de las raíces, prepara el césped para el invierno y mejora su resistencia al estrés estacional. Repita la aplicación cada 4 a 6 semanas para mantener un color verde intenso.

Información adicional:

Los céspedes generalmente utilizan más de 1 libra de nitrógeno por cada 1,000 ft² durante cada temporada de crecimiento. Cuando se usa según las instrucciones, este producto complementará su programa de fertilización al añadir 0.14 libras de nitrógeno por cada 1,000 ft². Consulte a su oficina de extensión agrícola local si tiene preguntas sobre un programa regular de fertilización.

NO LO APLIQUE CERCA DEL AGUA, DESAGÜES PLUVIALES O ZANJAS DE DRENAJE. NO LO APLIQUE SI SE ESPERAN LLUVIAS INTENSAS. APLIQUE ESTE PRODUCTO ÚNICAMENTE EN SU CÉSPED. Consulte con su agencia local de extensión cooperativa para obtener información específica sobre las mejores prácticas de manejo de césped en su área. Verifique con el gobierno local de su condado o ciudad si existen regulaciones locales sobre el uso de fertilizantes.

La información sobre el contenido y los niveles de metales en este producto está disponible en internet en: <http://www.aapfco.org/metals.html>

ALMACENAMIENTO Y ELIMINACIÓN:

Evite que se congele. No reutilice este envase para ningún otro propósito que no sea el uso previsto.

Enjuague adecuadamente y recicle o elimine según las regulaciones locales.

GARANTÍA LIMITADA Y EXENCIÓN DE RESPONSABILIDAD

El fabricante garantiza únicamente que la composición de este producto se ajusta al análisis garantizado que figura en la etiqueta, y que el producto es razonablemente adecuado para el uso indicado cuando se aplica conforme a las instrucciones de la etiqueta.

EL FABRICANTE NO OFRECE NI PRETENDE NINGUNA OTRA GARANTÍA EXPRESA O IMPLÍCITA, INCLUIDA CUALQUIER GARANTÍA DE COMERCIABILIDAD O IDONEIDAD PARA UN FIN DETERMINADO, QUE QUEDAN EXPRESAMENTE EXCLUIDAS.

Esta garantía limitada no cubre el uso del producto que no esté conforme con las instrucciones, advertencias o precauciones de la etiqueta, ni el uso del producto bajo condiciones anormales como sequía, lluvias excesivas, tornados, huracanes, etc. Estos factores exceden el control del fabricante o del vendedor. Cualquier daño

derivado del incumplimiento de la garantía del fabricante se limitará a los daños directos y no incluirá los daños indirectos o consecuentes, como la pérdida de beneficios o valores, salvo que la ley disponga lo contrario.

Los términos de esta garantía limitada y exención de responsabilidad no pueden modificarse mediante declaraciones o acuerdos escritos o verbales. Ningún empleado ni agente del vendedor está autorizado a modificar o sobrepasar los términos de esta garantía limitada y exención de responsabilidad de ninguna manera.

El logotipo de Gordon® es una marca comercial registrada de PBI-Gordon Corporation.

745/1-2026 F987



MANUFACTURED BY
PBI/GORDON CORPORATION
P.O. BOX 860350
SHAWNEE, KANSAS 66286
www.GordonsUSA.com

ATENCIÓN: Esta etiqueta de espécimen se proporciona únicamente para uso informativo. Este producto puede no estar disponible aún para la venta en su estado o área. La información que aparece en esta etiqueta puede diferir de la que aparece en la etiqueta del producto que esté utilizando. Siga siempre las instrucciones de uso y las precauciones que figuran en la etiqueta del producto que esté usando.