

Section 1: IDENTIFICATION

Product Name: WinField Glyphosate 540

PMRA Number: 35316

Product Use: Herbicide.

Restrictions on Use: Not available.

Manufacturer/Supplier: WinField United Canada, ULC
101-302 Wellman Lane
Saskatoon, SK S7T-0J1

Phone Number: 1-888-975-4769

Emergency Phone: Exposure calls (Rocky Mountain Poison & Drug Safety (RMPDS)):
1-877-496-3329

Spill calls (CHEMTREC):
1-800-424-9300 or +1-703-527-3887 (international)

Date of Preparation of SDS: March 20, 2026

Section 2: HAZARD(S) IDENTIFICATION**GHS INFORMATION**

Classification: Not hazardous according to OSHA criteria (29 CFR 1910.1200).
Not hazardous according to WHMIS 2015 criteria.

LABEL ELEMENTS

Hazard None.

Pictogram(s):

Signal Word: None.

Hazard Statements: Not applicable.

Precautionary Statements

Prevention: Not applicable.

Response: Not applicable.

Storage: Not applicable.

Disposal: Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: 67% of this product mixture consists of ingredient(s) of unknown acute toxicity.

This material is not considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is not considered hazardous by the Hazardous Products Regulations.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	Common name / Synonyms	CAS No.	% wt./wt.
Glyphosate potassium	Not available.	39600-42-5	65 - 67

Section 4: FIRST-AID MEASURES

Inhalation:	If inhaled: Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
Eye Contact:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
Skin Contact:	If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
Ingestion:	If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.
General Advice:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
Note to Physicians:	Symptoms may not appear immediately.

Section 5: FIRE-FIGHTING MEASURES

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria.

Sensitivity to Mechanical Impact:	This material is not sensitive to mechanical impact.
Sensitivity to Static Discharge:	This material is not sensitive to static discharge.

MEANS OF EXTINCTION

Suitable Extinguishing Media:	Small Fire: Dry chemical, CO2, water spray or regular foam. Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.
Unsuitable Extinguishing Media:	Not available.

Products of Combustion:	Oxides of carbon. Oxides of nitrogen. Oxides of phosphorus. Potassium oxides.
Protection of Firefighters:	Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures:	Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.
Personal Precautions:	Do not touch or walk through spilled material. Use personal protection recommended in Section 8.
Environmental Precautions:	Keep out of drains, sewers, ditches, and waterways.
Methods for Containment:	Stop leak if without risk. Do not flush to sewer or allow to enter waterways.
Methods for Clean-Up:	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Other Information:	See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Handling:
Do not swallow. Wash hands thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

Storage:
Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component

Glyphosate potassium [CAS No. 39600-42-5]

ACGIH: No TLV established.

OSHA: No PEL established.

PEL: Permissible Exposure Limit
TLV: Threshold Limit Value

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection:	Wear safety glasses. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3:20 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.
Hand Protection:	Wear protective gloves. Consult manufacturer specifications for further information.
Skin and Body Protection:	Wear protective clothing.
Respiratory Protection:	Not required under normal use conditions.
General Hygiene Considerations:	Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pale yellow clear liquid.
Colour:	Pale yellow.
Odour:	Odourless.
Odour Threshold:	Not available.
Physical State:	Liquid.
pH:	5.43 ± 0.07 at 19.9°C
Melting Point / Freezing Point:	Not available.
Initial Boiling Point:	Not available.
Boiling Range:	Not available.
Flash Point:	> 106°C
Evaporation Rate:	Not available.
Flammability:	Non-combustible material.
Lower Flammability Limit:	Not available.
Upper Flammability Limit:	Not available.
Vapor Pressure:	Not available.
Relative Vapor Density:	Not available.
Relative Density:	1.3756 ± 0.0004 at 2 ± 1°C
Solubility:	Soluble in water.
Partition Coefficient: n-Octanol/Water:	Not available.
Auto-ignition Temperature:	Not available.

Decomposition Temperature:	Not available.
Kinematic Viscosity:	Not available.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	Not available.
Density:	Not available.
Coefficient of Water/Oil Distribution:	Not available.
Particle Characteristics:	Not available.

Section 10: STABILITY AND REACTIVITY

Reactivity:	Contact with incompatible materials. Exposure to heat.
Chemical Stability:	Stable under normal storage conditions.
Possibility of Hazardous Reactions:	May produce hydrogen gas if this product comes into contact with galvanized steel or unlined steel.
Conditions to Avoid:	Contact with incompatible materials. Exposure to heat.
Incompatible Materials:	Oxidizers. Galvanized steel. Unlined steel.
Hazardous Decomposition Products:	Not available.

Section 11: TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Product Toxicity

Oral:	Not available.
Dermal:	Not available.
Inhalation:	Not available.

Component Toxicity

Component	CAS No.	LD ₅₀ oral	LD ₅₀ dermal	LC ₅₀
Glyphosate potassium	39600-42-5	Not available.	Not available.	Not available.

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Symptoms (including delayed and immediate effects)

Inhalation:	May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
Eye:	May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
Skin:	May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
Ingestion:	May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization: Not available.

Respiratory Sensitization: Not available.

Medical Conditions Not available.

Aggravated By Exposure:

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Carcinogenicity: This product does not contain any carcinogens or potential carcinogens above reportable thresholds as listed by ACGIH, IARC, OSHA, or NTP.

Mutagenicity: Not available.

Reproductive Effects: Not available.

Developmental Effects

Teratogenicity: Not available.

Embryotoxicity: Not available.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Acute oral toxicity test-Japanese quail, OECD 223: Statistically no significant difference in the feed consumption of birds was observed at the dose level of 2000mg glyphosate potassium 660g/l SL/kg body weight between days 0-3, 4-7 and 8-14 when compared with the control group.

Fish, Acute toxicity test, OECD 203: The study was conducted as a limit test in which the 96h LC50 of Glyphosate potassium 660g/l was found to be greater than 100.0mg a.i./L.

Honeybee acute contact toxicity study, OECD 214: The median contact lethal dose (LD50) of glyphosate potassium 660g/l SL to honeybee was found to be greater than 207.4ug/bee, equivalent to 100ug a.i./bee.

Persistence / Degradability: AEROBIC: When glyphosate was incubated in William's silt loam soil (pH 6.4, 1.9% organic matter), 19% degradation occurred in 9 days. No degradation was noted in sterilized soil. In shake-flask metabolism studies, glyphosate was rapidly and completely biodegraded in the presence of soil microorganisms under both aerobic and anaerobic conditions. After 28 days under aerobic conditions, 45-55% of the glyphosate was mineralized using Ray silt loam soil, Lintonia sandy loam soil, and Drummer silty clay loam soil. Norfolk sandy loam mineralized glyphosate at a much slower, but still significant, rate. In greenhouse experiments,

the half-lives of glyphosate in Ray, Drummer and Norfolk soil were 3, 27, and 130 days, respectively. The biodegradation half-life of glyphosate in a Kickapoo sandy loam and Dupo silt loam soil were 1.85 and 2.06 days, respectively, under aerobic conditions. The major degradation product observed was aminomethyl phosphonic acid. The aerobic and anaerobic biodegradation half-life of glyphosate in a flooded silty clay loam sediment was 7 and 8.1 days, respectively.

Bioaccumulation / Accumulation: In controlled laboratory studies using glyphosate at levels 3 to 4 times the recommended application rates, BCF values in fish tissue 10-14 days post application ranged from 0.2 to 0.3. A BCF value of 0.52 (whole body) was measured in bluegill (*Lepomis macrochirus*) exposed for 28 days. BCF values of 0.38 for edible tissues and 0.63 for non-edible tissues have been reported. According to a classification scheme, these BCF data suggest that bioconcentration in aquatic organisms is low (SRC).

Mobility in Environment: When applied to clay loam or muck soil at an application rate of 56 kg/ha, glyphosate was rapidly inactivated. This inactivation was probably the result of reversible adsorption to clay and organic matter. Iron and aluminum clays and organic matter adsorbed more glyphosate than sodium and calcium clays and was readily bound to kaolinite, illite, bentonite, charcoal and muck but not to ethyl cellulose. (14)C-Labeled glyphosate was degraded in soil and (14)CO₂ was released.

Other Adverse Effects: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions: Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Section 14: TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Placard(s): Not applicable.

Canada Transportation of Dangerous Goods (TDG)**Proper Shipping Name:** Not regulated.**Class:** Not applicable.**UN Number:** Not applicable.**Packing Group:** Not applicable.**Placard(s):** Not applicable.**Section 15: REGULATORY INFORMATION****Chemical Inventories****US (TSCA)**

The components of this product are in compliance with the chemical notification requirements of TSCA.

Canada (DSL)

The components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

Federal Regulations**United States**

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III

No components are listed.

State Regulations**Massachusetts**

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

No components are listed.

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

No components are listed.

Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

No components are listed.

California

California Prop 65: This product does not contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Section 16: OTHER INFORMATION**Disclaimer:**

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS: March 20, 2026

Version: 1.1

GHS SDS Prepared by: **Aegis Regulatory Inc.**
Phone: 1 (519) 488-0351
www.aegisreg.com