

PRONAMIDE	GROUP	3	HERBICIDE
-----------	-------	---	-----------

FIFRA Section 24(c) Special Local Need (SLN) Label

Corteva Agriscience LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA

Kerb® SC

EPA Reg. No. 62719-578
EPA SLN No. WA-250002

Weed Control in Specific Brassica Leafy Greens and Specific Brassica Head & Stem Vegetables, Mustard Spinach, Rutabaga, and Swiss Chard Grown for Seed Only

For Distribution and Use Only Within the State of Washington

Expiration Date: This label for Kerb SC expires and must not be distributed or used in accordance with this SLN registration after December 31, 2027.

Active Ingredient:
 pronamide: 3,5-dichloro-N-(1,1-dimethyl-2-propynyl) benzamide.....35.6%
 Other Ingredients64.4%
 Total100.0%

Contains 3.3 lbs of active ingredient per gallon.

Keep Out of Reach of Children
CAUTION

Directions for Use

ATTENTION • It is a violation of Federal law to use this product in a manner inconsistent with its labeling. • This SLN label and the federal label for this product must be in the possession of the user at the time of pesticide application. • Follow all applicable directions, restrictions, Worker Protection Standard Requirements, and precautions on this SLN label and the EPA-registered label for Kerb SC, EPA Reg. No. 62719-578.

General Information

Kerb® SC is a selective herbicide which may be applied in the fall or winter to the following established crops grown for seed for both preemergence and postemergence control of certain winter annual weeds and grasses:

- **Specific members of the 4-16B Brassica Leafy greens subgroup:** Arugula; Broccoli raab; Chinese broccoli; Chinese cabbage (bok choy); collards; kale; mustard greens; rape greens; cultivars and hybrids of these.
- **Specific members of the Brassica (Cole) Crop Group 5-16 Head & Stem Vegetables:** Broccoli; Brussels sprouts; cabbage; cabbage, Chinese napa; cauliflower; cultivars and hybrids of these.
- **Mustard Spinach**
- **Rutabaga**
- **Swiss Chard**

Application Rate and Timing

Apply on seeded or transplanted crops when crop has 4 or more leaves.

Apply at 2.5 - 5.0 pints Kerb SC (1-2 lb active ingredient) per acre for preemergence or postemergence control of annual bluegrass, annual ryegrass, volunteer grains, and chickweed.

Apply Kerb SC postemergence to weeds in the fall to control winter weeds, and/or in the spring for control of spring and summer weeds. Best weed control results occur when Kerb SC is applied preemergence to the weeds and when application is followed by rainfall or irrigation to move the product into the root zone of the germinating weeds

Mixing and Application

Mix Kerb SC thoroughly in clean water at the required concentration and apply uniformly as a spray. For ground application, use a conventional low-pressure herbicide sprayer equipped with flat fan nozzles spaced and calibrated to uniformly deliver 20 to 50 gallons of spray per acre. Accurately calibrate spray equipment prior to each use. Sprays should be applied to provide uniform distribution without skips or excessive overlapping of the spray pattern.

Kerb SC acts mainly through root absorption. In order to achieve good weed control, sufficient soil moisture from rain or irrigation is required following treatment to move Kerb SC herbicide into the soil to the weed root zone. Care should be taken to avoid spraying areas that may drain onto areas planted in cool season grasses or small grains.

Specific Use Restrictions

- Chemigation: For use in accordance with this SLN label, **do not** apply this product through any type of irrigation system.
- For use only on crops grown for seed specifically listed on this label in the state of Washington.
- For use in accordance with this SLN label **do not** apply this product through aerial application.
- Do not apply more than 5.0 pt/acre Kerb SC (2 lb/acre active ingredient) per application.
- Do not apply more than 5.0 pt/acre Kerb SC (2 lb/acre active ingredient) per year.
- Do not make more than two applications per year.

Crops Grown for Seed

- All Brassica leafy greens, Brassica head and stem vegetables, mustard spinach, rutabaga, and Swiss chard seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the director immediately upon request. Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter or other equivalent disposal site, and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
- No portion of the Brassica leafy greens, Brassica head and stem vegetables, mustard spinach, rutabaga, and Swiss chard seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves, and seed screenings may be used or distributed for food or feed purposes.
- Brassica leafy greens, Brassica head and stem vegetables, mustard spinach, rutabaga, and Swiss chard seed shall bear a tag or container label which forbids the use of the seed for human consumption or animal feed.
- Brassica leafy greens, Brassica head and stem vegetables, mustard spinach, rutabaga, and Swiss chard seed may not be distributed for human consumption or animal feed.

WSDA Container Disposal Guidance: Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA web site under Waste Pesticide Program.

Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

Special Conditions and Risks of Use

USE OF KERB SC (THE "PRODUCT") ON BRASSICA LEAFY AND BRASSICA HEAD & STEM VEGETABLES, SWISS CHARD, AND RUTABAGA GROWN FOR SEED (THE "CROP") MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE SPECIAL CONDITIONS AND RISKS OF USE BEFORE USING THE PRODUCT ON THE CROP.

Corteva Agriscience makes the Product available for use in the manner described in this Special Local Need (SLN) label on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury or loss. The decision to use this Product in the manner described in this SLN Labeling must be made by each individual user based on anticipated benefits versus (i) the risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls, and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this SLN Labeling, you acknowledge and accept that, to the extent consistent with applicable law:

- (1) You assume all risk of Crop injury, Crop yield reduction and Crop loss.
- (2) Corteva Agriscience does not make and does not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this SLN Labeling.
- (3) Corteva Agriscience does not make and does not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaims all warranties, express or implied, including any implied warranties of fitness for a particular purpose or merchantability.
- (4) Corteva Agriscience disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss.
- (5) These Special Conditions and Risks of Use supersede any contrary representations or recommendations by Corteva Agriscience, its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Special Conditions and Risks of Use are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container. These Special Conditions and Risks of Use are required by Corteva Agriscience and not specified or enforced by the U.S. EPA or the State of Washington.

24(c) Registrant: Corteva Agriscience LLC
9330 Zionsville Road
Indianapolis, IN 46268-1054 USA
800-992-5994

®Trademark of Corteva Agriscience LLC and its affiliated companies

R361-052
Accepted: 11/24/2025
Initial Printing