



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Canada Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), as
amended

Issuing Date 05-Dec-2025

Revision date 05-Dec-2025

Revision Number 1

1. Identification

Product identifier

Product Name FBN Carfentrazone 240

Other means of identification

Product Code(s) PMRA Reg. No.: 35749

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use only as directed on product label

Details of the supplier of the safety data sheet

Initial supplier identifier

Farmer's Business Network Canada, Inc.
PO Box 5607
High River, Alberta
Canada T1V 1M7
1-844-200-FARM (3276)

E-mail regulatory@farmersbusinessnetwork.com

Emergency telephone number

Emergency telephone For Emergency Medical Assistance (Human or Animal) contact Rocky Mountain Poison Control at 866-767-5040
For Chemical Emergency Assistance (Spill, Leak, Fire or Accident) contact CHEMTREC at 800-424-9300 (North America) or 703-527-3887 (International)

2. Hazard(s) identification

Classification of the substance or mixture

Flammable liquids	Category 4
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Aspiration hazard	Category 1

Label elements



Danger**Hazard statements**

Combustible liquid
 Causes serious eye damage
 Suspected of causing cancer
 May be fatal if swallowed and enters airways

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves, protective clothing, eye protection and face protection
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor
 Do NOT induce vomiting

Fire

In case of fire: Use dry chemical, CO₂, water spray or regular foam to extinguish

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Other information

May be harmful in contact with skin. Causes mild skin irritation. Very toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients**Substance**

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Solvent Naphtha (Petroleum), Heavy Aromatic	64742-94-5	60 - 80	-	
Carfentrazone-ethyl	128639-02-1	10 - 30	-	
2-Methylnaphthalene	91-57-6	10 - 30	-	
Naphthalene	91-20-3	5 - 10	-	
1-Methylnaphthalene	90-12-0	5 - 10	-	
Benzenesulfonic acid, 4-C10-14-alkyl derivs., calcium salts	90194-26-6	1 - 5	-	
Butan-1-ol	71-36-3	1 - 5	-	

4. First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. May cause redness and tearing of the eyes. May cause blindness. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause redness and irritation.
Effects of Exposure	Suspected of causing cancer.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
---------------------------	---

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	Straight streams of water.
Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.
Hazardous combustion products	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or smoke when using this product. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.
---------------------------	---

8. Exposure controls/personal protection

Control Parameters

Exposure Limits

Chemical name	Alberta	British Columbia	Ontario	Quebec
2-Methylnaphthalene 91-57-6	-	TWA: 0.5 ppm; Sk	TWA: 0.5 ppm; dSk	TWAEV: 0.5 ppm; Sd
Naphthalene 91-20-3	TWA: 10 ppm; TWA: 52 mg/m ³ ; STEL: 15 ppm; STEL: 79 mg/m ³ ; pSk	TWA: 10 ppm; Sk	TWA: 10 ppm; dSk	TWAEV: 10 ppm; Sd

1-Methylnaphthalene 90-12-0	-	TWA: 0.5 ppm; Sk	TWA: 0.5 ppm; dSk	TWAEV: 0.5 ppm; Sd
Butan-1-ol 71-36-3	TWA: 20 ppm; TWA: 60 mg/m ³ ;	TWA: 15 ppm; Ceiling: 30 ppm;	TWA: 20 ppm;	TWAEV: 20 ppm;

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Carfentrazone-ethyl	TWA: 1 mg/m ³ ; inhalable particulate matter		TWA: 1 mg/m ³ ; inhalable particulate matter	TWA: 1 mg/m ³ ; inhalable particulate matter
2-Methylnaphthalene	TWA: 0.05 ppm; SL: 3 mg/100 cm ² ; pSk	TWA: 0.5 ppm; pSk	TWA: 0.05 ppm; SL: 3 mg/100 cm ² ; pSk	TWA: 0.05 ppm; SL: 3 mg/100 cm ² ; pSk
Naphthalene	TWA: 10 ppm; pSk	TWA: 10 ppm; pSk	TWA: 10 ppm; pSk	TWA: 10 ppm; pSk
1-Methylnaphthalene	TWA: 0.05 ppm; SL: 3 mg/100 cm ² ; pSk	TWA: 0.5 ppm; pSk	TWA: 0.05 ppm; SL: 3 mg/100 cm ² ; pSk	TWA: 0.05 ppm; SL: 3 mg/100 cm ² ; pSk
Butan-1-ol	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Carfentrazone-ethyl		TWA: 1 mg/m ³ ; inhalable particulate matter		
2-Methylnaphthalene		TWA: 0.05 ppm; SL: 3 mg/100 cm ² ;		
Naphthalene	TWA: 10 ppm; STEL: 15 ppm; Sk	TWA: 10 ppm;	TWA: 10 ppm; STEL: 15 ppm; pSd	TWA: 10 ppm; TWA: 50 mg/m ³ ; STEL: 15 ppm; STEL: 75 mg/m ³ ;
1-Methylnaphthalene		TWA: 0.05 ppm; SL: 3 mg/100 cm ² ;		
Butan-1-ol	TWA: 20 ppm; STEL: 30 ppm;	TWA: 20 ppm;	TWA: 20 ppm; STEL: 30 ppm;	Ceiling: 50 ppm; Ceiling: 150 mg/m ³ ; Sk

Note See section 16 for terms and abbreviations.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Antistatic boots. Chemical resistant apron. Wear fire/flame resistant/retardant clothing.

Respiratory protection Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Amber, Homogeneous liquid
Physical state	Liquid
Color	Amber
Odor	Characteristic
Odor threshold	Not applicable

Property	Values	Remarks • Method
Melting point / freezing point		Not applicable
Initial boiling point and boiling range	>= 100 °C	
Flammability		Not applicable
Flammability Limit in Air		
Upper flammability or explosive limits		Not applicable
Lower flammability or explosive limits		Not applicable
Flash point	80 °C	
Autoignition temperature		Not applicable
Decomposition temperature		Not applicable
SADT (°C)		No data available
pH	5.83	
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity	19.219 mPa s	
Water solubility	Miscible in water	
Solubility(ies)	Miscible in: Methanol; Acetone	
Partition Coefficient (n-octanol/water)		Not applicable
Vapor pressure		Not applicable
Relative density	1.0790 - 1.0801	
Bulk density		No data available
Liquid Density		No data available
Relative vapor density		Not applicable
Particle characteristics		No information available
Particle Size		No data available
Particle Size Distribution		No data available

Other information

Molecular weight	No information available
VOC content	Not applicable
Softening point	No information available
Evaporation rate	Not applicable

Information with regard to physical hazard classes

Explosives	
Explosive properties	Not an explosive.
Oxidizing properties	No information available.

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.

Conditions to avoid Heat, flames and sparks. Incompatible materials.

Incompatible materials Strong oxidizing agents, Nitric acid, Sulfuric acid.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes mild skin irritation. May be harmful in contact with skin. Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Burning sensation. May cause blindness. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause redness and irritation.

Acute toxicity No information available.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture:

ATEmix (oral)	> 5,000 mg/kg
ATEmix (dermal)	> 2,000 mg/kg
ATEmix (inhalation-dust/mist)	> 5 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Solvent Naphtha (Petroleum), Heavy Aromatic 64742-94-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 4688 mg/m ³ (Vapor) 4h
Carfentrazone-ethyl 128639-02-1	= 5143 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 5.09 mg/L (Rat) 4 h
2-Methylnaphthalene 91-57-6	= 1630 mg/kg (Rat)	-	-
Naphthalene 91-20-3	= 1110 mg/kg (Rat)	= 1120 mg/kg (Rabbit)	> 0.4 mg/L (Rat) 4 h
1-Methylnaphthalene 90-12-0	= 1840 mg/kg (Rat)	-	-
Benzenesulfonic acid, 4-C10-14-alkyl derivs., calcium salts 90194-26-6	= 4445 mg/kg (Rat)	= 2005 mg/kg (Rat)	-

Butan-1-ol 71-36-3	= 700 mg/kg (Rat)	= 3402 mg/kg (Rabbit)	> 17.76 mg/L (Rat) 4 h
-----------------------	---------------------	-------------------------	--------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes mild skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye damage.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Carfentrazone-ethyl 128639-02-1	A4 - Not classifiable as a human carcinogen	-	-	-
2-Methylnaphthalene 91-57-6	A4 - Not classifiable as a human carcinogen	-	-	-
Naphthalene 91-20-3	A3 - Confirmed animal carcinogen (with unknown relevance to humans)	Group 2B - Possibly carcinogenic to humans	Reasonably anticipated to be a human carcinogen	Present
1-Methylnaphthalene 90-12-0	A4 - Not classifiable as a human carcinogen	-	-	-

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity	Very toxic to aquatic life with long lasting effects.
--------------------	---

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Solvent Naphtha (Petroleum), Heavy Aromatic 64742-94-5	-	LC50: =19mg/L (96h, Pimephales promelas) LC50: =2.34mg/L (96h, Oncorhynchus mykiss) LC50: =1740mg/L (96h, Lepomis macrochirus) LC50: =45mg/L (96h, Pimephales promelas) LC50: =41mg/L (96h, Pimephales promelas)	-	EC50: =0.95mg/L (48h, Daphnia magna)
Naphthalene 91-20-3	-	LC50: 5.74 - 6.44mg/L (96h, Pimephales promelas) LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	-	LC50: =2.16mg/L (48h, Daphnia magna) EC50: =1.96mg/L (48h, Daphnia magna) EC50: 1.09 - 3.4mg/L

		LC50: 0.91 - 2.82mg/L (96h, Oncorhynchus mykiss) LC50: =1.99mg/L (96h, Pimephales promelas) LC50: =31.0265mg/L (96h, Lepomis macrochirus)		(48h, Daphnia magna)
Butan-1-ol 71-36-3	EC50: >500mg/L (96h, Desmodesmus subspicatus) EC50: >500mg/L (72h, Desmodesmus subspicatus)	LC50: 1730 - 1910mg/L (96h, Pimephales promelas) LC50: =1740mg/L (96h, Pimephales promelas) LC50: 100000 - 500000µg/L (96h, Lepomis macrochirus) LC50: =1910000µg/L (96h, Pimephales promelas)	-	EC50: =1983mg/L (48h, Daphnia magna) EC50: 1897 - 2072mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulative potential

Component Information

Chemical name	Partition coefficient
Solvent Naphtha (Petroleum), Heavy Aromatic 64742-94-5	6.5
2-Methylnaphthalene 91-57-6	3.86
Naphthalene 91-20-3	3.4
Butan-1-ol 71-36-3	1

Mobility No information available.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not Regulated / Non-Hazardous when shipped in non-bulk packaging <119 gallons each.

TDG Not Regulated / Non-Hazardous

Shipment by ground via highway or rail is not regulated as a dangerous good as long as the packaging meets all TDG requirements.

*No marks, labels, placards or shipping papers apply per TDG 1.45.1, but may be used to facilitate multi-modal transport involving ICAO (IATA) or IMO

IATA

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
IATA Technical Name	Solvent Naphtha (Petroleum), Heavy Aromatic, Carfentrazone-ethyl
Transport hazard class(es)	9
Packing group	III
Environmental hazards	Yes
Special Provisions	A97, A158, A197, A215
ERG Code	9L
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Solvent Naphtha (Petroleum), Heavy Aromatic, Carfentrazone-ethyl), 9, III

IMDG

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Technical Name	Solvent Naphtha (Petroleum), Heavy Aromatic, Carfentrazone-ethyl
Transport hazard class(es)	9
Packing group	III
Marine pollutant name	Solvent Naphtha (Petroleum), Heavy Aromatic, Carfentrazone-ethyl
Marine pollutant indicator	M
Special Provisions	274, 335, 375, 969
EmS-No.	F-A S-F
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Solvent Naphtha (Petroleum), Heavy Aromatic, Carfentrazone-ethyl), 9, III, Marine pollutant

15. Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

16. Other information

NFPA	Health hazards 3	Flammability 2	Instability 0	Special hazards -
HMIS	Health hazards 3 *	Flammability 2	Physical hazards 0	Personal protection X

Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate

ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCs	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile

As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 U.S. Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Issuing Date 05-Dec-2025

Revision date 05-Dec-2025

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet