

Supplemental Label

Sefina®

Inscalis® Insecticide

For use in strawberries

This supplemental label expires February 28, 2029, and must not be used or distributed after this date.

Active Ingredient:

Afidopyropen, [(3*S*,4*R*,4*aR*,6*S*,6*aS*,12*R*,12*aS*,12*bS*)-3-[(cyclopropylcarbonyl)oxy]-1,3,4,4*a*,5,6,6*a*,12,12*a*,12*b*-decahydro-6,12-dihydroxy-4,6*a*,12*b*-trimethyl-11-oxo-9-(3-pyridinyl)-2*H*,11*H*-naphtho[2,1-*b*]pyrano[3,4-*e*]pyran-4-yl]methyl cyclopropanecarboxylate[†]

4.89%

Other Ingredients: 95.11%

Total: 100.00%

[†] Contains 0.42 pound of afidopyropen per gallon, formulated as a dispersible concentrate.

EPA Reg. No. 7969-391

CAUTION/PRECAUCION

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Sefina® Inscalis® insecticide** container label, EPA Reg. No. 7969-391, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Sefina Inscalis** before applying.
- Use of **Sefina Inscalis** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Sefina Inscalis**.

Application Instructions

Refer to the **Sefina Inscalis** container label for additional application instructions and restrictions.

Crop-specific Application Instructions

Crop	Pest	Product Use Rate per Application (fl ozs/A)	Minimum Time from Application to Harvest (PHI) days
Strawberries	Aphids (including): Green peach aphid Melon aphid Potato aphid Strawberry aphid	3.0 to 6.0	0
	<i>Lygus</i> spp.; Western tarnished plant bug <i>Lygus hesperus</i>	14.0	
	Whiteflies (including): Greenhouse whitefly Silverleaf whitefly Sweetpotato whitefly	14.0	

For maximum effectiveness, apply **Sefina® insecticide** at the first sign of pest presence, and before the population increases to damaging levels. Application should be timed to coincide with locally recommended treatment threshold levels in developing pest populations.

Apply **Sefina** at spray volumes sufficient to ensure thorough crop coverage for optimal performance.

- **Minimum spray carrier volume per acre:** 15 gallons for ground; 5 gallons for air.

Use Restrictions for Strawberries

DO NOT make **Sefina** applications at intervals shorter than 7 days.

Resistance Management. **DO NOT** make more than 2 sequential applications of **Sefina** before using an effective insecticide with a different mode of action.

DO NOT apply more than 28 fl ozs/A (0.09 lb afidopyropen/A) of **Sefina** per year per crop.

Maximum number of crop seasons per year: 2

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC (hereafter "BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Inscalix and Sefina are registered trademarks of BASF.

© 2026 BASF Agricultural Solutions US LLC
All rights reserved.

007969-00391.20240809f.NVA 2024-04-0530-0107

BASF Agricultural Solutions US LLC
2 TW Alexander Drive
Research Triangle Park, NC 27713



We create chemistry