



FIFRA 24(c) Special Local Need Label
FOR USE AND DISTRIBUTION ONLY WITHIN THE STATE OF HAWAII
 For control of corn planthopper (*Peregrinus maidis*) in corn grown for seed

ACTIVE INGREDIENT:		% By Wt.
Dinotefuran*, N-methyl-N'-nitro-N'-[(tetrahydro-3-furanyl) methyl]guanidine		35%
OTHER INGREDIENTS:		65%
		TOTAL 100.0%

*Contains 3.24 pounds active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and the label affixed to the main container of SCORPION 35 SL INSECTICIDE must be in the possession of the user at the time of pesticide application
- Follow all applicable directions, restrictions, Worker Protection Standard requirements and precautions on this SLN label and the label affixed to the main container of SCORPION 35 SL INSECTICIDE.
- This label is valid until 03/05/2031 or until withdrawn, canceled, suspended, or otherwise amended.

IMPORTANT

Gowan Company, LLC has not investigated the use of SCORPION 35 SL INSECTICIDE for potential adverse interactions with any other crop protection or fertilizer products used in seed corn production, nor across potential commercial breeding lines. Therefore, adverse effects arising from the use of SCORPION 35 SL INSECTICIDE on seed corn cannot be predicted and are therefore the responsibility of the User.

CROP	PEST	RATE	COMMENTS
Corn grown for seed	Corn planthopper (<i>Peregrinus maidis</i>)	Foliar: 5-7 fl oz/A (0.13 – 0.18 lb ai/A)	Higher water volumes provide improved insect control. Begin applications when first pest activity is noticed or when insects reach threshold levels per State and County Extension Service recommendations. For best results, time application before a damaging population becomes established.
		Soil: 9-13 fl oz/A (0.23 – 0.33 lb ai/A)	Under severe pest pressure, use the higher specified rates. The rate applied affects the length of control. Use the high rate where infestations occur later in crop development, or where pest pressure is continuous. SCORPION 35 SL INSECTICIDE may be mixed and/or alternated with commonly used insecticides to comply with local IPM and resistance management programs.
Restrictions DO NOT feed or allow the corn into animal feed or human consumption. DO NOT graze livestock in treated areas. DO NOT apply at or after Vegetative Tasseling (VT). DO NOT apply when bees are foraging. Foliar application. DO NOT apply more than a total of 7 fl oz/A to foliage per crop cycle. DO NOT apply more than a total of 10.5 fl oz to foliage per site per year. Soil Application DO NOT apply more than a total of 13 fl oz/A to soil per crop cycle. DO NOT apply more than a total of 21 fl oz to soil per site per year. - Apply specified dosage in sufficient carrier volume to insure uniform application and incorporate into the soil using drip or trickle irrigation water. DO NOT APPLY SCORPION INSECTICIDE THROUGH ANY IRRIGATION SYSTEM PHYSICALLY CONNECTED TO A PUBLIC WATER SYSTEM. Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year			

year. SCORPION may be applied through irrigation systems which may be supplied by a public water system only if the water from the public water system is discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and to top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe. Before beginning chemigation, always make sure that the air gap exists and that there is no blockage of the overflow of the reservoir tank.

Additional Requirement:

- If treated plant material and potting media are discarded on site via soil incorporation into a research field, a 12-month plant back interval must be observed for crops not listed on a dinotefuran label, or for crops for which no tolerances for the active ingredient have been established

24(c) REGISTRANT
Gowan Company, LLC
PO Box 5569
Yuma, AZ 85366