

FIFRA Section 2(ee) Recommendation



LACTOFEN	GROUP	14	HERBICIDE
FLUMICLORAC-PENTYL	GROUP	14	HERBICIDE
PYROXASULFONE	GROUP	15	HERBICIDE

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS



EPA Reg. No. 59639-34

EPA Reg. No. 59639-242

COBRA® HERBICIDE PLUS PERPETUO™ HERBICIDE PLUS GLYPHOSATE FOR POSTEMERGENCE AND RESIDUAL WEED CONTROL IN SOYBEANS

This FIFRA Section 2(ee) Recommendation expires December 31, 2029.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

This tank-mixture will control emerged weeds as well as provide preemergence control of small-seeded broadleaf weeds and annual grasses in soybeans. For best results, apply this product to actively growing weeds 4 inches in height or smaller.

Crop response should be expected, but new growth will be unaffected.

Product	Rate
Cobra Herbicide	10 fl oz/A
Perpetuo Herbicide	6 fl oz/A
Glyphosate	1 lb ae/A
Ammonium Sulfate	2.5 lb/A
Crop Oil Concentrate (COC)	1 pt/A

Refer to Cobra, Perpetuo and glyphosate labels for weeds controlled.

USE RESTRICTIONS

1. Always read and follow all label directions when using any pesticide alone or in tank-mix combinations.
2. Apply in minimum of 15 GPA and 40 PSI measured at the boom.
3. Apply with ground equipment using standard commercial sprayers equipped with flat fan nozzles (including split-nozzle systems which spray in opposite directions) designed to deliver the desired spray pressure and spray volume.
4. Mixing order:

- a. Fill spray tank with water 1/3 to 1/2 of desired level with clean water.
 - b. While agitating, add the required amount of ammonium sulfate. Agitation creates a rippling or rolling action on the water surface. Continue agitation until all products have been added and the spray solution has been applied.
 - c. Add the required amount of *Perpetuo* Herbicide.
 - d. Add the required amount of *Cobra* Herbicide.
 - e. Add the required amount of glyphosate.
 - f. Add the required amount of COC.
 - g. Fill the tank with the required amount of water.
5. Tank mix can be applied through the soybean V6 growth stage.
 6. This tank-mix will not control biotypes postemergence resistant to group 9 (glyphosate) and 14 (PPO) herbicides.

Follow all applicable directions, restrictions and precautions on the EPA-registered labels.

Please contact Valent U.S.A. LLC at 800-6-VALENT (682-5368) to determine if this product is registered in your state.

©2026 Valent U.S.A. LLC

Registrant: Valent U.S.A. LLC
P. O. Box 5075
San Ramon, CA 94583

Cobra and *Perpetuo* are registered trademarks of Valent U.S.A. LLC