

BOOSTEN™

2 – 0 – 5

GUARANTEED ANALYSIS

Total Nitrogen (N)		2%
2.0% Other Water-Soluble Nitrogen		
Soluble Potash (K ₂ O)		5%

Derived from: Vinasse, Corn steep liquor, Kelp extract (*Ascophyllum nodosum*), and Potassium hydroxide (as an extractant).

BOOSTEN is a liquid foliar fertilizer. When used according to label directions, BOOSTEN helps improve crop vitality and performance over a wide range of environmental conditions.

Agitate Well Before Using

Density: 9.92 lb/gal at 68° F

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>.

This product does not meet classification as an OSHA hazardous chemical

Net Volume: 2.5 gallons
Net Weight: 24 lbs (11.2 kg)

Guaranteed by:
Syngenta Crop Protection LLC
PO Box 18300
Greensboro, NC 27419-8300

DIRECTIONS FOR USE

Crop*	Rate	Spray Volume	Application Timing**
Field crops (including but not limited to) Corn Cotton Peanuts Potatoes Soybeans Sorghum Sugarbeets Wheat	1.5 – 3 pints (24 – 48 fl oz) per acre	Use a minimum of 2 gallons/acre spray volume by air and minimum of 10 gallons/acre by ground.	Early to mid-vegetative. Can be mixed with herbicides, insecticides, and fungicides. Repeat applications may be made every 10 - 14 days if desired (e.g. hail or adverse environmental conditions).
Vegetables Solanaceous crops such as tomato and pepper) Cucurbits such as cantaloupe, cucumber, pumpkin, and watermelon). Cole crops including broccoli, brussels sprouts, and cauliflower Leafy vegetables such as lettuce and spinach	2.5-4.5 pints (40-72 fl oz) per acre	Use a minimum of 2 gallons/acre spray volume by air and minimum of 10 gallons/acre by ground.	Apply every 10-14 days during the growing season.
Fruit Berry crops such as blueberries, cranberries and strawberries Citrus Grapes Pomes including apples and pears Stone fruit	2.5 – 4.5 pints (40-72 fl oz) per acre	Use a minimum of 2 gallons/acre spray volume by air and minimum of 10 gallons/acre by ground.	Apply every 10-14 days during the growing season.
Nuts Almond Pecan Pistachio Walnut	2.5-4.5 pints (40-72 fl oz) per acre	Use a minimum of 2 gallons/acre spray volume by air and minimum of 10 gallons/acre by ground.	Apply every 10-14 days during the growing season.
Forage Crops Alfalfa Timothy Fescue	1.5-3.0 pints (24-48 fl oz) Per acre	Use a minimum of 2 gallons/acre spray volume by air and minimum of 10 gallons/acre by ground.	Apply 3-10 days after each cutting.

*Including but not limited to crops listed above. Please contact your local Syngenta representative for more information.
**For specific application timing recommendations, please contact your local Syngenta Representative.

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

SYNGENTA warrants that this product conforms to the description on the label. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of SYNGENTA, and (2) Buyer assumes the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY. To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA, THE REPLACEMENT OF THE PRODUCT.

Boosten™ is a Trademark of a Syngenta Group Company

SCP Boosten L1-1224