

**SECTION 1 Identification****1.1. Product identifier**

Product form : Mixture  
Product name : SIGNATURE CLETHODIM  
Product code : 3000429

**1.2. Other means of identification**

Other means of identification : US EPA Reg. No. 42750-72

**1.3. Recommended use of the chemical and restrictions on use**

Use of the substance/mixture : Herbicide  
Restrictions on use : It is a violation of Federal law to use this product in a manner inconsistent with its label.

**1.4. Supplier's details**

Albaugh, LLC  
1525 NE 36th Street  
Ankeny, Iowa 50021  
United States  
T 800-247-8013  
[ContactUS@albaughllc.com](mailto:ContactUS@albaughllc.com) - [albaughllc.com](http://albaughllc.com)

**1.5. Emergency phone number**

Emergency number : For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident:  
• Call CHEMTREC Day or Night within USA and Canada: 1-800-424-9300, Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

For Medical Emergencies Only:  
• Call Albaugh LLC Day or Night within USA and Canada: 1-888-347-6732

**SECTION 2 Hazard Identification****2.1. Classification of the substance or mixture****GHS US classification**

|                                                                                               |      |                                                  |
|-----------------------------------------------------------------------------------------------|------|--------------------------------------------------|
| Flammable liquid, Category 4                                                                  | H227 | Combustible liquid.                              |
| Acute toxicity (inhalation:dust,mist), Category 4                                             | H332 | Harmful if inhaled.                              |
| Skin corrosion/irritation, Category 2                                                         | H315 | Causes skin irritation.                          |
| Serious eye damage/eye irritation, Category 2B                                                | H320 | Causes eye irritation.                           |
| Carcinogenicity, Category 2                                                                   | H351 | Suspected of causing cancer.                     |
| Specific target organ toxicity – Single exposure, Category 3,<br>Respiratory tract irritation | H335 | May cause respiratory irritation.                |
| Aspiration hazard, Category 1                                                                 | H304 | May be fatal if swallowed and enters airways.    |
| Hazardous to the aquatic environment — Acute Hazard, Category 2                               | H401 | Toxic to aquatic life.                           |
| Hazardous to the aquatic environment — Chronic Hazard, Category 2                             | H411 | Toxic to aquatic life with long lasting effects. |

Full text of H statements : see section 16

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.2. Label elements

#### GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H227 - Combustible liquid  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H320 - Causes eye irritation  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation  
H351 - Suspected of causing cancer.  
H401 - Toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS US)

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing dust, fume, gas, mist, vapors, spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves.  
P301+P310 - If swallowed: Immediately call a poison center or doctor.  
P302+P352 - If on skin: Wash with plenty of water.  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P312 - Call a poison center or doctor if you feel unwell.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P331 - Do NOT induce vomiting.  
P332+P313 - If skin irritation occurs: Get medical advice or attention.  
P337+P313 - If eye irritation persists: Get medical advice or attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use appropriate media to extinguish.  
P391 - Collect spillage.  
P403 - Store in a well-ventilated place.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

31.38% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

60.98% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

7.43% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                                                                                                                               | Product identifier  | %              | GHS US classification                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| solvent naphtha (petroleum), heavy aromatic                                                                                        | CAS-No.: 64742-94-5 | 62.93 – 70.347 | Flam. Liq. 4, H227<br>Acute Tox. 3 (Inhalation:dust,mist), H331<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410      |
| clethodim (ISO); (5RS)-2-[(1EZ)-1-[(2E)-3-chloroal-lyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)pro-pyl]-3-hydroxycyclohex-2-en-1-one | CAS-No.: 99129-21-2 | 25.6 - 27.2    | Flam. Liq. 4, H227<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation:dust,mist), H332<br>Skin Sens. 1, H317<br>Aquatic Chronic 4, H413 |
| naphthalene                                                                                                                        | CAS-No.: 91-20-3    | <0.8           | Flam. Sol. 2, H228<br>Acute Tox. 4 (Oral), H302<br>Carc. 2, H351<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                          |

Full text of hazard classes and H-statements : see section 16

### SECTION 4 First aid measures

#### 4.1. Description of necessary first-aid measures

|                                               |                                                                                                                                                                                  |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general                    | : Call a physician immediately.                                                                                                                                                  |
| First-aid measures after inhalation           | : Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.                                                       |
| First-aid measures after skin contact         | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.                                                       |
| First-aid measures after eye contact          | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion            | : Do not induce vomiting. Call a physician immediately.                                                                                                                          |
| Personal protection for first-aid responders. | : First aid workers will be equipped with suitable personal protective equipment.                                                                                                |

#### 4.2. Most important symptoms/effects, acute and delayed

|                                     |                                                         |
|-------------------------------------|---------------------------------------------------------|
| Symptoms/effects after inhalation   | : Harmful if inhaled. May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Irritation.                                           |
| Symptoms/effects after eye contact  | : Mild eye irritation.                                  |
| Symptoms/effects after ingestion    | : Risk of lung edema.                                   |

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

|                                   |                          |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

##### For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

##### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.  
Environmental precautions : Avoid release to the environment.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.  
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                   |                                                                                                                                                 |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Hygiene measures                  | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.<br>Always wash hands after handling the product. |
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use.                                                      |

### 7.2. Conditions for safe storage, including incompatibilities

|                     |                                                                                                |
|---------------------|------------------------------------------------------------------------------------------------|
| Technical measures  | : Keep in a cool, well-ventilated place away from heat.                                        |
| Storage conditions  | : Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed. |
| Packaging materials | : Always store product in container of same material as original container.                    |

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

| naphthalene (91-20-3)                         |                                                                                                                                           |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| USA - ACGIH - Occupational Exposure Limits    |                                                                                                                                           |
| Local name                                    | Naphthalene                                                                                                                               |
| ACGIH® TLV® TWA                               | 52 mg/m <sup>3</sup>                                                                                                                      |
|                                               | 10 ppm                                                                                                                                    |
| Remark (ACGIH®)                               | TLV® Basis: URT irr; Cataracts; Hemolytic anemia. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI |
| Regulatory reference                          | ACGIH 2025                                                                                                                                |
| USA - ACGIH - Biological Exposure Indices     |                                                                                                                                           |
| Local name                                    | Naphthalene                                                                                                                               |
| BEI                                           | Parameter: 1-Naphthol + 2-Naphthol - Sampling time: End of shift - Notations: Nq, Ns                                                      |
| Regulatory reference                          | ACGIH 2025                                                                                                                                |
| USA - OSHA - Occupational Exposure Limits     |                                                                                                                                           |
| Local name                                    | Naphthalene                                                                                                                               |
| OSHA PEL TWA                                  | 50 mg/m <sup>3</sup>                                                                                                                      |
|                                               | 10 ppm                                                                                                                                    |
| Regulatory reference (US-OSHA)                | OSHA Annotated Table Z-1                                                                                                                  |
| USA - Cal/OSHA - Occupational Exposure Limits |                                                                                                                                           |
| Local name                                    | Naphthalene                                                                                                                               |
| Cal/OSHA PEL (OEL TWA)                        | 0.5 mg/m <sup>3</sup>                                                                                                                     |
|                                               | 0.1 ppm                                                                                                                                   |
| Remark (Cal/OSHA)                             | S - Skin notation and Protecting Clothing                                                                                                 |
| Regulatory reference                          | California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)      |
| USA - NIOSH - Occupational Exposure Limits    |                                                                                                                                           |
| Local name                                    | Naphthalene                                                                                                                               |
| NIOSH REL 10h TWA                             | 10 ppm                                                                                                                                    |
| NIOSH REL STEL                                | 15 ppm                                                                                                                                    |
| Regulatory reference (US-NIOSH)               | OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))                                                                   |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

|                                                                  |
|------------------------------------------------------------------|
| <b>Hand protection:</b>                                          |
| Protective gloves                                                |
| <b>Eye protection:</b>                                           |
| Safety glasses                                                   |
| <b>Skin and body protection:</b>                                 |
| Wear suitable protective clothing                                |
| <b>Respiratory protection:</b>                                   |
| [In case of inadequate ventilation] wear respiratory protection. |

#### Personal protective equipment symbol(s):



## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

|                                                 |                            |
|-------------------------------------------------|----------------------------|
| Physical state                                  | : Liquid                   |
| Appearance                                      | : Amber liquid.            |
| Color                                           | : amber dark brown         |
| Odor                                            | : aromatic                 |
| Odor threshold                                  | : No data available        |
| pH                                              | : 4.31                     |
| Melting point                                   | : Not applicable           |
| Freezing point                                  | : No data available        |
| Boiling point                                   | : No data available        |
| Flash point                                     | : 65 °C                    |
| Flammability (solid, gas)                       | : 65 °C<br>Not applicable. |
| Vapor pressure                                  | : No data available        |
| Relative vapor density at 20°C                  | : No data available        |
| Relative density                                | : No data available        |
| Density                                         | : 0.955 g/ml               |
| Solubility                                      | : Emulsifiable.            |
| Partition coefficient n-octanol/water (Log Pow) | : No data available        |
| Auto-ignition temperature                       | : No data available        |
| Decomposition temperature                       | : No data available        |
| Viscosity, kinematic                            | : 3.34 mm²/s               |
| Explosion limits                                | : No data available        |
| Explosive properties                            | : Not Explosive.           |
| Oxidizing properties                            | : Not oxidising.           |
| Particle characteristics                        | : No data available        |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

Bulk density : 7.97 lbs/gallon

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Combustible liquid.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Heat. High temperature. Sparks. Open flame. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

| SIGNATURE CLETHODIM                                                                                                                             |                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LD50 oral rat                                                                                                                                   | 5000 mg/kg                                                                                                                                                                                                                                                                  |
| LD50 dermal rat                                                                                                                                 | > 5000 mg/kg                                                                                                                                                                                                                                                                |
| ATE US (oral)                                                                                                                                   | 5000 mg/kg body weight                                                                                                                                                                                                                                                      |
| ATE US (dust, mist)                                                                                                                             | 1.802 mg/l/4h                                                                                                                                                                                                                                                               |
| Unknown acute toxicity (GHS US)                                                                                                                 | 31.38% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)<br>60.98% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)<br>7.43% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) |
| clethodim (ISO); (5RS)-2-[(1EZ)-1-[(2E)-3-chloroal-lyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)pro-pyl]-3-hydroxycyclohex-2-en-1-one (99129-21-2) |                                                                                                                                                                                                                                                                             |
| LD50 dermal rabbit                                                                                                                              | > 5000 mg/kg Source: HSDB                                                                                                                                                                                                                                                   |
| LC50 Inhalation - Rat                                                                                                                           | 3.9 mg/l Source: HSDB                                                                                                                                                                                                                                                       |
| ATE US (oral)                                                                                                                                   | 500 mg/kg body weight                                                                                                                                                                                                                                                       |
| ATE US (vapors)                                                                                                                                 | 3.9 mg/l/4h                                                                                                                                                                                                                                                                 |
| ATE US (dust, mist)                                                                                                                             | 3.9 mg/l/4h                                                                                                                                                                                                                                                                 |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                                                 |                                                                                                                                                                                                               |
|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>solvent naphtha (petroleum), heavy aromatic (64742-94-5)</b> |                                                                                                                                                                                                               |
| LD50 oral rat                                                   | > 5000 mg/kg Source: IUCLID                                                                                                                                                                                   |
| LD50 dermal rat                                                 | > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:                                                                                                |
| LD50 dermal rabbit                                              | > 2000 mg/kg Source: RTECS                                                                                                                                                                                    |
| LC50 Inhalation - Rat (Dust/Mist)                               | > 0.59 mg/l Source: RTECS                                                                                                                                                                                     |
| ATE US (dust, mist)                                             | 0.5 mg/l/4h                                                                                                                                                                                                   |
| <b>naphthalene (91-20-3)</b>                                    |                                                                                                                                                                                                               |
| LD50 oral rat                                                   | 533 mg/kg                                                                                                                                                                                                     |
| LD50 oral                                                       | 533 mg/kg body weight (Equivalent or similar to OECD 401, Mouse, Male, Experimental value, Oral, 14 day(s))                                                                                                   |
| LD50 dermal rat                                                 | > 16000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))                                                                                |
| LD50 dermal rabbit                                              | 2500 mg/kg Source: ChemIDplus                                                                                                                                                                                 |
| LC50 Inhalation - Rat                                           | > 0.4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (vapours), 14 day(s))                                              |
| LC50 Inhalation - Rat (Vapors)                                  | > 0.4 mg/l Source: ECHA                                                                                                                                                                                       |
| ATE US (oral)                                                   | 533 mg/kg body weight                                                                                                                                                                                         |
| ATE US (dermal)                                                 | 2500 mg/kg body weight                                                                                                                                                                                        |
| Skin corrosion/irritation                                       | : Causes skin irritation.<br>Causes skin irritation<br>pH: 4.31                                                                                                                                               |
| <b>naphthalene (91-20-3)</b>                                    |                                                                                                                                                                                                               |
| pH                                                              | No data available in the literature                                                                                                                                                                           |
| Serious eye damage/irritation                                   | : Causes eye irritation.<br>Causes eye irritation<br>pH: 4.31                                                                                                                                                 |
| <b>naphthalene (91-20-3)</b>                                    |                                                                                                                                                                                                               |
| pH                                                              | No data available in the literature                                                                                                                                                                           |
| Respiratory or skin sensitization                               | : Not classified                                                                                                                                                                                              |
| Germ cell mutagenicity                                          | : Not classified                                                                                                                                                                                              |
| Carcinogenicity                                                 | : Suspected of causing cancer.                                                                                                                                                                                |
| <b>naphthalene (91-20-3)</b>                                    |                                                                                                                                                                                                               |
| IARC group                                                      | 2B - Possibly carcinogenic to humans                                                                                                                                                                          |
| National Toxicity Program (NTP) Status                          | Reasonably anticipated to be Human Carcinogen                                                                                                                                                                 |
| Reproductive toxicity                                           | : Not classified                                                                                                                                                                                              |
| <b>solvent naphtha (petroleum), heavy aromatic (64742-94-5)</b> |                                                                                                                                                                                                               |
| NOAEL (animal/male, F0/P)                                       | 35 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:    |
| NOAEL (animal/female, F0/P)                                     | 125 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other: |



# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| naphthalene (91-20-3)       |                                                                             |
|-----------------------------|-----------------------------------------------------------------------------|
| LOAEL (animal/female, F0/P) | 50 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:     |
| LOAEL (animal/female, F1)   | 450 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:    |
| NOAEL (animal/female, F0/P) | 120 mg/kg body weight Animal: rabbit, Animal sex: female, Guideline: other: |

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

| solvent naphtha (petroleum), heavy aromatic (64742-94-5) |                                                                                                       |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| LOAEC (inhalation, rat, vapor, 90 days)                  | 4.71 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity: 90-Day Study)  |
| NOAEC (inhalation, rat, vapor, 90 days)                  | 2.355 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity: 90-Day Study) |

| naphthalene (91-20-3)                   |                                                                                                                                                                |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LOAEL (oral, rat, 90 days)              | 400 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)                                         |
| LOAEC (inhalation, rat, vapor, 90 days) | 0.011 mg/l air Animal: rat, Guideline: EPA OPP 82-4 (90-Day Inhalation Toxicity), Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |
| NOAEL (oral, rat, 90 days)              | 200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)                                         |
| NOAEL (dermal, rat/rabbit, 90 days)     | 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)                                                   |

Aspiration hazard : May be fatal if swallowed and enters airways.

| SIGNATURE CLETHODIM   |                                                              |
|-----------------------|--------------------------------------------------------------|
| Viscosity, kinematic  | 3.34 mm <sup>2</sup> /s                                      |
| naphthalene (91-20-3) |                                                              |
| Viscosity, kinematic  | 1 mm <sup>2</sup> /s (80 °C, OECD 114: Viscosity of Liquids) |

Symptoms/effects after inhalation : Harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Mild eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Ecology - general : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

| solvent naphtha (petroleum), heavy aromatic (64742-94-5) |                                                                                         |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------|
| LC50 - Fish [1]                                          | 45 mg/l Source: IUCLID                                                                  |
| EC50 - Crustacea [1]                                     | 0.95 mg/l Source: IUCLID                                                                |
| EC50 - Other aquatic organisms [1]                       | 2.9 mg/l Test organisms (species): other:                                               |
| LC50 - Fish [2]                                          | 6.1 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| solvent naphtha (petroleum), heavy aromatic (64742-94-5) |                                                                                                                                      |
|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| EC50 72h - Algae [1]                                     | 2.5 mg/l Source: IUCLID                                                                                                              |
| naphthalene (91-20-3)                                    |                                                                                                                                      |
| LC50 - Fish [1]                                          | 0.96 ppm (Oncorhynchus gorbuscha, Flow-through system, Salt water, Experimental value, Lethal)                                       |
| EC50 - Crustacea [1]                                     | 2.16 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| EC50 72h - Algae [1]                                     | 0.4 mg/l (Skeletonema costatum, Literature study, Growth rate)                                                                       |
| NOEC (chronic)                                           | 0.59 mg/l Test organisms (species): Daphnia pulex Duration: '125 d'                                                                  |

### 12.2. Persistence and degradability

| SIGNATURE CLETHODIM                                                                                                                             |                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| Persistence and degradability                                                                                                                   | Not rapidly degradable                                             |
| clethodim (ISO); (5RS)-2-[(1EZ)-1-[(2E)-3-chloroal-lyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)pro-pyl]-3-hydroxycyclohex-2-en-1-one (99129-21-2) |                                                                    |
| Persistence and degradability                                                                                                                   | Not rapidly degradable                                             |
| solvent naphtha (petroleum), heavy aromatic (64742-94-5)                                                                                        |                                                                    |
| Persistence and degradability                                                                                                                   | Not rapidly degradable                                             |
| naphthalene (91-20-3)                                                                                                                           |                                                                    |
| Persistence and degradability                                                                                                                   | Readily biodegradable in the soil, Readily biodegradable in water. |
| Biochemical oxygen demand (BOD)                                                                                                                 | 0 g O <sub>2</sub> /g substance                                    |
| Chemical oxygen demand (COD)                                                                                                                    | 0.22 g O <sub>2</sub> /g substance                                 |
| ThOD                                                                                                                                            | 2.99 g O <sub>2</sub> /g substance                                 |

### 12.3. Bioaccumulative potential

| clethodim (ISO); (5RS)-2-[(1EZ)-1-[(2E)-3-chloroal-lyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)pro-pyl]-3-hydroxycyclohex-2-en-1-one (99129-21-2) |                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Partition coefficient n-octanol/water (Log Pow)                                                                                                 | 4.21 Source: HSDB                                                                                                                               |
| solvent naphtha (petroleum), heavy aromatic (64742-94-5)                                                                                        |                                                                                                                                                 |
| Partition coefficient n-octanol/water (Log Pow)                                                                                                 | 2.9 – 6.1 Source: IUCLID                                                                                                                        |
| naphthalene (91-20-3)                                                                                                                           |                                                                                                                                                 |
| BCF - Fish [1]                                                                                                                                  | 23 – 168 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value) |
| Partition coefficient n-octanol/water (Log Pow)                                                                                                 | 3.4 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)                                          |
| Bioaccumulative potential                                                                                                                       | Low potential for bioaccumulation (BCF < 500).                                                                                                  |

### 12.4. Mobility in soil

| naphthalene (91-20-3) |                                     |
|-----------------------|-------------------------------------|
| Surface tension       | No data available in the literature |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| naphthalene (91-20-3)                                      |                                                      |
|------------------------------------------------------------|------------------------------------------------------|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.864 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil                                             | Low potential for adsorption in soil.                |

### 12.5. Other adverse effects

|                              |                  |
|------------------------------|------------------|
| Ozone                        | : Not classified |
| Fluorinated greenhouse gases | : No             |

## SECTION 13 Disposal considerations

|                                            |                                                                                               |
|--------------------------------------------|-----------------------------------------------------------------------------------------------|
| Regional waste regulation                  | : Disposal must be done according to official regulations.                                    |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.                                    |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.                                    |
| Additional information                     | : Do not re-use empty containers.                                                             |

## SECTION 14 Transport information

| DOT                                                                                                                                                          |                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| NOTE: This product may be shipped as NOT REGULATED when shipped domestically by highway in non-bulk containers (< or=119 gallons) as per 49 CFR 171.4(c)(1). |                                                                          |
| 14.1. UN number                                                                                                                                              | NA1993                                                                   |
| 14.2. Proper Shipping Name                                                                                                                                   | Combustible liquid, n.o.s. (Contains Petroleum Distillates, Naphthalene) |
| 14.3. Transport hazard class(es)                                                                                                                             | Combustible liquid                                                       |
|                                                                           |                                                                          |
| 14.4. Packing group                                                                                                                                          | III                                                                      |
| 14.5. Environmental hazards                                                                                                                                  | Dangerous for the environment: Yes                                       |

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

|              |          |
|--------------|----------|
| DOT          |          |
| UN-No. (DOT) | : NA1993 |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DOT Special Provisions (49 CFR 172.102)                          | : 148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons).<br>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).<br>T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)<br>TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (t_r - t_f)$ Where: $t_r$ is the maximum mean bulk temperature during transport, and $t_f$ is the temperature in degrees celsius of the liquid during filling. |
| DOT Packaging Exceptions (49 CFR 173.xxx)                        | : 150                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| DOT Packaging Non Bulk (49 CFR 173.xxx)                          | : 203                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| DOT Packaging Bulk (49 CFR 173.xxx)                              | : 241                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)     | : 220 L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| DOT Vessel Stowage Location                                      | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## SECTION 15 Regulatory information

### 15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

| Name                                                                                                                               | CAS-No.    | Listing     | Commercial status | Flags |
|------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|-------------------|-------|
| clethodim (ISO); (5RS)-2-[(1EZ)-1-[(2E)-3-chloroal-lyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)pro-pyl]-3-hydroxycyclohex-2-en-1-one | 99129-21-2 | Not present | -                 |       |
| solvent naphtha (petroleum), heavy aromatic                                                                                        | 64742-94-5 | Present     | Active            |       |
| naphthalene                                                                                                                        | 91-20-3    | Present     | Active            |       |

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

|             |                 |       |
|-------------|-----------------|-------|
| naphthalene | CAS-No. 91-20-3 | <0.8% |
|-------------|-----------------|-------|

### naphthalene (91-20-3)

Listed on EPA Hazardous Air Pollutant (HAPS)  
Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens  
Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits

|           |        |
|-----------|--------|
| CERCLA RQ | 100 lb |
|-----------|--------|

### FIFRA Labelling

|                         |          |
|-------------------------|----------|
| EPA Registration Number | 42750-72 |
|-------------------------|----------|

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| FIFRA Labelling               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FIFRA Signal Word             | Caution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| FIFRA Precautionary Statement | Hazards To Humans and Domestic Animals.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| FIFRA Human Health Hazards    | Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| FIFRA First Aid               | <p>IF IN EYES:</p> <ul style="list-style-type: none"><li>•Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>•Call a poison control center or doctor for treatment advice.</li></ul> <p>IF ON SKIN OR CLOTHING:</p> <ul style="list-style-type: none"><li>•Take off contaminated clothing.</li><li>•Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>•Call a poison control center or doctor for treatment advice.</li></ul> <p>IF SWALLOWED:</p> <ul style="list-style-type: none"><li>•Immediately call a poison control center or doctor.</li><li>•DO NOT induce vomiting unless told to do so by a poison control center or doctor.</li><li>•DO NOT give any liquid to the person.</li><li>•DO NOT give anything by mouth to an unconscious person.</li></ul> <p>IF INHALED:</p> <ul style="list-style-type: none"><li>•Move person to fresh air</li><li>•If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li><li>•Call a poison control center or doctor for further treatment advice.</li></ul> <p>NOTE TO PHYSICIAN - Contains petroleum distillate – vomiting may cause aspiration pneumonia.</p> |
| FIFRA Environmental Hazards   | <p>DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. DO NOT apply where runoff is likely to occur. DO NOT apply where weather conditions favor drift from areas treated. DO NOT contaminate water when disposing of equipment washwater or rinsate.</p> <p>NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated area. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| FIFRA Physical Hazard         | Combustible. DO NOT use or store near heat or open flame.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| FIFRA Labelling |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FIFRA Other     | <p>STORAGE AND DISPOSAL</p> <p>DO NOT contaminate water, food, or feed by storage or disposal.</p> <p>PESTICIDE STORAGE: Store in a cool, dry place in original container.</p> <p>PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.</p> <p>CONTAINER DISPOSAL:</p> <p>Non-refillable containers (&lt;5 Gallons): DO NOT reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.</p> <p>Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full of water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.</p> |

### 15.2. International regulations

#### CANADA

|                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>clethodim (ISO); (5RS)-2-[(1EZ)-1-[(2E)-3-chloroal-lyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)pro-pyl]-3-hydroxycyclohex-2-en-1-one (99129-21-2)</b> |
| Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)                                                          |

|                                                                 |
|-----------------------------------------------------------------|
| <b>solvent naphtha (petroleum), heavy aromatic (64742-94-5)</b> |
| Listed on the Canadian DSL (Domestic Substances List)           |

|                                                       |
|-------------------------------------------------------|
| <b>naphthalene (91-20-3)</b>                          |
| Listed on the Canadian DSL (Domestic Substances List) |

#### EU-Regulations

No additional information available

#### National regulations

|                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>clethodim (ISO); (5RS)-2-[(1EZ)-1-[(2E)-3-chloroal-lyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)pro-pyl]-3-hydroxycyclohex-2-en-1-one (99129-21-2)</b> |
| Listed on INSQ (Mexican National Inventory of Chemical Substances)                                                                                     |

|                                                                    |
|--------------------------------------------------------------------|
| <b>solvent naphtha (petroleum), heavy aromatic (64742-94-5)</b>    |
| Listed on INSQ (Mexican National Inventory of Chemical Substances) |

|                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>naphthalene (91-20-3)</b>                                                                                                                                                                                                                                                                                                                          |
| Listed on IARC (International Agency for Research on Cancer)<br>Listed as carcinogen on NTP (National Toxicology Program)<br>Listed on EPA HAPs Chronic Dose Response Assessment List - Carcinogens<br>Listed on EPA HAPs Acute Dose Response Assessment List – Exposure limits<br>Listed on INSQ (Mexican National Inventory of Chemical Substances) |

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. State regulations

 **WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


Issue date : 1/13/2026

| Full text of hazard classes and H-statements |                                                        |
|----------------------------------------------|--------------------------------------------------------|
| H227                                         | Combustible liquid                                     |
| H228                                         | Flammable solid                                        |
| H302                                         | Harmful if swallowed                                   |
| H304                                         | May be fatal if swallowed and enters airways           |
| H315                                         | Causes skin irritation                                 |
| H317                                         | May cause an allergic skin reaction                    |
| H320                                         | Causes eye irritation                                  |
| H331                                         | Toxic if inhaled                                       |
| H332                                         | Harmful if inhaled                                     |
| H335                                         | May cause respiratory irritation                       |
| H351                                         | Suspected of causing cancer.                           |
| H400                                         | Very toxic to aquatic life                             |
| H401                                         | Toxic to aquatic life                                  |
| H410                                         | Very toxic to aquatic life with long lasting effects   |
| H411                                         | Toxic to aquatic life with long lasting effects        |
| H413                                         | May cause long lasting harmful effects to aquatic life |

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS USA-ALBAUGH

# SIGNATURE CLETHODIM

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

The information provided in this Safety Data Sheet is correct to the best of Albaugh, LLC knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.