

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 1 of 10

Print date: 7/25/2025

Section 1: Identification.

Product identifier used on the label and Other means of identification.

Product Name: SWEETSEI
Product Code: 2025-07-25

Recommended use of the chemical and restrictions on use.

Fertilizer

Specific end use(s).

Not available.

Uses advised against:

Uses other than those recommended.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party.

Company: **SEIPASA, S.A**
Address: C/Almudévar, 2
City: 22240 - Tardienta
Province: Huesca
Telephone: 962541163
Fax: 962541633
E-mail: calidad@seipasa.com
Web: www.seipasa.com

Emergency phone number: 962541163 (Monday-Friday; 08:00-17:00)

Section 2: Hazard(s) Identification.

Classification of the chemical in accordance with paragraph (d) of §1910.1200

In accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200):

Serious eye damage, Category 1 : Causes serious eye damage.

Skin Corrosive, Category 1A : Causes severe skin burns and eye damage.

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200.

Symbol(s):



Signal Word:

Danger

Hazard statement(s):

H314 Causes severe skin burns and eye damage.

Precautionary statement(s):

P260 Do not breathe dusts or mists.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

P501 Eliminar el contenido/el recipiente en un centro de gestión autorizado acorde a la legislación vigente

Contains:

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 2 of 10

Print date: 7/25/2025

caustic potash,potassium hydroxide

Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

Section 3: Composition/Information on Ingredients.

Substances.

Not applicable.

Mixtures.

Chemical name and concentration ranges of all ingredients that are classified as health hazards in accordance with paragraph (d) of §1910.1200 and that are present above their cut-off/concentration limits or ingredients that are below their cut-off/concentration limits and present a health risk:

Identifiers	Name	Concentrate	(*)Classification	
			Classification	specific concentration limit
Index No: 019-002-00-8 CAS No: 1310-58-3 EC No: 215-181-3	[1] caustic potash,potassium hydroxide	5 - 24.99 %	Acute Tox. 4 *, H302 - Skin Corr. 1A, H314	Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Irrit. 2, H315: 0,5 % ≤ C < 2 % Eye Irrit. 2A, H319: 0,5 % ≤ C < 2 %
Index No: 015-011-00-6 CAS No: 7664-38-2 EC No: 231-633-2	[1] phosphoric acid, orthophosphoric acid	1 - 9.99 %	Skin Corr. 1B, H314	Skin Corr. 1B, H314: C ≥ 25 % Skin Irrit. 2, H315: 10 % ≤ C < 25 % Eye Irrit. 2A, H319: 10 % ≤ C < 25 %

(*)The complete text of the Hazard statement(s) is given in section 16 of this Safety Data Sheet.

* Minimum classification.

** Route of exposure cannot be excluded.

*** Hazard statements for reproductive toxicity, the general hazard statement can be replaced by the hazard statement indicating only the property of concern.

**** Correct classification for physical hazards could not be established.

[1] Substance with a workplace exposure limit (see section 8.1).

Section 4: First-Aid Measures.

Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

Skin contact.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 3 of 10

Print date: 7/25/2025

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

Section 5: Fire-Fighting Measures.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

Section 6: Accidental Release Measures.

Personal precautions, protective equipment, and emergency procedures.

For exposure control and individual protection measures, see section 8.

Environmental precautions: Product not classified as hazardous for the environment, avoid spillage as much as possible.

Methods and materials for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

Reference to other sections: for exposure control and individual protection measures, see section 8, for later elimination of waste, follow the recommendations under section 13.

Section 7: Handling and Storage.

Precautions for safe handling.

For personal protection, see section 8.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 4 of 10

Print date: 7/25/2025

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Section 8: Exposure Controls/Personal Protection.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
caustic potash, potassium hydroxide	1310-58-3	United States	Eight hours		
			Short term		2 (Ceiling limit)
		United States [1] (NIOSH)	Eight hours		2 (Ceiling limit value)
			Short term		
		United States [2] (OSHA)	Eight hours		2 (Ceiling limit value)
			Short term		
phosphoric acid, orthophosphoric acid	7664-38-2	United States	Eight hours		1
			Short term		3
		United States [3] (Cal/OSHA)	Eight hours		1
			Short term		3
		United States [1] (NIOSH)	Eight hours		1
			Short term		3
		United States [2] (OSHA)	Eight hours		1
			Short term		3

[1] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[2] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[3] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
phosphoric acid, orthophosphoric acid CAS No: 7664-38-2 EC No: 231-633-2	DNEL (Workers)	Inhalation, Chronic, Local effects	1 (mg/m ³)
	DNEL (Consumers)	Inhalation, Chronic, Local effects	0,73 (mg/m ³)
	DNEL (Workers)	Inhalation, Short term, Local effects	2 (mg/m ³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Fertilizer
Breathing protection:	
PPE:	Filter mask for protection against gases and particles.



-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI



Version: 1

Revision date: 7/25/2025

Page 5 of 10

Print date: 7/25/2025

Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.				
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.				
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.				
Filter Type needed:	A2				
Hand protection:					
PPE:	Non-disposable protective gloves against chemicals.				
Characteristics:	«CE» marking, category III. Check the list of chemicals for which the glove has been tested.				
Maintenance:	A schedule for the periodical replacement of gloves should be established in order to guarantee their replacement before pollutants permeate them. The use of contaminated gloves could be more dangerous than not using gloves, since the pollutant can gradually accumulate in the glove's material.				
Observations:	They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could reduce their strength.				
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.):	> 480	Material thickness (mm):	0,35
Eye protection:					
PPE:	Protective goggles with built-in frame.				
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
Skin protection:					
PPE:	Chemical protective clothing				
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.				
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.				
Observations:	The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity.				
PPE:	Anti-static safety footwear against chemicals.				
Characteristics:	«CE» marking, category III. Check the list of chemicals against which the footwear is resistant.				
Maintenance:	For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.				
Observations:	The footwear should be cleaned regularly and dried when damp, although it should not be placed too close to a source of heat in order to avoid any sharp changes in temperature.				

Section 9: Physical and Chemical Properties.

Information on basic physical and chemical properties.

Appearance: Liquid

Colour: Brown

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product

pH: 8.6 (20°C,100%)

Melting point/freezing point: Not applicable/Not available due to the nature/properties of the product

Initial boiling point or boiling range: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

Evaporation rate: Not applicable/Not available due to the nature/properties of the product

Flammability (solid, gas): Not applicable/Not available due to the nature/properties of the product

Lower Explosive Limit: Not applicable/Not available due to the nature/properties of the product

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 6 of 10

Print date: 7/25/2025

Upper Explosive Limit: Not applicable/Not available due to the nature/properties of the product
Vapour pressure: Not applicable/Not available due to the nature/properties of the product
Vapour density: Not applicable/Not available due to the nature/properties of the product
Relative density: 1.17 g/ml (20°C)
Solubility: Not applicable/Not available due to the nature/properties of the product
Liposolubility: Not applicable/Not available due to the nature/properties of the product
Hydrosolubility: Not applicable/Not available due to the nature/properties of the product
Partition coefficient (n-octanol/water): Not applicable/Not available due to the nature/properties of the product
Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product
Decomposition temperature: Not applicable/Not available due to the nature/properties of the product
Viscosity: Not applicable/Not available due to the nature/properties of the product

Other information.

Explosive properties: Not applicable/Not available due to the nature/properties of the product
Oxidizing properties: Not applicable/Not available due to the nature/properties of the product
Pour point: Not applicable/Not available due to the nature/properties of the product
Blink: Not applicable/Not available due to the nature/properties of the product
Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Section 10: Stability and Reactivity.

Reactivity.

The product does not present hazards by their reactivity.

Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

Conditions to avoid.

Avoid any improper handling.

Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

Hazardous decomposition products.

No decomposition if used for the intended uses.

Section 11: Toxicological Information.

Information on toxicological effects.

There are no tested data available on the product.
Splashes in the eyes can cause serious and irreversible damage.

a) acute toxicity;
Not conclusive data for classification.

Acute Toxicity Estimate (ATE):
Mixtures:
ATE (Oral) = 4.167 mg/kg

b) skin corrosion/irritation;
Product classified:
Skin Corrosive, Category 1A: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;
Product classified:
Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;
Not conclusive data for classification.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 7 of 10

Print date: 7/25/2025

e) germ cell mutagenicity;
Not conclusive data for classification.

f) carcinogenicity;
Not conclusive data for classification.

g) reproductive toxicity;
Not conclusive data for classification.

h) STOT-single exposure;
Not conclusive data for classification.

i) STOT-repeated exposure;
Not conclusive data for classification.

j) aspiration hazard;
Not conclusive data for classification.

Substances present in the composition listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC):

This product does not contain substances listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC).

Substances present in the composition listed in the International Agency for Research on Cancer (IARC) Monographs:

This product does not contain substances listed in the International Agency for Research on Cancer (IARC) Monographs.

Section 12: Ecological Information.

Ecotoxicity.

No information is available regarding the ecotoxicity of the substances present.

Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

Other adverse effects.

No information is available about other adverse effects for the environment.

Section 13: Disposal Considerations.

Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of the Resource Conservation and Recovery Act (RCRA) and the Resource Conservation and Recovery Act Information (RCRAInfo) regarding waste management.

Section 14: Transport Information.

Transport following the rules of U.S. Department of transportation Pipeline and Hazardous Materials Safety Administration.

In accordance with DOT

Not Dangerous Good.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 8 of 10

Print date: 7/25/2025

Regulations Concerning the International Carriage of Dangerous Goods by Road (ADR)

UN number.

UN No: UN1760

UN proper shipping name.

Description:

ADR/RID: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS CAUSTIC POTASH,POTASSIUM HYDROXIDE / PHOSPHORIC ACID, ORTHOPHOSPHORIC ACID), 8, PG I

IMDG: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS CAUSTIC POTASH,POTASSIUM HYDROXIDE / PHOSPHORIC ACID, ORTHOPHOSPHORIC ACID), 8, PG I

ICAO/IATA: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS CAUSTIC POTASH,POTASSIUM HYDROXIDE / PHOSPHORIC ACID, ORTHOPHOSPHORIC ACID), 8, PG I

Transport hazard class(es).

Class(es): 8

Packing group.

Packing group: I

Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-B

Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

Special precautions for user.

Labels: 8



Hazard number: 88

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Proceed in accordance with point 6.

ADR LQ: 0

IMDG LQ: 0

ICAO LQ: 0

Section 15: Regulatory Information.

Safety, health and environmental regulations specific for the product.

VVOC content (p/p): 0 %

VVOC content: 0 g/l

VOC content (p/p): 3.103 %

VOC content: 36.307 g/l

SVOC content (p/p): 2.723 %

SVOC content: 31.857 g/l

VVOC: Very volatile organic compounds.

VOC: Volatile organic compounds.

SVOC: Semi volatile organic compounds.

Information on the TSCA Inventory (Toxic Substances Control Act) USA:

CAS No	Name	State
1310-58-3	caustic potash,potassium hydroxide	Registered8
7664-38-2	phosphoric acid, orthophosphoric acid	Registered8

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI

Version: 1

Revision date: 7/25/2025



Page 9 of 10

Print date: 7/25/2025

The product is not affected by the procedure established by the Rotterdam Convention, concerning the export and import of dangerous chemicals.

The Superfund Amendments and Reauthorization Act (SARA).

SARA Title III and it sets requirements for local and state emergency planning around hazardous chemicals, the right of the public to access information on chemical hazards in their community, and the reporting responsibilities for facilities that use, store, and / or release hazardous chemicals.

SARA Title III has four provisions (any facility with responsibilities under one section will likely have additional responsibilities under another section, consult SARA for more information):

- Emergency Planning (Sections 301-303)
- Emergency Release Notification (Section 304)
- Hazardous Chemical Storage Reporting Requirements (Section 311-312)
- Toxic Chemical Release Inventory (Section 313)

Information related to the product:

Section 302, Extremely Hazardous Substances (EHSs)(40 CFR part 355 Appendix A and Appendix B) and section 304, in the event of an accidental chemical release that exceeds minimal Reportable Quantity (RQ):

Not Applicable.

Section 311, Requires facilities with hazardous chemicals in quantities above certain thresholds (consult OSHA for more information) to provide copies of the SDSs for those chemicals to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department.

Section 312, Companies with chemicals in sufficient quantities to trigger obligations under Section 311 must also submit an annual emergency and hazardous chemical inventory form to the State Emergency Response Commission (SERC), Local Emergency Planning Committee (LEPC) and local fire department

Section 313, requires facilities with 10 or more employees that use certain toxic chemicals in quantities above threshold levels to report annually on the use, release and disposal of those chemicals, substances identified in section 3:

Not Applicable.

Visit the EPA's website for the most up-to-date information on EPCRA and other environmental considerations.

Proposition 65 warnings

Information related to The Safe Drinking Water and Toxic Enforcement Act of 1986, (better known by its original name of Proposition 65):

There are no substances in section 3 present in the list of chemicals that can cause cancer, birth defects or other reproductive harm (Proposition 65 List).

Section 16: Other Information.

Complete text of the hazard statement(s) that appear in section 3:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4
Eye Dam. 1 : Serious eye damage, Category 1
Skin Corr. 1A : Skin Corrosive, Category 1A
Skin Corr. 1B : Skin Corrosive, Category 1B

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200))

2025-07-25-SWEETSEI



Version: 1

Revision date: 7/25/2025

Page 10 of 10

Print date: 7/25/2025

Abbreviations and acronyms used:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
PPE: Personal protection equipment.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.
IMDG: International Maritime Code for Dangerous Goods.
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

The Hazard Communication Standard (HCS) (29 CFR 1910.1200)

United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

<https://www.osha.gov>

<https://www.epa.gov/>

<http://echa.europa.eu/>

The information given in this Safety Data Sheet has been drafted in accordance with The Hazard Communication Standard (HCS) (29 CFR 1910.1200) and United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Employers must ensure that the SDSs are readily accessible to employees for all hazardous chemicals in their workplace.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.