

SECTION 1 Identification

1.1. GHS Product identifier

Product form	: Mixture
Product name	: CLEAROUT 540
Type of product	: Pesticide
Product code	: 1002130, 1002131

1.2. Other means of identification

REGISTRATION NUMBER	CANADA PMRA: 35646 (PCP Act)
---------------------	------------------------------

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	: Herbicide
Restrictions on use	: Use in accordance with label directions for use. ,It is a violation of Federal law to use this product in a manner inconsistent with its label.

1.4. Supplier's details

Albaugh, LLC (Canada)
1525 NE 3th Street 1525 NE 36th Street
Ankeny, IA 50021
USA
T 800-247-8013
ContactUS@albaughllc.com - albaughllc.com

1.5. Emergency phone number

Emergency number	: For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident: • Call CHEMTREC Day or Night within USA and Canada: 1-800-424-9300, Outside USA and Canada: +1 703-741-5970 (collect calls accepted)
	For Medical Emergencies Only: • Call Albaugh LLC Day or Night within USA and Canada: 1-888-347-6732 24 hours a day, 7 days a week

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Acute toxicity (inhalation:dust,mist), Category 4	H332	Harmful if inhaled.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment, Chronic Hazard, Category 2	H411	Toxic to aquatic life with long lasting effects.
Full text of H-statements: see section 16		

2.2. GHS label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA)



CLEAROUT 540

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Signal word (GHS CA)	: Danger
Hazard statements (GHS CA)	: H318 - Causes serious eye damage H332 - Harmful if inhaled H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (GHS CA)	: P261 - Avoid breathing dust, fume, gas, mist, vapours, spray. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or a doctor. P312 - Call a POISON CENTER or a doctor if you feel unwell. P391 - Collect spillage. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Other Ingredients (non-hazardous, proprietary) (Additive)	-	-	50 – 53	Not classified
GLYPHOSATE POTASSIUM SALT (Main constituent)	-	CAS-No.: 70901-21-1	47.3 – 50.2	Not classified
glyphosate (ISO); N-(phosphonomethyl)glycine (Active substance (Biocide))	glyphosate (ISO); N- (phosphonomethyl)glycine	CAS-No.: 1071-83-6	38.6 - 41	Eye Dam. 1, H318 Carc. 1B, H350 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures general	: Call a poison center or a doctor if you feel unwell.

CLEAROUT 540

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Self protection of the first-aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : Harmful if inhaled.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.
For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

CLEAROUT 540

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid. Colorless liquid.
Colour	: Colourless
Odour	: Almost odourless
Odour threshold	: No data available
pH	: 4.8
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable

CLEAROUT 540

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 101 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 1.35 g/ml
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 8.941 mm ² /s
Explosive properties	: Not Explosive.
Oxidising properties	: Not oxidising.
Explosive limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Inhalation:dust,mist: Harmful if inhaled.

CLEAROUT 540	
LD50 oral rat	> 2000 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 2.2 mg/l/4h
ATE CA (dust,mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Not classified pH: 4.8
Serious eye damage/irritation	: Causes serious eye damage. pH: 4.8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

CLEAROUT 540

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

CLEAROUT 540

Viscosity, kinematic	8.941 mm²/s
----------------------	-------------

Likely routes of exposure : Inhalation. Skin and eyes contact.
Symptoms/effects after inhalation : Harmful if inhaled.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

CLEAROUT 540

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

GLYPHOSATE POTASSIUM SALT (70901-21-1)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

glyphosate (ISO); N-(phosphonomethyl)glycine (1071-83-6)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Other Ingredients (non-hazardous, proprietary)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations


Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

CLEAROUT 540

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 14 Transport information

TDG	DOT	IMDG	IATA
Shipment by ground under DOT/TDG is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.			
14.1. UN Number			
Not regulated	Not regulated	UN3082	UN3082
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Glyphosate potassium)	Environmentally hazardous substance, liquid, n.o.s. (Glyphosate potassium)
Transport document description			
Not regulated	Not regulated	UN UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Glyphosate potassium), 9, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN UN3082 Environmentally hazardous substance, liquid, n.o.s. (Glyphosate potassium), 9, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)			
Not regulated	Not regulated	9	9
Not regulated	Not regulated		
14.4. Packing group, if applicable			
Not regulated	Not regulated	III	III
14.5. Environmental hazards			
Not regulated	Not regulated	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Special provisions (IMDG) : 274, 335, 375, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

CLEAROUT 540

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197, A215
ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Other Ingredients (non-hazardous, proprietary)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16 Other Information

Issue date : 03/09/2026

Full text of hazard classes and H-statements:

H318	Causes serious eye damage
H332	Harmful if inhaled
H350	May cause cancer.
H411	Toxic to aquatic life with long lasting effects

SDS CA-ALBAUGH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.