

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

Revision Date: 10/25/2023 Date of Issue: 11/11/2015 Supersedes Date: 9/25/2019 Version: 5.0

SECTION 1: IDENTIFICATION

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: Nair[™] Body Cream with Aloe and Water Lily (NA GHS 2015)

Product Code: 42016528

Synonyms: Nair™ Aloe and Water Lily Body Cream

Intended Use of the Product

Personal Hair Remover

Name, Address, and Telephone of the Responsible Party

Company Company

Church & Dwight Co. Inc. Church and Dwight Canada Corp.

500 Charles Ewing Blvd 5485 Ferrier

Ewing Township, NJ 08628 Montreal, Qc, H4P 1M6 T 1-800-524-1328 <u>www.churchdwight.ca</u>

www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Skin corrosion/irritation Category 1C H314
Serious eye damage/eye irritation Category 1 H318
Skin sensitization, Category 1 H317
Hazardous to the aquatic environment – Acute Hazard Category 2 H401

<u>Label Elements</u>

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)





Signal Word (GHS-US/CA) : Danger

Hazard Statements (GHS-US/CA): H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

Precautionary Statements (GHS-US/CA): P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

10/25/2023 EN (English US) 1/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 $P303+P361+P353-IF\ ON\ SKIN\ (or\ hair):\ Take\ off\ immediately\ all\ contaminated\ clothing.$ Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
White mineral oil, petroleum	(CAS-No.) 8042-47-5	5 - 10	Asp. Tox. 1, H304
Acetic acid, mercapto-, monopotassium salt	(CAS-No.) 34452-51-2	1 - 5	Met. Corr. 1, H290
			Acute Tox. 3 (Oral), H301
			Skin Sens. 1, H317
Calcium hydroxide	(CAS-No.) 1305-62-0	1 - 5	Skin Irrit. 2, H315
			Eye Dam. 1, H318
			STOT SE 3, H335
Alcohols, C16-18, ethoxylated	(CAS-No.) 68439-49-6	1 – 2.5	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Aquatic Acute 1, H400
Sodium hydroxide	(CAS-No.) 1310-73-2	0.5 – 1.5	Met. Corr. 1, H290
			Acute Tox. 4 (Oral), H302
			Skin Corr. 1A, H314
			Eye Dam. 1, H318
			STOT SE 1, H370
			Aquatic Acute 3, H402
Carbonic acid, calcium salt (1:1)	(CAS-No.) 471-34-1	< 0.1	Not classified
Benzyl acetate	(CAS-No.) 140-11-4	< 0.1	Flam. Liq. 4, H227
			Aquatic Acute 2, H401
			Aquatic Chronic 3, H412
Magnesium oxide (MgO)	(CAS-No.) 1309-48-4	< 0.1	Not classified
Quartz	(CAS-No.) 14808-60-7	< 0.1	Carc. 1A, H350
			STOT SE 3, H335
			STOT RE 1, H372
Sulfuric acid, calcium salt (1:1)	(CAS-No.) 7778-18-9	< 0.1	Not classified

Full text of H-statements: see section 16

10/25/2023 EN (English US) 2/15

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

^{**} The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

Skin Contact: Immediately remove contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Get immediate medical advice/attention. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and eye damage. Skin sensitization.

Inhalation: Causes severe damage to the respiratory tract. May be corrosive to the respiratory tract.

Skin Contact: Causes severe irritation which will progress to chemical burns. May cause an allergic skin reaction.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: Repeated and prolonged exposure may cause an allergic skin reaction.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction. Contact with metals may evolve flammable hydrogen gas.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Corrosive vapors. Sulfur oxides. Hydrogen sulfide. May produce explosive hydrogen gas on contact with incompatibilities or upon thermal decomposition.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

10/25/2023 EN (English US) 3/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Cautiously neutralize spilled liquid. Absorb spillage to prevent material damage. Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not get in eyes, on skin, or on clothing. Handle empty containers with care because they may still present a hazard. Do not breathe vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)
Personal Hair Remover

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Calcium hydroxide (1305-62-0)			
USA ACGIH	ACGIH OEL TWA	5 mg/m³	
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (total dust)	
		5 mg/m³ (respirable fraction)	
USA NIOSH	NIOSH REL (TWA)	5 mg/m³	
Alberta	OEL TWA	5 mg/m³	
British Columbia	OEL TWA	5 mg/m³	
Manitoba	OEL TWA	5 mg/m³	
New Brunswick	OEL TWA	5 mg/m³	
Newfoundland & Labrador	OEL TWA	5 mg/m³	
Nova Scotia	OEL TWA	5 mg/m³	
Nunavut	OEL STEL	10 mg/m³	
Nunavut	OEL TWA	5 mg/m³	
Northwest Territories	OEL STEL	10 mg/m³	
Northwest Territories	OEL TWA	5 mg/m³	
Ontario	OEL TWA	5 mg/m³	
Prince Edward Island	OEL TWA	5 mg/m³	
Québec	VEMP (OEL TWA)	5 mg/m³	
Saskatchewan	OEL STEL	10 mg/m³	
Saskatchewan	OEL TWA	5 mg/m³	
Yukon	OEL STEL	10 mg/m ³	
Yukon	OEL TWA	5 mg/m³	
White mineral oil, petroleur	White mineral oil, petroleum (8042-47-5)		
USA ACGIH	ACGIH OEL TWA	5 mg/m³ (mist)	
Carbonic acid, calcium salt (1:1) (471-34-1)			

10/25/2023 EN (English US) 4/15

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	T		
USA NIOSH	NIOSH REL (TWA)	10 mg/m³ (total dust)	
Albanta	OFI TIMA	5 mg/m³ (respirable dust)	
Alberta	OEL TWA	10 mg/m³	
Nunavut	OEL STEL	20 mg/m³ (Limestone)	
Nunavut	OEL TWA	10 mg/m³ (Limestone)	
Northwest Territories	OEL STEL	20 mg/m³ (Limestone)	
Northwest Territories	OEL TWA	10 mg/m³ (Limestone)	
Québec	VEMP (OEL TWA)	10 mg/m³ (total dust)	
Saskatchewan	OEL STEL	20 mg/m³ (Limestone)	
Saskatchewan	OEL TWA	10 mg/m³ (Limestone)	
Yukon	OEL STEL	20 mg/m³	
Yukon	OEL TWA	30 mppcf	
		10 mg/m ³	
Quartz (14808-60-7)			
USA ACGIH	ACGIH OEL TWA	0.025 mg/m³ (respirable particulate matter)	
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen	
USA OSHA	OSHA PEL (TWA) [1]	50 μg/m³ (Respirable crystalline silica)	
USA OSHA	OSHA PEL (TWA) [2]	(250)/(%SiO ₂ +5) mppcf TWA (respirable fraction)	
		(10)/(%SiO ₂ +2) mg/m ³ TWA (respirable fraction)	
		(For any operations or sectors for which the respirable	
		crystalline silica standard, 1910.1053, is stayed or	
		otherwise not in effect, See 20 CFR 1910.1000 TABLE Z-3)	
USA NIOSH	NIOSH REL (TWA)	0.05 mg/m³ (respirable dust)	
USA IDLH	IDLH	50 mg/m³ (respirable dust)	
Alberta	OEL TWA	0.025 mg/m³ (respirable particulate)	
British Columbia	OEL TWA	0.025 mg/m³ (respirable)	
Manitoba	OEL TWA	0.025 mg/m³ (respirable particulate matter)	
New Brunswick	OEL TWA	0.1 mg/m³ (respirable fraction)	
Newfoundland & Labrador	OEL TWA	0.025 mg/m³ (respirable particulate matter)	
Nova Scotia	OEL TWA	0.025 mg/m³ (respirable particulate matter)	
Nunavut	OEL TWA	0.05 mg/m³ (Trydimite removed-respirable fraction (Silica -	
		crystalline)	
Northwest Territories	OEL TWA	0.05 mg/m³ (Trydimite removed-respirable fraction (Silica -	
		crystalline)	
Ontario	OEL TWA	0.1 mg/m³ (designated substances regulation-respirable	
		fraction (Silica, crystalline)	
Prince Edward Island	OEL TWA	0.025 mg/m³ (respirable particulate matter)	
Québec	VEMP (OEL TWA)	0.1 mg/m³ (respirable dust)	
Saskatchewan	OEL TWA	0.05 mg/m³ (Trydimite removed-respirable fraction (Silica -	
		crystalline (Trydimite removed))	
Yukon	OEL TWA	300 particle/mL (Silica - Quartz, crystalline)	
Magnesium oxide (MgO) (13	809-48-4)		
USA ACGIH	ACGIH OEL TWA	10 mg/m³ (inhalable particulate matter)	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (fume, total particulate)	
USA IDLH	IDLH	750 mg/m³ (fume)	
Alberta	OEL TWA	10 mg/m³ (fume)	
British Columbia	OEL STEL	10 mg/m³ (respirable dust and fume)	
British Columbia	OEL TWA	10 mg/m³ (fume, inhalable)	
		3 mg/m³ (respirable dust and fume)	
Manitoba	OEL TWA	10 mg/m³ (inhalable particulate matter)	
New Brunswick	OEL TWA	10 mg/m³ (fume)	
	•	•	

10/25/2023 EN (English US) 5/15

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	1		
Newfoundland & Labrador	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Nova Scotia	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Nunavut	OEL STEL	20 mg/m³ (inhalable fraction)	
Nunavut	OEL TWA	10 mg/m³ (inhalable fraction)	
Northwest Territories	OEL STEL	20 mg/m³ (inhalable fraction)	
Northwest Territories	OEL TWA	10 mg/m³ (inhalable fraction)	
Ontario	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Prince Edward Island	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Québec	VEMP (OEL TWA)	10 mg/m³ (inhalable dust)	
Saskatchewan	OEL STEL	20 mg/m³ (inhalable fraction)	
Saskatchewan	OEL TWA	10 mg/m³ (inhalable fraction)	
Yukon	OEL STEL	10 mg/m³ (fume)	
Yukon	OEL TWA	10 mg/m³ (fume)	
Sulfuric acid, calcium salt (1	1) (7778-18-9)		
USA ACGIH	ACGIH OEL TWA	10 mg/m³ (inhalable particulate matter)	
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (total dust)	
		5 mg/m³ (respirable fraction)	
USA NIOSH	NIOSH REL (TWA)	10 mg/m³ (total dust)	
		5 mg/m³ (respirable dust)	
Alberta	OEL TWA	10 mg/m³	
British Columbia	OEL TWA	10 mg/m³ (inhalable)	
Manitoba	OEL TWA	10 mg/m³ (inhalable particulate matter)	
New Brunswick	OEL TWA	10 mg/m³ (particulate matter containing no Asbestos and	
		<1% Crystalline silica)	
Newfoundland & Labrador	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Nova Scotia	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Nunavut	OEL STEL	20 mg/m³ (Gypsum)	
		20 mg/m³ (Plaster of Paris)	
Nunavut	OEL TWA	10 mg/m³ (Gypsum)	
		10 mg/m³ (Plaster of Paris)	
Northwest Territories	OEL STEL	20 mg/m³ (Gypsum)	
		20 mg/m³ (Plaster of Paris)	
Northwest Territories	OEL TWA	10 mg/m³ (Gypsum)	
		10 mg/m³ (Plaster of Paris)	
Ontario	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Prince Edward Island	OEL TWA	10 mg/m³ (inhalable particulate matter)	
Québec	VEMP (OEL TWA)	10 mg/m³ (containing no Asbestos and <1% Crystalline	
	051 0551	silica-inhalable dust)	
Saskatchewan	OEL STEL	20 mg/m³ (Gypsum and Plaster of Paris)	
Saskatchewan	OEL TWA	10 mg/m³ (Gypsum and Plaster of Paris)	
Sodium hydroxide (1310-73		1 2 / 2	
USA ACGIH	ACGIH OEL Ceiling	2 mg/m ³	
USA NICSU	OSHA PEL (TWA) [1]	2 mg/m³	
USA NIOSH	NIOSH REL (Ceiling)	2 mg/m³	
USA IDLH	IDLH	10 mg/m³	
Alberta	OEL C	2 mg/m³	
British Columbia	OEL C	2 mg/m³	
Manitoba	OEL C	2 mg/m ³	
New Brunswick	OEL C	2 mg/m ³	
Newfoundland & Labrador	OEL C	2 mg/m ³	
Nova Scotia	OEL C	2 mg/m ³	
Nunavut	OEL C	2 mg/m ³	

10/25/2023 EN (English US) 6/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Northwest Territories	OEL C	2 mg/m ³
Ontario	OEL C	2 mg/m³
Prince Edward Island	OEL C	2 mg/m³
Québec	Plafond (OEL Ceiling)	2 mg/m³
Saskatchewan	OEL C	2 mg/m³
Yukon	OEL C	2 mg/m³
Benzyl acetate (140-11-4)		
USA ACGIH	ACGIH OEL TWA [ppm]	10 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
Alberta	OEL TWA	61 mg/m ³
Alberta	OEL TWA [ppm]	10 ppm
British Columbia	OEL TWA [ppm]	10 ppm
Manitoba	OEL TWA [ppm]	10 ppm
New Brunswick	OEL TWA	61 mg/m ³
New Brunswick	OEL TWA [ppm]	10 ppm
Newfoundland & Labrador	OEL TWA [ppm]	10 ppm
Nova Scotia	OEL TWA [ppm]	10 ppm
Nunavut	OEL STEL [ppm]	20 ppm
Nunavut	OEL TWA [ppm]	10 ppm
Northwest Territories	OEL STEL [ppm]	20 ppm
Northwest Territories	OEL TWA [ppm]	10 ppm
Ontario	OEL TWA [ppm]	10 ppm
Prince Edward Island	OEL TWA [ppm]	10 ppm
Québec	VEMP (OEL TWA) [ppm]	10 ppm
Saskatchewan	OEL STEL [ppm]	20 ppm
Saskatchewan	OEL TWA [ppm]	10 ppm

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Face shield. Insufficient ventilation: wear respiratory protection.











Materials for Protective Clothing: For occupational/workplace settings and bulk quantities: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings and bulk quantities: Wear protective gloves.

Eye Protection: For occupational/workplace settings and bulk quantities: Chemical safety goggles and face shield.

Skin and Body Protection: For occupational/workplace settings and bulk quantities: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : White smooth cream

Odor : Perfume

10/25/2023 EN (English US) 7/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Odor Threshold No data available Ηα 12.6 - 13.2**Evaporation Rate** No data available **Melting Point** No data available **Freezing Point** No data available **Boiling Point** No data available **Flash Point** No data available No data available **Auto-ignition Temperature Decomposition Temperature** No data available Not applicable **Flammability Lower Flammable Limit** No data available **Upper Flammable Limit** No data available No data available **Vapor Pressure** Relative Vapor Density at 20°C No data available

Relative Density : No data available

Specific Gravity : 1.06 - 1.08

Solubility : Water: Dispersible in water

Partition Coefficient: N-Octanol/Water: No data availableViscosity: No data availableCorrosion Rate (Aluminum): 0.1 - 2.5 mm/yearCorrosion Rate (Steel): < 0.1 mm/year</th>

Maximum Localized Corrosion Depth Measured : No localized corrosion observed

(Steel)

Maximum Localized Corrosion Depth Measured : 0.075 mm

(Aluminum)

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction. Contact with metals may evolve flammable hydrogen gas.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

No additional information available

Skin Corrosion/Irritation: Causes severe skin burns. Conclusion based on OECD 435 In vitro Membrane Barrier Test method for Skin

Corrosion **pH:** 12.6 – 13.2

Eye Damage/Irritation: Causes serious eye damage.

pH: 12.6 - 13.2

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

10/25/2023 EN (English US) 8/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Causes severe damage to the respiratory tract. May be corrosive to the respiratory tract. **Symptoms/Injuries After Skin Contact:** Causes severe irritation which will progress to chemical burns. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: Repeated and prolonged exposure may cause an allergic skin reaction.

<u>Information on Toxicological Effects - Ingredient(s)</u>

LD50 and LC50 Data:

Calcium hydroxide (1305-62-0)			
LD50 Oral Rat	7340 mg/kg		
LD50 Dermal Rat	> 2500 mg/kg		
LC50 Inhalation Rat	> 6.04 mg/l/4h		
White mineral oil, petroleum (8042-47-5)			
LD50 Oral Rat	> 5000 mg/kg		
Acetic acid, mercapto-, monopotassium salt (34452-51-2)			
LD50 Oral Rat	200 mg/kg		
LD50 Dermal Rat	> 2000 mg/kg		
Alcohols, C16-18, ethoxylated (68439-49-6)			
LD50 Oral Rat	1260 mg/kg		
Carbonic acid, calcium salt (1:1) (471-34-1)			
LD50 Oral Rat	6450 mg/kg		
LD50 Dermal Rat	> 2000 mg/kg		
Quartz (14808-60-7)			
LD50 Oral Rat	> 5000 mg/kg		
LD50 Dermal Rat	> 5000 mg/kg		
Magnesium oxide (MgO) (1309-48-4)			
LD50 Oral Rat	3870 mg/kg		
Sulfuric acid, calcium salt (1:1) (7778-18-9)			
LD50 Oral Rat	> 3000 mg/kg No mortalities		
LC50 Inhalation Rat	> 3.26 mg/l/4h No mortalities		
Sodium hydroxide (1310-73-2)			
LD50 Oral Rat	325 mg/kg		
Benzyl acetate (140-11-4)			
LD50 Oral Rat	2490 mg/kg		
LD50 Dermal Rabbit	> 5000 mg/kg		
Quartz (14808-60-7)			
IARC Group	1		
National Toxicology Program (NTP) Status	Known Human Carcinogens.		
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.		
	3		
Benzyl acetate (140-11-4)			

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life.

White mineral oil, petroleum (8042-47-5)
--

10/25/2023 EN (English US) 9/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LC50 Fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
Sulfuric acid, calcium salt (1:1) (7778-18-9)			
LC50 Fish 1	2980 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
LC50 Fish 2	> 1970 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
Sodium hydroxide (1310-73-2)			
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 - Crustacea [1]	40 mg/l		
Benzyl acetate (140-11-4)			
LC50 Fish 1	4 mg/l		
NOEC Chronic Fish	0.92 mg/l		

Persistence and Degradability

Nair™ Body Cream with Aloe and Water Lily (NA GHS 2015)		
Persistence and Degradability	Not established.	

Bioaccumulative Potential

<u>Dioaccamalative i otential</u>			
Nair™ Body Cream with Aloe and Water Lily (NA GHS 2015)			
Bioaccumulative Potential	Not established.		
Calcium hydroxide (1305-62-0)	Calcium hydroxide (1305-62-0)		
BCF Fish 1	(no bioaccumulation)		
White mineral oil, petroleum (8042-47-5	5)		
Log POW	>6		
Acetic acid, mercapto-, monopotassium	salt (34452-51-2)		
Acetic acid, mercapto-, monopotassium Log POW	salt (34452-51-2) -2.99 (at 22 °C (at pH 7)		
	-2.99 (at 22 °C (at pH 7)		
Log POW	-2.99 (at 22 °C (at pH 7)		
Log POW Carbonic acid, calcium salt (1:1) (471-34	-2.99 (at 22 °C (at pH 7)		

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions. Hazardous waste (corrosive) based on pH.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Proper Shipping Name : CORROSIVE LIQUIDS, N.O.S.(CONTAINS Acetic acid, mercapto-, monopotassium salt, Sodium

Hydroxide)

Hazard Class : 8

Identification Number : UN1760

Label Codes : 8
Packing Group : III
ERG Number : 154

In Accordance with IMDG



10/25/2023 EN (English US) 10/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Proper Shipping Name : CORROSIVE LIQUID, N.O.S. (CONTAINS Acetic acid, mercapto-, monopotassium salt, Sodium

Hydroxide)

Hazard Class : 8

Identification Number: UN1760

Label Codes: 8Packing Group: IIIEmS-No. (Fire): F-AEmS-No. (Spillage): S-B

In Accordance with IATA

Proper Shipping Name : CORROSIVE LIQUID, N.O.S. (CONTAINS Acetic acid, mercapto-, monopotassium salt, Sodium

Hydroxide)

Hazard Class : 8

Identification Number : UN1760

Label Codes: 8Packing Group: IIIERG Code (IATA): 8L

In Accordance with TDG

Proper Shipping Name : CORROSIVE LIQUID, N.O.S. (CONTAINS Acetic acid, mercapto-, monopotassium salt, Sodium

Hydroxide)

Hazard Class : 8
Identification Number : UN1760
Label Codes : 8

Packing Group : III



SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

Nair Body™ Cream with Aloe and Water Lily (NA GHS 2015)	
SARA Section 311/312 Hazard Classes	Health hazard - Respiratory or skin sensitization
	Health hazard - Skin corrosion or Irritation
	Health hazard - Serious eye damage or eye irritation

Calcium hydroxide (1305-62-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

White mineral oil, petroleum (8042-47-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

10/25/2023 EN (English US) 11/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Acetic acid, mercapto-, monopotassium salt (34452-51-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian NDSL (Non-Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Alcohols, C16-18, ethoxylated (68439-49-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the

Chemical Data Reporting Rule, (40 CFR 711).

Carbonic acid, calcium salt (1:1) (471-34-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Quartz (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on IARC (International Agency for Research on Cancer)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed as carcinogen on NTP (National Toxicology Program)

10/25/2023 EN (English US) 12/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Magnesium oxide (MgO) (1309-48-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Sulfuric acid, calcium salt (1:1) (7778-18-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Poisonous and Deleterious Substances Control Law

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

10/25/2023 EN (English US) 13/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015)

Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)

CERCLA RQ 1000 lb

Benzyl acetate (140-11-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

US State Regulations

Calcium hydroxide (1305-62-0)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Quartz (14808-60-7)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Magnesium oxide (MgO) (1309-48-4)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Sulfuric acid, calcium salt (1:1) (7778-18-9)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Sodium hydroxide (1310-73-2)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Benzyl acetate (140-11-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

Canadian Regulations

Calcium hydroxide (1305-62-0)

Listed on the Canadian DSL (Domestic Substances List)

White mineral oil, petroleum (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List)

Acetic acid, mercapto-, monopotassium salt (34452-51-2)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Alcohols, C16-18, ethoxylated (68439-49-6)

Listed on the Canadian DSL (Domestic Substances List)

10/25/2023 EN (English US) 14/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Carbonic acid	, calcium salt ((1:1)	(471-34-1)
---------------	------------------	-------	------------

Listed on the Canadian DSL (Domestic Substances List)

Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

Magnesium oxide (MgO) (1309-48-4)

Listed on the Canadian DSL (Domestic Substances List)

Sulfuric acid, calcium salt (1:1) (7778-18-9)

Listed on the Canadian DSL (Domestic Substances List)

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl acetate (140-11-4)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision Other Information

- : 10/25/2023
- : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

H227	Combustible liquid
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation
H350	May cause cancer
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Church&Dwight NA GHS SDS 2015

10/25/2023 EN (English US) 15/15