Nair™ Moisturizing Face Cream - (MX GHS - EN)



Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace.

Revision Date: 26/06/2022 Date of Issue: 26/11/2018 Supersedes Date: 26/06/2021 Version: 1.2

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Nair™ Moisturizing Face Cream - (MX GHS - EN)

Product Code: 40500274 Synonyms: Nair™ Face Cream

1.2. Intended Use of the Product

Use of the Substance/Mixture: Personal hair remover

1.3. Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight México Avenida Jaime Balmes #8, Piso 6, oficinas 603-604 Colonia Los Morales Polanco, Ciudad de México C.P. 11510

www.churchdwight.com

T 55 2794 1200

1.4. Emergency Telephone Number

Emergency Number: For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada) For Chemical Emergency: ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International) 800-099-0731 (Mexico)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Mexico NOM-018-STPS-2015 applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

2.1. Classification of the Substance or Mixture

GHS-MX Classification

Acute Tox. 5 (Oral) H303 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 3 H402

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-MX Labeling

Hazard Pictograms (GHS-MX)



Hazardous Ingredients (GHS-MX) : Acetic acid, mercapto-, calcium salt (1:1), trihydrate; Calcium hydroxide; Sodium

hydroxide; White mineral oil, petroleum; Alcohols, C16-18, ethoxylated

Signal Word (GHS-MX) : Danger

Hazard Statements (GHS-MX) : H303 - May be harmful if swallowed.

H315 - Causes skin irritation. H318 - Causes serious eye damage. H402 - Harmful to aquatic life.

Precautionary Statements (GHS-MX) : P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor. P312 - Call a POISON CENTER or doctor if you feel unwell.

26/06/2022 EN (English US) 1/9

Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace.

P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-MX)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS-MX classification
White mineral oil, petroleum	White mineral oil / Oils, white mineral, petroleum / White mineral oil (petroleum) / White oil / Paraffin oil / White mineral oil, petroleum (A highly refined petroleum mineral oil consisting of a complex combination of hydrocarbons obtained from the intensive treatment of a petroleum fraction with sulfuric acid and oleum, or by hydrogenation, or by a combination of hydrogenation and acid treatment. Additional washing and treating steps may be included in the processing operation. It consists of saturated hydrocarbons having carbon numbers predominantly in the range of C15-50.) / Mineral oils, petroleum / Mineral oil, white / Petroleum mineral oils / Mineral oil / Petroleum paraffinic oil	(CAS-No.) 8042-47-5	5 - 10	Asp. Tox. 1, H304
Acetic acid, mercapto-, calcium salt (1:1), trihydrate		(CAS-No.) 65208-41-5	5 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Calcium hydroxide	Calcium dihydroxide / Calcium hydroxide (Ca(OH)2) / Hydrated lime / Lime, hydrated / CALCIUM HYDROXIDE / Slaked lime	(CAS-No.) 1305-62-0	1 - 5	Skin Corr. 1C, H314 Eye Dam. 1, H318
Sodium hydroxide	Caustic soda / Sodium hydroxide (Na(OH)) / SODIUM HYDROXIDE / LYE	(CAS-No.) 1310-73-2	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402

26/06/2022 EN (English US) 2/9

Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace

Alcohols, C16-18, ethoxylated Ceteareth-10 / CETEARETH- 10 / Ceteareth-2 / Ethoxylated cetylstearyl alcohol / Polyethylene glycol monoalkyl(C16-18) ether / C16-18 Alcohol reacted with 16 moles ethylene oxides / Polyoxyl 20 cetostearyl ether / Ceteareth-8 / Ceteareth-16 / Ceteareth-14 / Polyoxyethylene cetyl/stearyl ether / Ceteareth-3 / Ceteareth-4 / Ceteareth-5 / Ceteareth-9 / Ceteareth-11 / Ceteareth-12 / Ceteareth-12 / Ceteareth-12 / Ceteareth-15 / Ceteareth-12 / Ceteareth-15 / Ceteareth-16 / Ceteareth-18 / Ceteareth-17 / Ceteareth-15 / Ceteareth-28 / Ceteareth-28 / Ceteareth-27 / Ceteareth-17 / Ceteareth-18 / Ceteareth-17 / Ceteareth-18 / Ceteareth-17 / Ceteareth-18 / Ceteareth-20 / Ceteareth-22 / Ceteareth-23 / Ceteareth-24 / Ceteareth-25 / Ceteareth-27 / Ceteareth-29 / Ceteareth-30 / Ceteareth-30 / Ceteareth-30 / Ceteareth-30 / Ceteareth-80 /	(CAS-No.) 68439-49-6	0.8 - 2.4	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400
--	----------------------	-----------	--

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret in accordance with NOM-018-STPS-2015

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes skin irritation. Causes serious eye damage. May be harmful if swallowed.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

26/06/2022 EN (English US) 3/9

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Corrosive vapors. Sulfur oxides. Hydrogen sulfide.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Personal hair remover

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including ACGIH (TLVs), AIHA (WEELs) and Mexico: OEL TWAs (LMPE-PPTs), STELs (LMPE-CTs), Ceilings (LMPE-Pico), and BEIs (IBE).

Calcium hydr	Calcium hydroxide (1305-62-0)		
Mexico	OEL TWA (mg/m³)	5 mg/m³	
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m ³	
Sodium hydr	Sodium hydroxide (1310-73-2)		
Mexico	OEL Ceiling (mg/m³)	2 mg/m³	
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³	
White miner	White mineral oil, petroleum (8042-47-5)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (mist)	

26/06/2022 EN (English US) 4/9

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace

8.2. **Exposure Controls**

Appropriate Engineering Controls

: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing

Hand Protection

Relative Density

Eye and Face Protection Skin and Body Protection Respiratory Protection

: For occupational/workplace settings: Chemically resistant materials and fabrics.

: For occupational/workplace settings: Wear protective gloves. : For occupational/workplace settings: Chemical safety goggles.

: For occupational/workplace settings: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. **Information on Basic Physical and Chemical Properties**

Physical State : Liquid **Appearance** : White cream

Molecular Weight : No data available

Odor : Perfume

Odor Threshold : No data available

рΗ : 12.1 - 12.7

Evaporation Rate : No data available **Melting Point** : No data available **Freezing Point** : No data available : No data available **Boiling Point Flash Point** : No data available

Auto-ignition Temperature : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : Not applicable **Vapor Pressure** : No data available Relative Vapor Density at 20°C : No data available

Solubility Dispersible in water **Partition Coefficient: N-Octanol/Water** : No data available

Viscosity : No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- Reactivity: Hazardous reactions will not occur under normal conditions. 10.1.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. 10.4.
- 10.5. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. **Information on Toxicological Effects**

Acute Toxicity (Oral): Oral: May be harmful if swallowed.

26/06/2022 EN (English US) 5/9

: No data available

Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace

Nair™ Moisturizing Face Cream		
ATE (Oral)	3,854.44 mg/kg body weight	
Acetic acid, mercapto-, calcium salt (1:1), trihydrate (65208-41-5)		
ATE (Oral)	500.00 mg/kg body weight	
Calcium hydroxide (1305-62-0)		
LD50 Oral Rat	7340 mg/kg	
Sodium hydroxide (1310-73-2)		
LD50 Oral Rat	140 - 340 mg/kg	
White mineral oil, petroleum (8042-47-5)		
LD50 Oral Rat	> 5000 mg/kg	
Alcohols, C16-18, ethoxylated (68439-49-6)		
LD50 Oral Rat	1260 mg/kg	

Skin Corrosion/Irritation: Causes skin irritation. (Conclusion based on OECD 435 In vitro Membrane Barrier Test method for Skin Corrosion)

pH: 12.1 - 12.7

Serious Eye Damage/Irritation: Causes serious eye damage.

pH: 12.1 - 12.7

Respiratory or Skin Sensitization: Not classified (Based on available data, the classification criteria are not met)

Germ Cell Mutagenicity: Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity: Not classified (Based on available data, the classification criteria are not met)

Reproductive Toxicity: Not classified (Based on available data, the classification criteria are not met)

Specific Target Organ Toxicity (Single Exposure): Not classified (Based on available data, the classification criteria are not met)

Specific Target Organ Toxicity (Repeated Exposure): Not classified (Based on available data, the classification criteria are not met)

Aspiration Hazard: Not classified (Based on available data, the classification criteria are not met)

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Harmful to aquatic life.

Sodium hydroxide (1310-73-2)	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l
White mineral oil, petroleum (8042-47-5)	
LC50 Fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

12.2. Persistence and Degradability

Nair™ Moisturizing Face Cream	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

Nair™ Moisturizing Face Cream		
Bioaccumulative Potential	Not established.	
Calcium hydroxide (1305-62-0)		
BCF Fish 1	(no bioaccumulation)	
White mineral oil, petroleum (8042-47-5)		
Log POW	>6	

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

26/06/2022 EN (English US) 6/9

Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions. Hazardous waste (corrosive) based on pH.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In accordance with NOM/SCT Not regulated for transport
- **14.2.** In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport
- 14.4 Transport in Bulk According to Annex II of MARPOL and The IBC Code Not determined

SECTION 15: REGULATORY INFORMATION

15.1. International Regulatory Lists

Acetic acid, mercapto-, calcium salt (1:1), trihydrate (65208-41-5)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Calcium hydroxide (1305-62-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Sodium hydroxide (1310-73-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Japanese Poisonous and Deleterious Substances Control Law

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

White mineral oil, petroleum (8042-47-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

26/06/2022 EN (English US) 7/9

Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Alcohols, C16-18, ethoxylated (68439-49-6)

Listed on the EU NLP (No Longer Polymers) inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.2. International Agreements No additional information available

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision

Data Sources

Other Information

: 26/06/2022

: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

This document has been prepared in accordance with the SDS requirements of Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace. The information is considered correct but is not exhaustive and will be used only as a guide, which is based on current knowledge of the chemical substance or mixture and is applicable to the appropriate safety precautions for the product.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Mexico NOM-018-STPS-2015 applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Acute Tox. 5 (Oral)	Acute toxicity (oral) Category 5
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1C	Skin corrosion/irritation Category 1C

26/06/2022 8/9 EN (English US)

Safety Data Sheet

According to Mexico NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks from Hazardous Chemical Substances in the Workplace.

Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

Abbreviations and Acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists

AIHA – American Industrial Hygiene Association

ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand

EC50 - Median Effective Concentration

CAS No. - Chemical Abstracts Service Number COD – Chemical Oxygen Demand

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage ErC50 - EC50 in Terms of Reduction Growth Rate

 $\ensuremath{\mathsf{ERG}}$ code (IATA) - Emergency Response Drill Code as found in the

International Civil Aviation Organization (ICAO)

 $\hbox{GHS-Globally Harmonized System of Classification and Labeling of} \\$

Chemicals

GWP – Global Warming Potential

IARC - International Agency for Research on Cancer IATA - International Air Transport Association

IBC – International Code for the Construction and Equipment of Ships

carrying Dangerous Chemicals in Bulk

IMDG - International Maritime Dangerous Goods

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible

solvents, in this case octanol and water

MARPOL – International Convention for the Prevention of Pollution from

Ships

MFAG-No - Medical First Aid Guide for Use in Accidents Involving

Dangerous Goods MX - Mexico

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration NOM/SCT – Secretaria de Comunicaciones y Transportes

NTP – National Toxicology Program OEL - Occupational Exposure Limits

pH – Potential Hydrogen

SADT - Self Accelerating Decomposition Temperature SARA - Superfund Amendments and Reauthorization Act

SARA 302 - Section 302, 40 CFR Part 355 SARA 313 - Section 313, 40 CFR Part 372

SANA 313 - Section 313, 40 CFR Part 37 SDS - Safety Data Sheet STEL - Short Term Exposure Limit ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value TPQ - Threshold Planning Quantity

UN – United Nations

VOC – Volatile Organic Compounds

TWA - Time Weighted Average

WEEL - Workplace Environmental Exposure Levels

Indication of Changes

Section Change Date Changed Version
1 Modified product name and emergency telephone number 26/06/2022 1.2

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

MX GHS SDS

26/06/2022 EN (English US) 9/9