

Safety Data Sheet

According To The Hazardous Products Regulation (February 11, 2015). Revision Date: 05/30/2024 Date of Issue: 03/28/2022

Version: 1.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: GASTROVOL™ Liquid Gels 3-in-1 Relief (CA GHS)

Product Code: 42015788

Synonyms: GASTROVOL™ Bismuth Subsalicylate Softgels

Intended Use of the Product

Relief of nausea, upset stomach and diarrhea

Name, Address, and Telephone of the Responsible Party

Company

Church and Dwight Canada Corp.

5485 Ferrier

Montreal, Qc, H4P 1M6 www.churchdwight.ca

http://www.econsumeraffairs.com/churchdwight/contactus.h

tm

Emergency Telephone Number

Emergency Number: For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-CA Classification

Not classified

Label Elements

GHS-CA Labeling

No labeling applicable according to the Hazardous Products Regulations (HPR) SOR/2015-17.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Synonyms | Product Identifier | % * | GHS Ingredient Classification |
|---------------------|----------------------------------|----------------------|-----|--------------------------------------|
| Polyethylene glycol | Poly(oxy-1,2-ethanediyl), .alpha | (CAS-No.) 25322-68-3 | 46 | Not classified |
| . , , , | hydroomegahydroxy-/ | | | |
| | Polyethylene glycol 6000 / | | | |
| | Polyethylene glycol ether / | | | |
| | Polyethylene glycols / PEG-10 / | | | |
| | Polyethylene glycol 400 / | | | |
| | Ethylene oxide polymer / 1,2- | | | |
| | Ethanediol, homopolymer / | | | |
| | Polyethylene glycol 8000 / PEG / | | | |
| | Macrogols / Macrogol / PEG-9 / | | | |
| | .alphaHydroomega | | | |
| | hydroxypoly(oxyethylene) / PEG- | | | |
| | 14 / .alphaHydroomega | | | |
| | hydroxypoly(oxy-1,2-ethanediyl) | | | |
| | / Ethoxylated 1,2-ethanediol / | | | |
| | Polyethylene glycol 35 / | | | |
| | Polyethylene glycol 115 / | | | |
| | Poly(ethylene glycol) 400 / | | | |

05/30/2024 EN (English US) 1/6

Safety Data Sheet

According To The Hazardous Products Regulation (February 11, 2015).

| Polyethylene oxide / PEG-100 / | | | |
|-----------------------------------|---|--|---|
| PEG-115M / PEG-135 / PEG-14M | | | |
| / PEG-150 / PEG-16 / PEG-160M | | | |
| / PEG-18 / PEG-180 / PEG-180M | | | |
| / PEG-1M / PEG-20 / PEG-200 / | | | |
| PEG-20M / PEG-220 / PEG-23M / | | | |
| PEG-240 / PEG-25M / PEG-2M / | | | |
| PEG-32 / PEG-33 / PEG-350 / | | | |
| PEG-40 / PEG-400 / PEG-45 / | | | |
| PEG-450 / PEG-45M / PEG-500 / | | | |
| PEG-55 / PEG-5M / PEG-60 / | | | |
| PEG-65M / PEG-75 / PEG-7M / | | | |
| PEG-80 / PEG-800 / PEG-90 / | | | |
| PEG-90M / PEG-9M / | | | |
| polyethylene glycol 1600 / | | | |
| Ethylene glycol homopolymer | | | |
| Glycerin / Glycerine / Glycerol / | (CAS-No.) 56-81-5 | 5 | Not classified |
| 1,2,3-Trihydroxypropane / | (2.12.1121, 30.02.0 | | |
| GLYCERIN / Propane-1,2,3-triol | | | |
| | PEG-115M / PEG-135 / PEG-14M / PEG-150 / PEG-16 / PEG-160M / PEG-18 / PEG-180 / PEG-180M / PEG-18 / PEG-20 / PEG-200 / PEG-20M / PEG-20M / PEG-220 / PEG-23M / PEG-240 / PEG-25M / PEG-240 / PEG-350 / PEG-350 / PEG-45 / PEG-45 / PEG-450 / PEG-450 / PEG-55 / PEG-5M / PEG-60 / PEG-65M / PEG-75 / PEG-7M / PEG-80 / PEG-90 | PEG-115M / PEG-135 / PEG-14M / PEG-150 / PEG-16 / PEG-160M / PEG-18 / PEG-18 / PEG-180 M / PEG-18 / PEG-20 / PEG-200 / PEG-20M / PEG-220 / PEG-23M / PEG-240 / PEG-25M / PEG-240 / PEG-25M / PEG-32 / PEG-33 / PEG-350 / PEG-45 / PEG-450 / PEG-45 / PEG-450 / PEG-45 / PEG-55 / PEG-45 M / PEG-50 / PEG-55 / PEG-5M / PEG-60 / PEG-65M / PEG-75 / PEG-7M / PEG-80 / PEG-90 | PEG-115M / PEG-135 / PEG-14M / PEG-150 / PEG-16 / PEG-160M / PEG-18 / PEG-180 / PEG-180 M / PEG-18 / PEG-200 / PEG-20M / PEG-20 / PEG-20M / PEG-220 / PEG-23M / PEG-240 / PEG-25M / PEG-25M / PEG-32 / PEG-33 / PEG-350 / PEG-40 / PEG-45 / PEG-450 / PEG-45 / PEG-450 / PEG-45 / PEG-55 / PEG-5M / PEG-50 / PEG-55 / PEG-5M / PEG-60 / PEG-65M / PEG-75 / PEG-7M / PEG-80 / PEG-90 |

Full text of H- and EUH-statements: see section 16

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion of large quantities may have adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

05/30/2024 EN (English US) 2/6

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

Safety Data Sheet

According To The Hazardous Products Regulation (February 11, 2015).

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Bismuth oxides.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Relief of nausea, upset stomach and diarrhea

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| Polyethylene glycol (25322-68-3) | | |
|----------------------------------|--------------------|---|
| USA AIHA | WEELTWA | 10 mg/m³ (molecular weight>200-aerosol) |
| 1,2,3-Propanetriol (56-81- | -5) | |
| USA OSHA | OSHA PEL (TWA) [1] | 15 mg/m³ (mist, total particulate) |
| | | 5 mg/m³ (mist, respirable fraction) |
| Alberta | OEL TWA | 10 mg/m³ (mist) |
| British Columbia | OEL TWA | 10 mg/m³ (mist, total) |
| | | 3 mg/m³ (mist-respirable) |
| New Brunswick | OEL TWA | 10 mg/m³ (mist) |
| Nunavut | OEL STEL | 20 mg/m³ (mist) |
| Nunavut | OEL TWA | 10 mg/m³ (mist) |
| Northwest Territories | OEL STEL | 20 mg/m³ (mist) |

05/30/2024 EN (English US) 3/6

Safety Data Sheet

According To The Hazardous Products Regulation (February 11, 2015).

| Northwest Territories | OEL TWA | 10 mg/m³ (mist) |
|-----------------------|----------------|-----------------|
| Québec | VEMP (OEL TWA) | 10 mg/m³ (mist) |
| Saskatchewan | OEL STEL | 20 mg/m³ (mist) |
| Saskatchewan | OEL TWA | 10 mg/m³ (mist) |
| Yukon | OEL TWA | 30 mppcf (mist) |
| | | 10 mg/m³ (mist) |

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves.

Eye and Face Protection: For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Liquid in a solid gelcapAppearance: Beige opaque capsule

Odor : No odor

Odor Threshold No data available pН No data available **Evaporation Rate** No data available **Melting Point** No data available **Freezing Point** No data available **Boiling Point** No data available **Flash Point** No data available **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available No data available Flammability (solid, gas) **Lower Flammable Limit** No data available **Upper Flammable Limit** No data available **Vapor Pressure** No data available Relative Vapor Density at 20°C No data available **Relative Density** No data available **Specific Gravity** No data available Solubility No data available **Partition Coefficient: N-Octanol/Water** No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Viscosity

Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

05/30/2024 EN (English US) 4/6

No data available

Safety Data Sheet

According To The Hazardous Products Regulation (February 11, 2015).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Information on Toxicological Effects - Product</u>

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

No additional information available Skin Corrosion/Irritation: Not classified Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion of large quantities may have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| Polyethylene glycol (25322-68-3) | |
|----------------------------------|-------------|
| LD50 Oral Rat | 47000 mg/kg |
| LD50 Dermal Rabbit | > 20 g/kg |
| 1,2,3-Propanetriol (56-81-5) | |
| LD50 Oral Rat | 12600 mg/kg |
| LD50 Dermal Rabbit | > 10 g/kg |

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Not classified.

| 1,2,3-Propanetriol (56-81-5) | |
|------------------------------|--|
| LC50 Fish 1 | 54000 (51000 – 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |

Persistence and Degradability

| GASTROVOL™ Liquid Gels 3-in-1 Relief (CA GHS) | |
|---|------------------|
| Persistence and Degradability | Not established. |

Bioaccumulative Potential

| Bioaccumulative Potential | |
|---|----------------------|
| GASTROVOL™ Liquid Gels 3-in-1 Relief (CA GHS) | |
| Bioaccumulative Potential | Not established. |
| 1,2,3-Propanetriol (56-81-5) | |
| BCF Fish 1 | (no bioaccumulation) |

05/30/2024 EN (English US) 5/6

Safety Data Sheet

According To The Hazardous Products Regulation (February 11, 2015).

| Partition coefficient n-octanol/water | -1.76 |
|---------------------------------------|-------|
| (Log Pow) | |

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

Canadian Regulations

Polyethylene glycol (25322-68-3)

Listed on the Canadian DSL (Domestic Substances List)

1,2,3-Propanetriol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 05/30/2024

Other Information : This document has been prepared in accordance with the SDS requirements of

Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

CA GHS SDS

05/30/2024 EN (English US) 6/6