

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

Date of Issue: 8/12/2024 Version: 1.0

SECTION 1: IDENTIFICATION

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: Arm & Hammer[™] Liquid Laundry Detergent Deep Clean - Free (NA GHS 2015)

Product Code: 42017665
Intended Use of the Product

Laundry Detergent

Name, Address, and Telephone of the Responsible Party

Company Company

Church & Dwight Co. Inc. Church and Dwight Canada Corp.

500 Charles Ewing Blvd 5485 Ferrier

Ewing Township, NJ 08628 Montreal, Qc, H4P 1M6 T 1-800-524-1328 <u>www.churchdwight.ca</u>

www.churchdwight.com www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number: For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Skin corrosion/irritation Category 2 H315
Serious eye damage/eye irritation Category 1 H318
Hazardous to the aquatic environment – Acute Hazard Category 2 H401
Hazardous to the aquatic environment – Chronic Hazard Category 3 H412

Label Elements GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA) : Danger

Hazard Statements (GHS-US/CA) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US/CA): P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

08/12/2024 EN (English US) 1/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Alcohols, C12-15, ethoxylated	(CAS-No.) 68131-39-5	≤9	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Aquatic Acute 1, H400
			Aquatic Chronic 3, H412
Alcohols, C10-16, ethoxylated	(CAS-No.) 68002-97-1	≤ 6	Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Aquatic Acute 1, H400
			Aquatic Chronic 2, H411
Poly(oxy-1,2-ethanediyl), .alphasulfo-	(CAS-No.) 68585-34-2	1-5	Skin Irrit. 2, H315
.omegahydroxy-, C10-16-alkyl ethers,			Eye Dam. 1, H318
sodium salts			
Sodium hydroxide	(CAS-No.) 1310-73-2	< 1	Met. Corr. 1, H290
			Acute Tox. 4 (Oral), H302
			Skin Corr. 1, H314
			Eye Dam. 1, H318
			Aquatic Acute 3, H402
Ethylene oxide	(CAS-No.) 75-21-8	< 0.1	Flam. Gas 1, H220
			Press. Gas (Comp.), H280
			Acute Tox. 3 (Oral), H301
			Acute Tox. 3 (Inhalation:gas), H331
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			Muta. 1B, H340
			Carc. 1B, H350
			STOT SE 3, H335
			STOT RE 1, H372
			Aquatic Acute 3, H402
			Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

08/12/2024 EN (English US) 2/12

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes skin irritation. Causes serious eye damage.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sodium oxides. Chlorides. **Other Information**: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

08/12/2024 EN (English US) 3/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)
Laundry Detergent

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Ethylene oxide (75-21-8) USA ACGIH USA OSHA USA DEL (TWA) [2] USA OSHA USA	=-1 1 /=:		
USA ACGIH BEI (BLV) BEI (BLV) BEI (BLV) Parameter: N-(2-Hydroxyethyl)valine (HEV) hemoglobin adducts - Medium: blood - Sampling time: not critical (applies to workers having representative Ethylene oxide exposure during the previous 120 days) Parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) - Medium: urine - Sampling time: end of shift (nonspecific, population based) USA OSHA USA OSHA USA OSHA USA OSHA PEL (TWA) [2] USA OSHA USA OSHA USA NIOSH USA NIOSH USA NIOSH NIOSH REL (TWA) USA NIOSH NIOSH REL (TWA) USA NIOSH NIOSH REL (TWA) USA NIOSH NIOSH REL (Celling) USA NIOSH NIOSH REL (TWA) NIOSH REL (TWA) NIOSH REL (TWA) NIOSH REL (Celling) USA NIOSH NIOSH REL (TWA)	Ethylene oxide (75-21-8)		
BEI (BLV) Parameter: N-{2-Hydroxyethyllyaline (HEV) hemoglobin adducts - Medium: blood - Sampling time: not critical (applies to workers having representative Ethylene oxide exposure during the previous 120 days) Parameter: S-{2-Hydroxyethyllymercapturic acid (HEMA) - Medium: urine - Sampling time: end of shift (nonspecific, population based) 1 ppm			• • •
adducts - Medium: blood - Sampling time: not critical (applies to workers having representative Ethylene oxide exposure during the previous 120 days) Parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) - Medium: urine - Sampling time: end of shift (nonspecific, population based) USA OSHA OSHA PEL (TWA) [2] 1 ppm USA OSHA OSHA PEL (STEL) [2] 5 ppm (see 29 CFR 1910.1047) USA OSHA OSHA Action Level/Excursion Limit 0.5 ppm (Action Level, see 29 CFR 1910.1047) USA OSHA NIOSH NIOSH REL (TWA) 0.18 mg/m² (less than stated value) USA NIOSH NIOSH REL TWA (ppm) 0.1 ppm (less than stated value) USA NIOSH NIOSH REL Celling) 9 mg/m³ USA NIOSH NIOSH REL Celling) 9 mg/m³ USA NIOSH NIOSH REL Celling) 9 mg/m³ Alberta OEL TWA 1.8 mg/m³ Alberta OEL TWA 1.9 pm British Columbia OEL STEL 1 ppm British Columbia OEL TWA 1.9 pm Manitoba OEL TWA 1.9 pm Manitoba OEL TWA 1.9 pm Manitoba OEL TWA 1.9 pm Nova Scotia OEL TWA 1.9 pm Northwest Territories OEL STEL 2.9 pm Northwest Territories OEL STEL 2.9 pm Northwest Territories OEL STEL 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.9 pm (designated substances regulation)	USA ACGIH		
USA OSHA OSHA PEL (STEL) [2] 5 ppm (see 29 CFR 1910.1047)		` /	adducts - Medium: blood - Sampling time: not critical (applies to workers having representative Ethylene oxide exposure during the previous 120 days) Parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) - Medium: urine - Sampling time: end of shift (nonspecific, population based)
USA OSHA OSHA Action Level/Excursion Limit D.5 ppm (Excursion Limit, see 29 CFR 1910.1047) 5 ppm (Excursion Limit, see 29 CFR 1910.1047) USA NIOSH NIOSH REL (TWA) O.18 mg/m³ (less than stated value) USA NIOSH NIOSH REL (Ceiling) S ppm S00 ppm Alberta OEL TWA 1.8 mg/m³ Alberta OEL TWA 1 ppm British Columbia OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nova Warut OEL TWA 1 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL STEL 1 ppm Ontario OEL STEL 1 smg/m³ (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) ORD (designated substances regulation)	USA OSHA	OSHA PEL (TWA) [2]	1 ppm
Spm (Excursion Limit, see 29 CFR 1910.1047) USA NIOSH	USA OSHA	OSHA PEL (STEL) [2]	5 ppm (see 29 CFR 1910.1047)
USA NIOSH NIOSH REL TWA [ppm] 0.1 ppm (less than stated value) USA NIOSH NIOSH REL (Ceiling) 9 mg/m³ USA NIOSH NIOSH REL C [ppm] 5 ppm USA IDLH IDLH [ppm] 800 ppm Alberta OEL TWA 1,8 mg/m³ Alberta OEL TWA 1 ppm British Columbia OEL TWA 0.1 ppm British Columbia OEL TWA 1 ppm Manitoba OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm New Funswick OEL TWA 1 ppm New Goundland & Labrador OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Nunavut OEL STEL 2 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL STEL 1 ppm Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (applies to workplaces to which the designated substances regulation (does no	USA OSHA	·	5 ppm (Excursion Limit, see 29 CFR 1910.1047)
USA NIOSH NIOSH REL (Ceiling) 9 mg/m³ USA NIOSH NIOSH REL C [ppm] 5 ppm USA IDLH IDLH [ppm] 800 ppm Alberta OEL TWA 1.8 mg/m³ Alberta OEL TWA 1 ppm British Columbia OEL TWA 0.1 ppm British Columbia OEL TWA 0.1 ppm Manitoba OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm New Goundland & Labrador OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Nunavut OEL STEL 2 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (applies to workplaces to which the designated substances regulation) Ontario OEL TWA 1 ppm (applies to wor	USA NIOSH		<u> </u>
USA NIOSH NIOSH REL C [ppm] 5 ppm USA IDLH IDLH [ppm] 800 ppm Alberta OEL TWA 1.8 mg/m³ Alberta OEL TWA 1 ppm British Columbia OEL STEL 1 ppm British Columbia OEL TWA 0.1 ppm Manitoba OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm Newfoundland & Labrador OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Nunavut OEL STEL 2 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 2 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.9 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulati	USA NIOSH		,
USA IDLHIDLH [ppm]800 ppmAlbertaOEL TWA1.8 mg/m³AlbertaOEL TWA1 ppmBritish ColumbiaOEL TWA1 ppmBritish ColumbiaOEL TWA0.1 ppmManitobaOEL TWA1 ppmNew BrunswickOEL TWA1 ppmNewfoundland & LabradorOEL TWA1 ppmNova ScotiaOEL TWA1 ppmNunavutOEL STEL2 ppmNunavutOEL TWA1 ppmNorthwest TerritoriesOEL STEL2 ppmNorthwest TerritoriesOEL TWA1 ppmOntarioOEL STEL18 mg/m³ (designated substances regulation)OntarioOEL STEL10 ppm (designated substances regulation)OntarioOEL TWA1.8 mg/m³ (designated substances regulation)OntarioOEL TWA1.8 mg/m³ (designated substances regulation)OntarioOEL TWA1.9 pm (designated substances regulation)OntarioOEL TWA1.9 pm (designated substances regulation)OntarioOEL TWA1.9 pm (applies to workplaces to which the designated substances regulation)OntarioOEL TWA1 ppm (applies to workplaces to which the designated substances regulation)OntarioOEL TWA1 ppm (applies to workplaces to which the designated substances regulation)OntarioOEL TWA1 ppm (applies to workplaces to which the designated substances regulation)OntarioOEL TWA1 ppm (applies to workplaces to which the designated substances regulation)	USA NIOSH	NIOSH REL (Ceiling)	
Alberta OEL TWA 1.8 mg/m³ Alberta OEL TWA 1 ppm British Columbia OEL STEL 1 ppm British Columbia OEL TWA 0.1 ppm Manitoba OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm New foundland & Labrador OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Nunavut OEL STEL 2 ppm Nunavut OEL STEL 2 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL STEL 2 ppm Ontario OEL STEL 1 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.9 ppm (designated substances regulation) Ontario OEL TWA 1.9 ppm (designated substances regulation) Ontario OEL TWA 1.9 ppm (designated substances regulation) Option OEL TWA 1.9 ppm (applies to workplaces to which the designated substances regulation obes not apply) Prince Edward Island OEL TWA 1.9 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	USA NIOSH	NIOSH REL C [ppm]	5 ppm
Alberta OEL TWA 1 ppm British Columbia OEL STEL 1 ppm British Columbia OEL TWA 0.1 ppm Manitoba OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm Newfoundland & Labrador OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Nunavut OEL STEL 2 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.9 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.9 ppm (designated substances regulation) Option OEL TWA 1.9 ppm (designated substances regulation) Option OEL TWA 1.8 mg/m³ Québec VEMP (OEL TWAEV) 1.8 mg/m³	USA IDLH	IDLH [ppm]	
British Columbia OEL STEL 1 ppm British Columbia OEL TWA 0.1 ppm Manitoba OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm Newfoundland & Labrador OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 2 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.9 pm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substance	Alberta	OEL TWA	1.8 mg/m³
British Columbia OEL TWA 0.1 ppm Manitoba OEL TWA 1 ppm New Brunswick OEL TWA 1 ppm Newfoundland & Labrador OEL TWA 1 ppm Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Nunavut OEL TWA 1 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Alberta	OEL TWA	1 ppm
ManitobaOEL TWA1 ppmNew BrunswickOEL TWA1 ppmNewfoundland & LabradorOEL TWA1 ppmNova ScotiaOEL TWA1 ppmNunavutOEL STEL2 ppmNunavutOEL TWA1 ppmNorthwest TerritoriesOEL STEL2 ppmNorthwest TerritoriesOEL TWA1 ppmOntarioOEL STEL18 mg/m³ (designated substances regulation)OntarioOEL STEL10 ppm (designated substances regulation)OntarioOEL TWA1.8 mg/m³ (designated substances regulation)OntarioOEL TWA1 ppm (designated substances regulation)OntarioOEL TWA1 ppm (designated substances regulation)OntarioOEL TWA1 ppm (designated substances regulation)OrtarioOEL TWA1 ppm (designated substances regulation)	British Columbia		
New BrunswickOEL TWA1 ppmNewfoundland & LabradorOEL TWA1 ppmNova ScotiaOEL TWA1 ppmNunavutOEL STEL2 ppmNunavutOEL TWA1 ppmNorthwest TerritoriesOEL STEL2 ppmNorthwest TerritoriesOEL TWA1 ppmOntarioOEL STEL18 mg/m³ (designated substances regulation)OntarioOEL STEL10 ppm (designated substances regulation)OntarioOEL TWA1.8 mg/m³ (designated substances regulation)OntarioOEL TWA1 ppm (designated substances regulation)OntarioOEL TWA1 ppm (designated substances regulation)Opm (applies to workplaces to which the designated substances regulation does not apply)Prince Edward IslandOEL TWA1 ppmQuébecVEMP (OEL TWAEV)1.8 mg/m³	British Columbia	OEL TWA	0.1 ppm
Newfoundland & Labrador Nova Scotia OEL TWA 1 ppm Nunavut OEL STEL 2 ppm Nunavut OEL TWA 1 ppm Northwest Territories OEL TWA 1 ppm Northwest Territories OEL TWA 1 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Manitoba		1 ppm
Nova Scotia OEL TWA OEL STEL 2 ppm Nunavut OEL TWA 1 ppm Northwest Territories OEL TWA 1 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.9 pm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	New Brunswick	OEL TWA	1 ppm
Nunavut OEL STEL 2 ppm Nunavut OEL TWA 1 ppm Northwest Territories OEL STEL 2 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Newfoundland & Labrador	OEL TWA	1 ppm
NunavutOEL TWA1 ppmNorthwest TerritoriesOEL STEL2 ppmNorthwest TerritoriesOEL TWA1 ppmOntarioOEL STEL18 mg/m³ (designated substances regulation)OntarioOEL STEL10 ppm (designated substances regulation)OntarioOEL TWA1.8 mg/m³ (designated substances regulation)OntarioOEL TWA1 ppm (designated substances regulation)OntarioOEL TWA1 ppm (designated substances regulation)1 ppm (applies to workplaces to which the designated substances regulation does not apply)Prince Edward IslandOEL TWA1 ppmQuébecVEMP (OEL TWAEV)1.8 mg/m³	Nova Scotia	OEL TWA	1 ppm
Northwest Territories OEL STEL 2 ppm Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Nunavut	OEL STEL	2 ppm
Northwest Territories OEL TWA 1 ppm Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Nunavut	OEL TWA	1 ppm
Ontario OEL STEL 18 mg/m³ (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) Ontario 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Northwest Territories	OEL STEL	2 ppm
Ontario OEL STEL 10 ppm (designated substances regulation) Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Northwest Territories	OEL TWA	1 ppm
Ontario OEL TWA 1.8 mg/m³ (designated substances regulation) Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Ontario	OEL STEL	18 mg/m³ (designated substances regulation)
Ontario OEL TWA 1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Ontario	OEL STEL	10 ppm (designated substances regulation)
1 ppm (applies to workplaces to which the designated substances regulation does not apply) Prince Edward Island OEL TWA 1 ppm Québec VEMP (OEL TWAEV) 1.8 mg/m³	Ontario	OEL TWA	1.8 mg/m³ (designated substances regulation)
Québec VEMP (OEL TWAEV) 1.8 mg/m³			1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply)
Québec VEMP (OEL TWAEV) 1 ppm			
	Québec	VEMP (OEL TWAEV)	1 ppm

08/12/2024 EN (English US) 4/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Saskatchewan	OEL STEL	2 ppm
Saskatchewan	OEL TWA	1 ppm
Yukon	OEL STEL	135 mg/m³
Yukon	OEL STEL	75 ppm
Yukon	OEL TWA	90 mg/m³
Yukon	OEL TWA	50 ppm
Sodium hydroxide (1310-73-	2)	
USA ACGIH	ACGIH OEL Ceiling	2 mg/m³
USA OSHA	OSHA PEL (TWA) [1]	2 mg/m³
USA NIOSH	NIOSH REL (Ceiling)	2 mg/m³
USA IDLH	IDLH	10 mg/m³
Alberta	OEL C	2 mg/m³
British Columbia	OEL C	2 mg/m³
Manitoba	OEL C	2 mg/m³
New Brunswick	OEL C	2 mg/m³
Newfoundland & Labrador	OEL C	2 mg/m³
Nova Scotia	OEL C	2 mg/m³
Nunavut	OEL C	2 mg/m³
Northwest Territories	OEL C	2 mg/m³
Ontario	OEL C	2 mg/m³
Prince Edward Island	OEL C	2 mg/m³
Québec	Plafond (OEL C)	2 mg/m³
Saskatchewan	OEL C	2 mg/m³
Yukon	OEL C	2 mg/m³

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves. **Eye Protection:** For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : Clear

Odor:Fragrance FreeOdor Threshold:No data availablepH:11.5 – 12.2Evaporation Rate:No data availableMelting Point:No data available

Melting Point: No data availableFreezing Point: No data available

08/12/2024 EN (English US) 5/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Boiling Point No data available **Flash Point** No data available No data available **Auto-ignition Temperature Decomposition Temperature** No data available **Flammability** Not applicable **Lower Flammable Limit** No data available **Upper Flammable Limit** No data available No data available **Vapor Pressure** Relative Vapor Density at 20°C No data available 1.045 (Water=1) **Relative Density** No data available **Specific Gravity** Solubility No data available **Partition Coefficient: N-Octanol/Water** No data available Viscosity No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified.
Acute Toxicity (Dermal): Not classified.
Acute Toxicity (Inhalation): Not classified.

LD50 and LC50 Data:

No additional information available

Skin Corrosion/Irritation: Causes skin irritation.

pH: 11.5 - 12.2

Eye Damage/Irritation: Causes serious eye damage.

pH: 11.5 - 12.2

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Alcohols, C12-15, ethoxylated (68131-39-5)

08/12/2024 EN (English US) 6/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LD50 Oral Rat	1600 – 2700 mg/kg	
LD50 Dermal Rat	5000 mg/kg	
Ethylene oxide (75-21-8)		
LD50 Oral Rat	72 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation Rat	800 ppm/4h	
Alcohols, C10-16, ethoxylated (68002-97-1)		
ATE US/CA (oral)	500.00 mg/kg body weight	
Sodium hydroxide (1310-73-2)		
LD50 Oral Rat	325 mg/kg	
LD50 Dermal Rabbit	1350 mg/kg (Source: NLM_HSDB)	
Ethylene oxide (75-21-8)		
IARC Group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
OSHA Specifically Regulated Carcinogen List	In OSHA Specifically Regulated Carcinogen list.	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

230-367 Centrum Toxic to adductio met Transmar to adductio me With Tong assumptions		
Alcohols, C12-15, ethoxylated (68131-39-5)		
LC50 Fish 1	> 1 mg/l	
ErC50 algae	0.7 mg/l	
NOEC Chronic Fish	> 0.1	
Ethylene oxide (75-21-8)		
LC50 Fish 1	73 – 96 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: EPA)	
EC50 - Crustacea [1]	137 – 300 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Alcohols, C10-16, ethoxylated (68002-97	7-1)	
LC50 Fish 1	> 1 mg/l	
EC50 - Crustacea [1]	0.238 mg/l	
ErC50 algae	0.254 mg/l	
NOEC Chronic Fish	> 0.1 mg/l	
NOEC Chronic Algae	0.077 mg/l	
Poly(oxy-1,2-ethanediyl), .alphasulfoomegahydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)		
EC50 - Crustacea [1]	3.43 g/l (Exposure 48 Hr: Species - Ceriodaphnia dubia (Water flea))	
Sodium hydroxide (1310-73-2)		
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 - Crustacea [1]	40 mg/l	

Persistence and Degradability

Arm & Hammer [™] Liquid Laundry Detergent Deep Clean - Free (NA GHS 2015)		
Persistence and Degradability May cause long-term adverse effects in the environment.		

Bioaccumulative Potential

Arm & Hammer [™] Liquid Laundry Detergent Deep Clean - Free (NA GHS 2015)		
Bioaccumulative Potential Not established.		
Ethylene oxide (75-21-8)		
Log POW -0.3 at 25 °C / 77 °F (at pH 7)		

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

08/12/2024 EN (English US) 7/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: Do not dispose of waste into sewer. Do not empty into drains.

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

Arm & Hammer [™] Liquid Laundry Detergent Deep Clean - Free (NA GHS 2015)		
SARA Section 311/312 Hazard Classes Health hazard - Skin corrosion or Irritation		
	Health hazard - Serious eye damage or eye irritation	

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the
	Chemical Data Reporting Rule, (40 CFR 711).

Ethylene oxide (75-21-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on IARC (International Agency for Research on Cancer)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the United States SARA Section 302

Subject to reporting requirements of United States SARA Section 313

Listed on EPA Hazardous Air Pollutant (HAPS)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

08/12/2024 EN (English US) 8/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Poisonous and Deleterious Substances Control Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

CERCLA RQ	10 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb
SARA Section 313 - Emission Reporting	0.1 %

Alcohols, C10-16, ethoxylated (68002-97-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Listed on Thailand Existing Chemicals Inventory (DIW)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the
	Chemical Data Reporting Rule, (40 CFR 711).

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the
	Chemical Data Reporting Rule, (40 CFR 711).

Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

08/12/2024 EN (English US) 9/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Poisonous and Deleterious Substances Control Law

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

CERCLA RQ 1000 lb

US State Regulations

California Proposition 65



WARNING: This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Ethylene oxide (75-21-8)	X	Х	X	Χ

Ethylene oxide (75-21-8)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Sodium hydroxide (1310-73-2)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Canadian Regulations

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the Canadian DSL (Domestic Substances List)

Ethylene oxide (75-21-8)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C10-16, ethoxylated (68002-97-1)

Listed on the Canadian DSL (Domestic Substances List)

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)

Listed on the Canadian DSL (Domestic Substances List)

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision

Other Information

- : 08/12/2024
- : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

08/12/2024 EN (English US) 10/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

H220	Extremely flammable gas	
H280	Contains gas under pressure; may explode if heated	
H290	May be corrosive to metals	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H331	Toxic if inhaled	
H335	May cause respiratory irritation	
H340	May cause genetic defects	
H350	May cause cancer	
H372	Causes damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

Glossary of Data Source Abbreviations

ATSDR: Agency for Toxic Substances and Disease Registry (U.S. Department of

Health and Human Services)
AU WES: Australia WES

CHEMVIEW: ChemView (U.S. Environmental Protection Agency)
EC RAR: European Commission Renewal Assessment Report

EC_SCOEL: European Commission Scientific Committee on Occupational

Exposure Limits

ECETOC: European Centre for Ecotoxicology and Toxicology of Chemicals

Reports

ECHA_API: European Chemicals Agency API
ECHA_RAC: ECHA Committee for Risk Assessment

EFSA: European Food Safety Authority EPA: U.S. Environmental Protection Agency

EPA_AEGL: Acute Exposure Guideline Levels (U.S. Environmental Protection

Agency)

EPA_FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act Reregistration Eligibility Decision (U.S. Environmental Protection Agency)

EPA_HPV: High Production Volume Chemicals (U.S. Environmental Protection

EPA_TRED: Risk Assessment for Tolerance Reassessment Eligibility Decision (U.S.

Environmental Protection Agency)

EU_CLH: European Union Harmonised Classification and Labelling Proposal

EU RAR: European Union Risk Assessment Report

FOOD_JOURN: Food Research Journal (1956)
IARC: The International Agency for Research on Cancer

IDLH: National Institute for Occupational Health and Safety Immediately

Dangerous to Life or Health Value Profiles

IUCLID: International Uniform Chemical Information Database

JAPAN_GHS: Japan GHS Basis for Classification Data

JP_J-CHECK: Japan J-Check

KR_NIER: South Korea National Institute of Environmental Research Evaluations NICNAS: Australia National Industrial Chemicals Notification and Assessment

Scheme

NIOSH: National Institute for Occupational Health and Safety (U.S. Department

of Health and Human Services)

NLM_CIP: National Library of Medicine ChemID plus database

NLM_HSDB: National Library of Medicine Hazardous Substance Data Bank

 ${\tt NLM_PUBMED:}\ \ {\tt National\ Library\ of\ Medicine\ PubMed\ database}$

NTP: National Toxicology Program

NZ_CCID: New Zealand Chemical Classification and Information Database OECD_EHSP: Environment, Health, and Safety Publication (Organisation for Economic Co-operation and Development)

OECD_SIDS: Screening Information Data Sets (Organisation for Economic Cooperation and Development)

WHO: World Health Organization

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as quaranteeing any specific property of the product.

08/12/2024 EN (English US) 11/12

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Church&Dwight NA GHS SDS 2015

08/12/2024 EN (English US) 12/12