



Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

Revision Date: 4/18/2025

Date of Issue: 10/6/2022

Supersedes Date: 9/27/2023

Version: 1.6

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Product Code: 42015044, 42015045, 42015046, 42015047, 42015050, 42015053, 42015054, 42015055, 42015056, 42015058, 42016419, 42017232, 42017264, 42018226

Synonyms: Batiste™ Dry Shampoo Original, Batiste™ Dry Shampoo Tropical, Batiste™ Dry Shampoo Blush, Batiste™ Dry Shampoo Bare, Batiste™ Dry Shampoo Fresh, Batiste™ Dry Shampoo Rose Gold, Batiste™ Dry Shampoo Sugar Plum, Batiste™ Dry Shampoo Pink Pineapple, Batiste™ Dry Shampoo Luxe, Batiste™ Dry Shampoo Wildflower, Batiste™ Dry Shampoo Love is Love, Batiste™ Dry Shampoo Lakeside Retreat, Batiste™ Dry Shampoo Light Mellow Melon, Batiste™ Velvet Mocha, Batiste™ Limited Edition Dry Shampoo Courtside Couture

Intended Use of the Product

Use Of The Substance/Mixture : Hair care

Restrictions On Use : No additional information available

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight Co. Inc.
500 Charles Ewing Blvd
Ewing Township, NJ 08628
T 1-800-524-1328
www.churchdwight.com

Company

Church and Dwight Canada Corp.
5485 Ferrier
Montreal, Qc, H4P 1M6
www.churchdwight.ca
www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)
For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Flammable aerosols, Category 2	H223
Gases under pressure: Liquefied gas	H280
Simple Asphyxiant	
Hazardous to the aquatic environment, Acute Hazard, Category 3	H402

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA)

: Warning

Hazard Statements (GHS-US/CA)

: H223 - Flammable aerosol.
H280 - Contains gas under pressure; may explode if heated.
H402 - Harmful to aquatic life.
May displace oxygen and cause rapid suffocation.

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Precautionary Statements (GHS-US/CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P273 - Avoid release to the environment.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. Contact with gas escaping the container can cause frostbite.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
n-Butane	(CAS-No.) 106-97-8	30 – 60	Flam. Gas 1A, H220 Press. Gas (Liq.), H280 Simple Asphyxiant
1,1-Difluoroethane	(CAS-No.) 75-37-6	15 – 40	Flam. Gas 1A, H220 Press. Gas (Liq.), H280 Simple Asphyxiant
Starch	(CAS-No.) 9005-25-8	3 – 7	Combustible Dust
Ethyl alcohol	(CAS-No.) 64-17-5	1 – 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
D-Limonene	(CAS-No.) 5989-27-5	≤ 0.03	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl acetate	(CAS-No.) 140-11-4	< 0.03	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
(E)-2-Benzylideneoctanal	(CAS-No.) 165184-98-5	≤ 0.006	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Citral	(CAS-No.) 5392-40-5	< 0.003	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401
.beta.-Pinene	(CAS-No.) 127-91-3	≤ 0.002	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alpha.-Pinene	(CAS-No.) 80-56-8	≤ 0.002	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

			Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethyl acetate	(CAS-No.) 141-78-6	≤ 0.002	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Isoamyl acetate	(CAS-No.) 123-92-2	≤ 0.002	Flam. Liq. 3, H226 Aquatic Acute 3, H402

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Immediately remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. For brief contact with a small amount: Rewarm with body heat. Get immediate medical advice/attention. For extensive contact or a large amount: Immediately call a poison center/doctor and follow their advice. Specific treatment is urgent, incorrect first-aid practices will aggravate the injury. Protect affected area with a loose cover until proper medical treatment is received.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: May cause frostbite on contact with the liquid. Asphyxia by lack of oxygen: risk of death.

Inhalation: In elevated concentrations may cause asphyxiation, central nervous system effects, and increased breathing rate. Symptoms of asphyxiation include headache, dizziness, rapid breathing, increased pulse, mood changes, tremors, cyanosis, muscular weakness, narcosis, numbness of the extremities, unconsciousness and death.

Skin Contact: Contact with gas/liquid escaping the container can cause frostbite and freeze burns.

Eye Contact: Contact with gas/liquid escaping the container can cause frostbite, freeze burns, and permanent eye damage.

Ingestion: Not considered a potential route of exposure, but contact with gas/liquid escaping the container can cause freeze burns and frostbite.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, dry chemical, or sand.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Flammable aerosol.

Explosion Hazard: Container may explode in heat of fire. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Fight fire remotely due to the risk of explosion. DO NOT fight fire when fire reaches containers. Evacuate area.

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Do not get in eyes, on skin, or on clothing. Do not breathe Gas, dust.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Evacuate unnecessary personnel, isolate, and ventilate area. Eliminate ignition sources first, then ventilate the area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Stop leak, if possible without risk. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Stop the source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Do not pressurize, cut, or weld containers. Ruptured cylinders may rocket. Pressurized container: may burst if heated. Do not pierce or burn, even after use. Asphyxiating gas at high concentrations.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Do not spray on an open flame or other ignition source. Do not breathe dust, gas.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Keep only in the original container in a cool, well ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Hair care

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

n-Butane (106-97-8)		
USA ACGIH	ACGIH OEL STEL	1000 ppm (explosion hazard (Butane, isomers))
USA NIOSH	NIOSH REL TWA	1900 mg/m ³
USA NIOSH	NIOSH REL TWA	800 ppm

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA IDLH	IDLH	1600 ppm (>10% LEL)
Alberta	OEL TWA	1000 ppm
British Columbia	OEL STEL	1000 ppm (Butane, all isomers)
Manitoba	OEL STEL	1000 ppm (explosion hazard (Butane, isomers)
New Brunswick	OEL STEL	1000 ppm
Newfoundland & Labrador	OEL STEL	1000 ppm (explosion hazard (Butane, isomers)
Nova Scotia	OEL STEL	1000 ppm (explosion hazard (Butane, isomers)
Nunavut	OEL STEL	1250 ppm (Butane, all isomers)
Nunavut	OEL TWA	1000 ppm (Butane, all isomers)
Northwest Territories	OEL STEL	1250 ppm (Butane, all isomers)
Northwest Territories	OEL TWA	1000 ppm (Butane, all isomers)
Ontario	OEL TWAEV	1000 ppm (explosion hazard (Butane, all isomers)
Prince Edward Island	OEL STEL	1000 ppm (explosion hazard (Butane, isomers)
Québec	VEMP (OEL TWAEV)	1900 mg/m ³
Québec	VEMP (OEL TWAEV)	800 ppm
Saskatchewan	OEL STEL	1250 ppm (Butane, all isomers)
Saskatchewan	OEL TWA	1000 ppm (Butane, all isomers)
Yukon	OEL STEL	1600 mg/m ³
Yukon	OEL STEL	750 ppm
Yukon	OEL TWA	1400 mg/m ³
Yukon	OEL TWA	600 ppm
1,1-Difluoroethane (75-37-6)		
USA AIHA	WEEL TWA	1000 ppm
Starch (9005-25-8)		
USA ACGIH	ACGIH OEL TWA	10 mg/m ³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL TWA	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Alberta	OEL TWA	10 mg/m ³
British Columbia	OEL TWA	10 mg/m ³ (total dust) 3 mg/m ³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m ³
New Brunswick	OEL TWA	10 mg/m ³
Newfoundland & Labrador	OEL TWA	10 mg/m ³
Nova Scotia	OEL TWA	10 mg/m ³
Nunavut	OEL STEL	20 mg/m ³
Nunavut	OEL TWA	10 mg/m ³
Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m ³
Ontario	OEL TWAEV	10 mg/m ³
Prince Edward Island	OEL TWA	10 mg/m ³
Québec	VEMP (OEL TWAEV)	10 mg/m ³ (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m ³
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf 10 mg/m ³
Ethyl alcohol (64-17-5)		

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA ACGIH	ACGIH OEL STEL	1000 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA OSHA	OSHA PEL TWA	1900 mg/m ³
USA OSHA	OSHA PEL TWA	1000 ppm
USA NIOSH	NIOSH REL TWA	1900 mg/m ³
USA NIOSH	NIOSH REL TWA	1000 ppm
USA IDLH	IDLH	3300 ppm (10% LEL)
Alberta	OEL TWA	1880 mg/m ³
Alberta	OEL TWA	1000 ppm
British Columbia	OEL STEL	1000 ppm
Manitoba	OEL STEL	1000 ppm
New Brunswick	OEL STEL	1000 ppm
Newfoundland & Labrador	OEL STEL	1000 ppm
Nova Scotia	OEL STEL	1000 ppm
Nunavut	OEL STEL	1250 ppm
Nunavut	OEL TWA	1000 ppm
Northwest Territories	OEL STEL	1250 ppm
Northwest Territories	OEL TWA	1000 ppm
Ontario	OEL TWAEV	1000 ppm
Prince Edward Island	OEL STEL	1000 ppm
Québec	VECD (OEL STEV)	1000 ppm
Saskatchewan	OEL STEL	1250 ppm
Saskatchewan	OEL TWA	1000 ppm
Yukon	OEL STEL	1900 mg/m ³
Yukon	OEL STEL	1000 ppm
Yukon	OEL TWA	1900 mg/m ³
Yukon	OEL TWA	1000 ppm
Benzyl acetate (140-11-4)		
USA ACGIH	ACGIH OEL TWA	10 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
Alberta	OEL TWA	61 mg/m ³
Alberta	OEL TWA	10 ppm
British Columbia	OEL TWA	10 ppm
Manitoba	OEL TWA	10 ppm
New Brunswick	OEL TWA	10 ppm
Newfoundland & Labrador	OEL TWA	10 ppm
Nova Scotia	OEL TWA	10 ppm
Nunavut	OEL STEL	20 ppm
Nunavut	OEL TWA	10 ppm
Northwest Territories	OEL STEL	20 ppm
Northwest Territories	OEL TWA	10 ppm
Ontario	OEL TWAEV	10 ppm
Prince Edward Island	OEL TWA	10 ppm
Québec	VEMP (OEL TWAEV)	10 ppm
Saskatchewan	OEL STEL	20 ppm
Saskatchewan	OEL TWA	10 ppm
Citral (5392-40-5)		
USA ACGIH	ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
Manitoba	OEL TWA	5 ppm (inhalable fraction and vapor)
New Brunswick	OEL TWA	5 ppm (inhalable fraction and vapor)
Newfoundland & Labrador	OEL TWA	5 ppm (inhalable fraction and vapor)
Nova Scotia	OEL TWA	5 ppm (inhalable fraction and vapor)
Ontario	OEL TWAEV	5 ppm (inhalable fraction and vapor)
Prince Edward Island	OEL TWA	5 ppm (inhalable fraction and vapor)
D-Limonene (5989-27-5)		
USA AIHA	WEEL TWA	30 ppm
Ethyl acetate (141-78-6)		
USA ACGIH	ACGIH OEL TWA	400 ppm
USA OSHA	OSHA PEL TWA	1400 mg/m ³
USA OSHA	OSHA PEL TWA	400 ppm
USA NIOSH	NIOSH REL TWA	1400 mg/m ³
USA NIOSH	NIOSH REL TWA	400 ppm
USA IDLH	IDLH	2000 ppm (10% LEL)
Alberta	OEL TWA	1440 mg/m ³
Alberta	OEL TWA	400 ppm
British Columbia	OEL TWA	150 ppm
Manitoba	OEL TWA	400 ppm
New Brunswick	OEL TWA	400 ppm
Newfoundland & Labrador	OEL TWA	400 ppm
Nova Scotia	OEL TWA	400 ppm
Nunavut	OEL STEL	500 ppm
Nunavut	OEL TWA	400 ppm
Northwest Territories	OEL STEL	500 ppm
Northwest Territories	OEL TWA	400 ppm
Ontario	OEL TWAEV	400 ppm
Prince Edward Island	OEL TWA	400 ppm
Québec	VEMP (OEL TWAEV)	1440 mg/m ³
Québec	VEMP (OEL TWAEV)	400 ppm
Saskatchewan	OEL STEL	500 ppm
Saskatchewan	OEL TWA	400 ppm
Yukon	OEL STEL	1400 mg/m ³
Yukon	OEL STEL	400 ppm
Yukon	OEL TWA	1400 mg/m ³
Yukon	OEL TWA	400 ppm
Isoamyl acetate (123-92-2)		
USA ACGIH	ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)
USA ACGIH	ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)
USA OSHA	OSHA PEL TWA	525 mg/m ³
USA OSHA	OSHA PEL TWA	100 ppm
USA NIOSH	NIOSH REL TWA	525 mg/m ³
USA NIOSH	NIOSH REL TWA	100 ppm
USA IDLH	IDLH	1000 ppm
Alberta	OEL STEL	532 mg/m ³
Alberta	OEL STEL	100 ppm
Alberta	OEL TWA	266 mg/m ³
Alberta	OEL TWA	50 ppm

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

British Columbia	OEL STEL	100 ppm (Pentyl acetate, all isomers)
British Columbia	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Manitoba	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Manitoba	OEL TWA	50 ppm (Pentyl acetate, all isomers)
New Brunswick	OEL STEL	100 ppm (Pentyl acetate, all isomers)
New Brunswick	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Newfoundland & Labrador	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Newfoundland & Labrador	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Nunavut	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Nunavut	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Ontario	OEL TWAEV	100 ppm (Pentyl acetate, all isomers)
Ontario	OEL TWAEV	50 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Québec	VECD (OEL STEV)	100 ppm (Pentyl acetates)
Québec	VEMP (OEL TWAEV)	50 ppm (Pentyl acetates)
Saskatchewan	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Saskatchewan	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Yukon	OEL STEL	655 mg/m ³
Yukon	OEL STEL	125 ppm
Yukon	OEL TWA	525 mg/m ³
Yukon	OEL TWA	100 ppm
.beta.-Pinene (127-91-3)		
USA ACGIH	ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen,dermal sensitizer
Alberta	OEL TWA	111 mg/m ³ (Turpentine and selected monoterpenes)
Alberta	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
British Columbia	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Manitoba	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
New Brunswick	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Newfoundland & Labrador	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Nova Scotia	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Nunavut	OEL STEL	30 ppm (Turpentine and selected monoterpenes)
Nunavut	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Northwest Territories	OEL STEL	30 ppm (Turpentine and selected monoterpenes)
Northwest Territories	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Ontario	OEL TWAEV	20 ppm (Turpentine and selected monomers)
Prince Edward Island	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Québec	VEMP (OEL TWAEV)	112 mg/m ³ (Turpentine and certain monoterpenes)
Québec	VEMP (OEL TWAEV)	20 ppm (Turpentine and certain monoterpenes)
Saskatchewan	OEL STEL	30 ppm (Turpentine and selected monoterpenes)
Saskatchewan	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
.alpha.-Pinene (80-56-8)		
USA ACGIH	ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen,dermal sensitizer
Alberta	OEL TWA	111 mg/m ³ (Turpentine and selected monoterpenes)
Alberta	OEL TWA	20 ppm (Turpentine and selected monoterpenes)

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet


According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

British Columbia	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Manitoba	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
New Brunswick	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Newfoundland & Labrador	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Nova Scotia	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Nunavut	OEL STEL	30 ppm (Turpentine and selected monoterpenes)
Nunavut	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Northwest Territories	OEL STEL	30 ppm (Turpentine and selected monoterpenes)
Northwest Territories	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Ontario	OEL TWAEV	20 ppm (Turpentine and selected monomers)
Prince Edward Island	OEL TWA	20 ppm (Turpentine and selected monoterpenes)
Québec	VEMP (OEL TWAEV)	112 mg/m ³ (Turpentine and certain monoterpenes)
Québec	VEMP (OEL TWAEV)	20 ppm (Turpentine and certain monoterpenes)
Saskatchewan	OEL STEL	30 ppm (Turpentine and selected monoterpenes)
Saskatchewan	OEL TWA	20 ppm (Turpentine and selected monoterpenes)

Exposure Controls

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Use explosion-proof equipment. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Oxygen detectors should be used when asphyxiating gases may be released. Gas detectors should be used when flammable gases or vapors may be released.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics. Wear fire/flamm resistant/retardant clothing.

Hand Protection: For occupational/workplace settings: Wear protective gloves. If material is cold, wear thermally resistant protective gloves.

Eye Protection: For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Thermal Hazard Protection: Wear thermally resistant protective clothing.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Gas
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Flammability (solid, gas)	: No data available
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity, Kinematic	: No data available
Particle characteristics	: No data available
Explosive Properties	: Contains gas under pressure; may explode if heated
Heat of Combustion	: 25.4 kJ/g

SECTION 10:

Reactivity:

Reacts violently with strong oxidizers. Increased risk of fire or explosion.

Chemical Stability:

Contains gas under pressure; may explode if heated. Flammable aerosol. Pressurized container: may burst if heated.

Hazards associated with known or reasonably anticipated uses

Hazardous polymerization will not occur.

Conditions to Avoid:

Avoid dust formation. Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

Thermal decomposition may produce: Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified.

Acute Toxicity (Dermal): Not classified.

Acute Toxicity (Inhalation): Not classified.

LD50 and LC50 Data: No additional information available.

Skin Corrosion/Irritation: Not classified.

Eye Damage/Irritation: Not classified.

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not applicable

Symptoms/Injuries After Inhalation: In elevated concentrations may cause asphyxiation, central nervous system effects, and increased breathing rate. Symptoms of asphyxiation include headache, dizziness, rapid breathing, increased pulse, mood changes, tremors, cyanosis, muscular weakness, narcosis, numbness of the extremities, unconsciousness and death.

Symptoms/Injuries After Skin Contact: Contact with gas/liquid escaping the container can cause frostbite and freeze burns.

Symptoms/Injuries After Eye Contact: Contact with gas/liquid escaping the container can cause frostbite, freeze burns, and permanent eye damage.

Symptoms/Injuries After Ingestion: Not considered a potential route of exposure, but contact with gas/liquid escaping the container can cause freeze burns and frostbite.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

n-Butane (106-97-8)	
LC50 Inhalation Rat	30957 mg/m ³ (Exposure time: 4 h)
LC50 Inhalation Rat	276798.8 ppm
1,1-Difluoroethane (75-37-6)	
LC50 Inhalation Rat	437500 ppm/4h
Ethyl alcohol (64-17-5)	
LD50 Oral Rat	10470 mg/kg
LD50 Dermal Rabbit	> 15800 mg/kg
LC50 Inhalation Rat	133.8 mg/l/4h
Benzyl acetate (140-11-4)	
LD50 Oral Rat	2490 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
Citral (5392-40-5)	
LD50 Oral Rat	4960 mg/kg
LD50 Dermal Rabbit	2250 mg/kg
(E)-2-Benzylideneoctanal (165184-98-5)	
LD50 Dermal Rabbit	> 3000 mg/kg
LC50 Inhalation Rat	> 5 mg/l/4h
D-Limonene (5989-27-5)	
LD50 Oral Rat	> 2000 mg/kg
LD50 Dermal Rabbit	> 5 g/kg
Ethyl acetate (141-78-6)	
LD50 Oral Rat	5620 mg/kg
LD50 Dermal Rabbit	> 18000 mg/kg
LC50 Inhalation Rat	> 7348 mg/l/4h (calculated off of 6hr test results)
LC50 Inhalation Rat	4000 ppm/4h
.beta.-Pinene (127-91-3)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
.alpha.-Pinene (80-56-8)	
LD50 Oral Rat	> 500 mg/kg
LD50 Dermal Rat	> 5000 mg/kg
D-Limonene (5989-27-5)	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Harmful to aquatic life.

1,1-Difluoroethane (75-37-6)	
LC50 Fish	733 mg/l
EC50 Crustacea	720 mg/l
ErC50 Algae	419 mg/l
Ethyl alcohol (64-17-5)	
LC50 Fish	11200 mg/l
EC50 Crustacea	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
ErC50 Algae	1000 mg/l
NOEC Chronic Crustacea	9.6 mg/l
Benzyl acetate (140-11-4)	
LC50 Fish	4 mg/l
NOEC Chronic Fish	0.92 mg/l

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Citral (5392-40-5)	
LC50 Fish	4.1 mg/l
EC50 Crustacea	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
(E)-2-Benzylideneoctanal (165184-98-5)	
LC50 Fish	0.12 – 2.3 mg/l (Fathead minnows (Pimephales promelas))
NOEC Chronic Crustacea	0.063 mg/l
D-Limonene (5989-27-5)	
LC50 Fish	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Crustacea	0.307 mg/l
LC50 Fish	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
NOEC Chronic Algae	0.05 mg/l
Ethyl acetate (141-78-6)	
LC50 Fish	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
EC50 Crustacea	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
NOEC Chronic Crustacea	2.4 mg/l
Isoamyl acetate (123-92-2)	
LC50 Fish	11.1 mg/l (Exposure time: 96 h - Species: Danio rerio)
EC50 Crustacea	205 mg/l
.beta.-Pinene (127-91-3)	
LC50 Fish	0.5 mg/l
.alpha.-Pinene (80-56-8)	
LC50 Fish	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Crustacea	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and Degradability

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)	
Persistence and Degradability	Not established.

Bioaccumulative Potential

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)	
Bioaccumulative Potential	Not established.

n-Butane (106-97-8)	
Log POW	2.31 at 20 °C (at pH 7)
Ethyl alcohol (64-17-5)	
Log POW	-0.35 at 24 °C (at pH 7.4)
Benzyl acetate (140-11-4)	
Log POW	1.96 at 25 °C (at pH 7)
Citral (5392-40-5)	
Log POW	2.76 at 25 °C
(E)-2-Benzylideneoctanal (165184-98-5)	
Log POW	5.3 at 24 °C
D-Limonene (5989-27-5)	
Log POW	4.38 at 37 °C (at pH 7.2)
Ethyl acetate (141-78-6)	
BCF Fish	30
Log POW	0.73 at 20 °C (at pH 7)
Isoamyl acetate (123-92-2)	
Log POW	2.7 at 35 °C
.alpha.-Pinene (80-56-8)	
Log POW	4.1

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Hazardous waste (ignitable) due to the presence of flammable liquids and gases, Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations, Do not pierce or burn, even after use

Additional Information: Do not puncture or incinerate container.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Proper Shipping Name : AEROSOLS
Hazard Class : 2.1
Identification Number : UN1950
Label Codes : 2.1
ERG Number : 126



In Accordance with IMDG

Proper Shipping Name : AEROSOLS
Hazard Class : 2.1
Identification Number : UN1950
Label Codes : 2.1
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U



In Accordance with IATA

Proper Shipping Name : AEROSOLS, FLAMMABLE
Hazard Class : 2.1
Identification Number : UN1950
Label Codes : 2.1
ERG Code (IATA) : 10L



In Accordance with TDG

Proper Shipping Name : AEROSOLS
Hazard Class : 2.1
Identification Number : UN1950
Label Codes : 2.1



SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)	
SARA Section 311/312 Hazard Classes	Physical hazard - Gas under pressure Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Simple asphyxiant
n-Butane (106-97-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

1,1-Difluoroethane (75-37-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Starch (9005-25-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Ethyl alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Benzyl acetate (140-11-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Citral (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

(E)-2-Benzylideneoctanal (165184-98-5)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

D-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Ethyl acetate (141-78-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Poisonous and Deleterious Substances Control Law

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

CERCLA RQ

5000 lb

Isoamyl acetate (123-92-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

CERCLA RQ

5000 lb listed under Amyl acetate

.beta.-Pinene (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

.alpha.-Pinene (80-56-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

US State Regulations

n-Butane (106-97-8)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

1,1-Difluoroethane (75-37-6)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Massachusetts - Right To Know List

Starch (9005-25-8)

U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

Ethyl alcohol (64-17-5)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

Benzyl acetate (140-11-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethyl acetate (141-78-6)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Isoamyl acetate (123-92-2)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

.alpha.-Pinene (80-56-8)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

Canadian Regulations

n-Butane (106-97-8)

Listed on the Canadian DSL (Domestic Substances List)

1,1-Difluoroethane (75-37-6)

Batiste™ Dry Shampoo (Select Variants) (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the Canadian DSL (Domestic Substances List)

Starch (9005-25-8)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl acetate (140-11-4)

Listed on the Canadian DSL (Domestic Substances List)

Citral (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

D-Limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl acetate (141-78-6)

Listed on the Canadian DSL (Domestic Substances List)

Isoamyl acetate (123-92-2)

Listed on the Canadian DSL (Domestic Substances List)

.beta.-Pinene (127-91-3)

Listed on the Canadian DSL (Domestic Substances List)

.alpha.-Pinene (80-56-8)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 04/18/2025

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.
This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers.

GHS Full Text Phrases:

H220	Extremely flammable gas
H223	Flammable aerosol
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H280	Contains gas under pressure; may explode if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.