

# Nair<sup>™</sup> Bikini Pro Wax Kit - (NA GHS 2015 - EN)

#### Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous

Version: 1.3

Products Regulation (February 11, 2015).

Revision Date: 07/04/2022 Date of Issue: 08/16/2016 Supersedes Date: 06/12/2021

# **SECTION 1: IDENTIFICATION**

Product Identifier
Product Form: Mixture

Product Name: Nair™ Bikini Pro Wax Kit - (NA GHS 2015 - EN)

Product Code: 42010440 Intended Use of the Product

**Depilatory Product** 

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628

T 1-800-524-1328

www.churchdwight.com

**Emergency Telephone Number:** For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

Emergency Number: For Chemical Emergency: ChemTel LLC (800)255- 3924 (North America) +1 (813)248-0585 (International)

### **SECTION 2: HAZARDS IDENTIFICATION**

The consumer variant of this product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA, and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### Classification of the Substance or Mixture

### **GHS-US/CA Classification**

Skin Sens. 1 H317 Aquatic Acute 2 H401 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

<u>Label Elements</u> GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA) : Warning

Hazard Statements (GHS-US/CA) : H317 - May cause an allergic skin reaction.

H401 - Toxic to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

**Precautionary Statements (GHS-US/CA)**: P261 - Avoid breathing vapors, mist, or spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

territorial, provincial, and international regulations.

07/04/2022 EN (English US) 1/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### **Other Hazards**

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### **Unknown Acute Toxicity (GHS-US/CA)**

No data available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Zinc oxide	(CAS No) 1314-13-2	2	Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Mica	(CAS No) 12001-26-2	0.0997 - 1	Not classified
2,6-Di-tert-butyl-p-cresol	(CAS No) 128-37-0	0.2	Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Geraniol	(CAS No) 106-24-1	0.01 - 0.2	Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Skin Sens. 1, H317
Benzoic acid, 2-hydroxy-, hexyl ester	(CAS No) 6259-76-3	0.005 - 0.1	Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
D-Limonene	(CAS No) 5989-27-5	0.0025 - 0.05	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			Skin Sens. 1B, H317
			Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

# **SECTION 4: FIRST AID MEASURES**

# **Description of First-aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Not expected to present a significant inhalation hazard under anticipated conditions of normal use. When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. Cool skin rapidly with cold water after contact with molten product. Removal of solidified molten material from skin requires medical assistance.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention. Removal of solidified molten material from the eyes requires medical assistance.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

# Most Important Symptoms and Effects Both Acute and Delayed

General: Skin sensitization.

**Inhalation:** Not expected to be a primary route of exposure. Prolonged exposure may cause irritation.

Skin Contact: May cause an allergic skin reaction. Risk of thermal burns on contact with molten product.

Eye Contact: May cause slight irritation to eyes. Risk of thermal burns on contact with molten product.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

07/04/2022 EN (English US) 2/10

<sup>\*</sup>Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

# **SECTION 5: FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Metal oxides.

### **Reference to Other Sections**

Refer to Section 9 for flammability properties.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapors from molten product.

### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### **Environmental Precautions**

Prevent entry to sewers and public waters.

# Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: HANDLING AND STORAGE**

# **Precautions for Safe Handling**

**Precautions for Safe Handling:** Avoid prolonged contact with eyes, skin and clothing. Do not breathe vapors from molten product. **Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

# Specific End Use(s) Depilatory Product

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

07/04/2022 EN (English US) 3/10

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Zinc oxide (1314-13-2)		
Mexico	OEL TWA (mg/m³)	5 mg/m³ (fume)
	, 3, ,	10 mg/m³ (dust)
Mexico	OEL STEL (mg/m³)	10 mg/m³ (fume)
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (respirable fraction)
USA ACGIH	ACGIH STEL (mg/m³)	10 mg/m³ (respirable fraction)
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³ (fume)
	, ,, ,	15 mg/m³ (total dust)
		5 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³ (dust and fume)
USA NIOSH	NIOSH REL (STEL) (mg/m³)	10 mg/m³ (fume)
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	15 mg/m³ (dust)
USA IDLH	US IDLH (mg/m³)	500 mg/m <sup>3</sup>
Alberta	OEL STEL (mg/m³)	10 mg/m³ (respirable)
Alberta	OEL TWA (mg/m³)	2 mg/m³ (respirable)
British Columbia	OEL STEL (mg/m³)	10 mg/m³ (respirable)
British Columbia	OEL TWA (mg/m³)	2 mg/m³ (respirable)
Manitoba	OEL STEL (mg/m³)	10 mg/m³ (respirable fraction)
Manitoba	OEL TWA (mg/m³)	2 mg/m³ (respirable fraction)
New Brunswick	OEL STEL (mg/m³)	10 mg/m³ (fume)
New Brunswick	OEL TWA (mg/m³)	10 mg/m³ (particulate matter containing no Asbestos and <1%
		Crystalline silica, dust)
		5 mg/m³ (fume)
Newfoundland & Labrador	OEL STEL (mg/m³)	10 mg/m³ (respirable fraction)
Newfoundland & Labrador	OEL TWA (mg/m³)	2 mg/m³ (respirable fraction)
Nova Scotia	OEL STEL (mg/m³)	10 mg/m³ (respirable fraction)
Nova Scotia	OEL TWA (mg/m³)	2 mg/m³ (respirable fraction)
Nunavut	OEL STEL (mg/m³)	10 mg/m³ (fume)
Nunavut	OEL TWA (mg/m³)	5 mg/m³ (fume)
		5 mg/m³ (dust, respirable mass)
		10 mg/m³ (total mass-dust)
Northwest Territories	OEL STEL (mg/m³)	10 mg/m³ (dust and fume; respirable fraction)
Northwest Territories	OEL TWA (mg/m³)	2 mg/m³ (dust and fume; respirable fraction)
Ontario	OEL STEL (mg/m³)	10 mg/m³ (respirable)
Ontario	OEL TWA (mg/m³)	2 mg/m³ (respirable)
Prince Edward Island	OEL STEL (mg/m³)	10 mg/m³ (respirable fraction)
Prince Edward Island	OEL TWA (mg/m³)	2 mg/m³ (respirable fraction)
Québec	VECD (mg/m³)	10 mg/m³ (fume)
Québec	VEMP (mg/m³)	10 mg/m³ (containing no Asbestos and <1% Crystalline silica-total dust)
Coalratabassas	OFI CTFI / ~ / 3\	5 mg/m³ (fume)
Saskatchewan	OEL STEL (mg/m³)	10 mg/m³ (dust and fume, respirable fraction)
Saskatchewan	OEL TWA (mg/m³)	2 mg/m³ (dust and fume, respirable fraction)
Yukon	OEL STEL (mg/m³)	10 mg/m³ (fume)
Yukon	OEL TWA (mg/m³)	5 mg/m³ (fume) 10 mg/m³ (dust)
	OEL TWA (mppcf)	30 mppcf (dust)
Mico (12001 2C 2)	OLL I WA (IIIPPCI)	Jo mpper (duse)
Mica (12001-26-2)	OFL TMA (mg/m³)	2 mg/m3/rormirable fraction)
Mexico	OEL TWA (mg/m³)	3 mg/m³ (respirable fraction)
USA ACGIH	ACGIH TWA (mg/m³)	3 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m³)	3 mg/m³ (containing <1% Quartz-respirable dust)
USA IDLH	US IDLH (mg/m³)	1500 mg/m³ (containing <1% quartz)
Alberta	OEL TWA (mg/m³)	3 mg/m³ (respirable)

07/04/2022 EN (English US) 4/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

British Columbia	OEL TWA (mg/m³)	3 mg/m³ (respirable)
Manitoba	OEL TWA (mg/m³)	3 mg/m³ (respirable fraction)
New Brunswick	OEL TWA (mg/m³)	3 mg/m³ (particulate matter containing no Asbestos and <1%
		Crystalline silica, respirable fraction)
Newfoundland & Labrador	OEL TWA (mg/m³)	3 mg/m³ (respirable fraction)
Nova Scotia	OEL TWA (mg/m³)	3 mg/m³ (respirable fraction)
Nunavut	OEL TWA (mg/m³)	3 mg/m³ (respirable mass)
		6 mg/m³ (total mass)
Northwest Territories	OEL STEL (mg/m³)	6 mg/m³ (respirable fraction)
Northwest Territories	OEL TWA (mg/m³)	3 mg/m³ (respirable fraction)
Ontario	OEL TWA (mg/m³)	3 mg/m³ (respirable)
Prince Edward Island	OEL TWA (mg/m³)	3 mg/m³ (respirable fraction)
Québec	VEMP (mg/m³)	3 mg/m³ (containing no Asbestos and <1% Crystalline silica-respirable
		dust)
Saskatchewan	OEL STEL (mg/m³)	6 mg/m³ (respirable fraction)
Saskatchewan	OEL TWA (mg/m³)	3 mg/m³ (respirable fraction)
Yukon	OEL TWA (mppcf)	20 mppcf
2,6-Di-tert-butyl-p-cresol (12	28-37-0)	
Mexico	OEL TWA (mg/m³)	10 mg/m <sup>3</sup>
Mexico	OEL STEL (mg/m³)	20 mg/m <sup>3</sup>
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³
Alberta	OEL TWA (mg/m³)	10 mg/m <sup>3</sup>
British Columbia	OEL TWA (mg/m³)	2 mg/m³ (aerosol, inhalable, and vapor)
Manitoba	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
New Brunswick	OEL TWA (mg/m³)	10 mg/m <sup>3</sup>
Newfoundland & Labrador	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
Nova Scotia	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
Nunavut	OEL STEL (mg/m³)	20 mg/m <sup>3</sup>
Nunavut	OEL TWA (mg/m³)	10 mg/m <sup>3</sup>
Northwest Territories	OEL STEL (mg/m³)	4 mg/m³ (inhalable fraction and vapor)
Northwest Territories	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
Ontario	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
Prince Edward Island	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
Québec	VECD (mg/m³)	10 mg/m <sup>3</sup>
Saskatchewan	OEL STEL (mg/m³)	4 mg/m³ (inhalable fraction and vapor)
Saskatchewan	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
Yukon	OEL STEL (mg/m³)	20 mg/m <sup>3</sup>
Yukon	OEL TWA (mg/m³)	10 mg/m³
D-Limonene (5989-27-5)		
USA AIHA	WEEL TWA (ppm)	30 ppm

# **Exposure Controls**

**Appropriate Engineering Controls:** For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Materials for Protective Clothing:** For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









07/04/2022 EN (English US) 5/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

**Hand Protection:** For occupational/workplace settings: Wear protective gloves. **Eye Protection:** For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information: When using, do not eat, drink or smoke

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# **Information on Basic Physical and Chemical Properties**

Physical State : Solid

**Appearance** : Pink opaque

Odor : Characteristic of fragrance

**Odor Threshold** Not available Not available **Evaporation Rate** Not available **Melting Point** 60 °C (140 °F) **Freezing Point** Not available **Boiling Point** Not available **Flash Point** Not available **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20°C Not available **Relative Density** Not available **Specific Gravity** 0.99 - 1.09

Solubility : Insoluble in water.

Partition Coefficient: N-Octanol/Water : Not available

Viscosity : Not available

### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

**Hazardous Decomposition Products:** None known.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### <u>Information on Toxicological Effects - Product</u>

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified
LD50 and LC50 Data: Not available
Skin Corrosion/Irritation: Not classified
Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

07/04/2022 EN (English US) 6/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

**Aspiration Hazard:** Not classified

Symptoms/Injuries After Inhalation: Not expected to be a primary route of exposure. Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Risk of thermal burns on contact with molten product. Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Risk of thermal burns on contact with molten product.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

# Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

Zinc oxide (1314-13-2)		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
2,6-Di-tert-butyl-p-cresol (128-37-0)		
LD50 Oral Rat	> 2930 mg/kg (Species: Sprague-Dawley)	
LD50 Dermal Rat	> 2000 mg/kg	
Geraniol (106-24-1)		
LD50 Oral Rat	3600 mg/kg	
LD50 Dermal Rabbit	> 5 g/kg	
Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)		
LD50 Oral Rat	> 5 g/kg	
D-Limonene (5989-27-5)		
LD50 Oral Rat	4400 mg/kg	
LD50 Dermal Rabbit	> 5 g/kg	
2,6-Di-tert-butyl-p-cresol (128-37-0)		
IARC Group	3	
D-Limonene (5989-27-5)		
IARC Group	3	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.	

# **SECTION 12: ECOLOGICAL INFORMATION**

# **Toxicity**

**Ecology - General:** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Zinc oxide (1314-13-2)		
LC50 Fish 1	780 μg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 Daphnia 1	0.122 mg/l	
NOEC Chronic Fish	0.026 mg/l (Species: Jordanella floridae)	
2,6-Di-tert-butyl-p-cresol (128-37-0	0)	
EC50 Daphnia 1	0.48 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 Other Aquatic Organisms 2	0.43 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)	
Geraniol (106-24-1)		
LC50 Fish 1	2.6 mg/l	
Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)		
EC50 Daphnia 1	0.357 (0.228 - 0.871) mg/l (Exposure time: 48 h - Species: Daphnia magna)	
D-Limonene (5989-27-5)		
LC50 Fish 1	0.619 (0.619 - 0.796) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	0.421 mg/l	
LC50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	

07/04/2022 EN (English US) 7/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### Persistence and Degradability

Nair <sup>™</sup> Bikini Pro Wax Kit	
Persistence and Degradability	Not established.

#### **Bioaccumulative Potential**

Nair <sup>™</sup> Bikini Pro Wax Kit		
Bioaccumulative Potential	Not established.	
2,6-Di-tert-butyl-p-cresol (128-37-0)		
BCF Fish 1	230 - 2500	
Log POW	4.17	

Mobility in Soil Not available

**Other Adverse Effects** 

Other Information: Avoid release to the environment.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

### SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

# **SECTION 15: REGULATORY INFORMATION**

# **US Federal Regulations**

Nair <sup>™</sup> Bikini Pro Wax Kit	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Zinc oxide (1314-13-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

# 2,6-Di-tert-butyl-p-cresol (128-37-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Geraniol (106-24-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# D-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **US State Regulations**

#### Zinc oxide (1314-13-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

# Mica (12001-26-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### 2,6-Di-tert-butyl-p-cresol (128-37-0)

07/04/2022 EN (English US) 8/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### **Canadian Regulations**

Zinc oxide	(1314-13-2)
------------	-------------

Listed on the Canadian DSL (Domestic Substances List)

#### 2,6-Di-tert-butyl-p-cresol (128-37-0)

Listed on the Canadian DSL (Domestic Substances List)

#### Geraniol (106-24-1)

Listed on the Canadian DSL (Domestic Substances List)

### Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)

Listed on the Canadian DSL (Domestic Substances List)

### D-Limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** 

: 07/04/2022

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR). The consumer variant of this product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA, and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

# **GHS Full Text Phrases:**

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1B	Skin sensitization Category 1B
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

07/04/2022 EN (English US) 9/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

NA GHS SDS 2015 (US, Can, Mex)

07/04/2022 EN (English US) 10/10