



LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Revision Date: 21/05/2024 Date of Issue: 25/07/2022

Version: 1.1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Form : Mixture
Product Name : LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))
Product Code : SFB-N40

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Use of the Substance/Mixture : Slimming cream

1.2.2. Uses Advised Against

Uses Advised Against : Do not apply to the face or to pregnant or nursing women.

1.3. Details of the Supplier of the Safety Data Sheet

Company

Church & Dwight UK
Wear Bay Road, CT19 6PG
Folkestone, Kent – United Kingdom
+ 44 0800 121 6080 (Mon - Friday 9am - 4:30pm)
www.churchdwight.com
consumer.relationsUK@churchdwight.com

Company

Sofibel
110-114 RUE VICTOR HUGO
92300 LEVALLOIS PERRET
FRANCE
Téléphone : 01.49.68.41.00
www.churchdwight.com

1.4. Emergency Telephone Number

Emergency Number : (+44) 08706006266 (24 hours) UK national information service;
(+44) 0800 1216080 (Mon - Friday 9am - 4:30pm)
For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada);
For Chemical Emergency: VelocityEHS (800)255-3924 (North America), +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification According to Regulation (EC) No. 1272/2008

Flam. Liq. 3 H226

Full text of hazard classes, H-statements: see section 16

2.2. Label Elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP) :



GHS02

Signal Word (CLP)

: Warning

Hazard Statements (CLP)

: H226 - Flammable liquid and vapour.

Precautionary Statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.
P280 - Wear eye protection, protective clothing, protective gloves.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container in accordance with local, regional, national

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

and/or international regulation.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

This substance/mixture does not meet the PBT/vPvB criteria of REACH regulation, annex XIII
The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

| Component | |
|------------------------|---|
| Ethyl alcohol(64-17-5) | The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product Identifier | % | Classification According to Regulation (EC) No. 1272/2008 |
|--------------------|--|--------------|---|
| Ethyl alcohol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 | 10 - 20 | Flam. Liq. 2, H225 |
| Caffeine | (CAS-No.) 58-08-2 (EC-No.) 200-362-1 (EC Index-No.) 613-086-00-5 | 1 - 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 |
| 1,2,3-Propanetriol | (CAS-No.) 56-81-5 (EC-No.) 200-289-5 | 0.001 – 0.09 | Not classified |
| Sodium hydroxide | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 | 0.001 – 0.09 | Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |

Specific Concentration Limits:

| Name | Product Identifier | Specific Concentration Limits |
|------------------|--|---|
| Sodium hydroxide | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 | (0,5 ≤C < 2) Skin Irrit. 2, H315 (0,5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

- First-Aid Measures General : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-Aid Measures After Inhalation : When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
- First-Aid Measures After Skin Contact : Product is intended for topical use. Chemical irritation is unlikely. In the event that irritation occurs, wash affected areas with mild soap and water, then obtain medical advice/attention.
- First-Aid Measures After Eye Contact : Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
- First-Aid Measures After Ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

- Symptoms/Effects After Inhalation : Prolonged exposure may cause irritation.
- Symptoms/Effects After Skin Contact : None expected under normal conditions of use.
- Symptoms/Effects After Eye Contact : None expected under normal conditions of use.
- Symptoms/Effects After Ingestion : Ingestion may cause adverse effects.
- Chronic Symptoms : None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

- Suitable Extinguishing Media** : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water may be ineffective but water should be used to keep fire-exposed container cool.
- Unsuitable Extinguishing Media** : Do not use a heavy water stream. A heavy water stream may spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

- Fire Hazard** : Flammable liquid and vapour. Will not sustain combustion.
- Explosion Hazard** : May form flammable or explosive vapour-air mixture.
- Reactivity** : Reacts violently with strong oxidisers. Increased risk of fire or explosion.
- Hazardous Combustion Products** : Carbon oxides (CO, CO₂).

5.3. Advice for Firefighters

- Precautionary Measures Fire** : Exercise caution when fighting any chemical fire.
- Firefighting Instructions** : Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
- Protection During Firefighting** : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

- General Measures** : Avoid breathing (vapour, mist, spray). Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges. Caution: this product can cause the floor to be very slippery.

6.1.1. For Non-Emergency Personnel

- Protective Equipment** : Use appropriate personal protective equipment (PPE).
- Emergency Procedures** : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Responders

- Protective Equipment** : Equip cleanup crew with proper protection.
- Emergency Procedures** : Upon arrival at the scene, a first responder is expected to recognise the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Eliminate ignition sources first, then ventilate the area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

- For Containment** : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.
- Methods for Cleaning Up** : Use only non-sparking tools. Clean up spills and dispose of waste safely. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

- Additional Hazards When Processed** : Handle empty containers with care because residual vapours are flammable.
- Precautions for Safe Handling** : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapours, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools.
- Hygiene Measures** : Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

- Technical Measures** : Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

- Storage Conditions

: Store in accordance with applicable national storage class systems. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.
- Incompatible Materials

: Strong acids, strong bases, strong oxidisers.

7.3. Specific End Use(s)

Slimming cream

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Please see section 16 for the legal basis of limit value information in section 8.1, including the national legislation or provision which gives rise to a given limit.

| Ethyl alcohol (64-17-5) | | |
|------------------------------|------------------------------------|--------------------|
| France | OEL STEL (Legal Basis:INRS ED 984) | 9500 mg/m³ |
| France | OEL STEL (Legal Basis:INRS ED 984) | 5000 ppm |
| France | OEL TWA (Legal Basis:INRS ED 984) | 1900 mg/m³ |
| France | OEL TWA (Legal Basis:INRS ED 984) | 1000 ppm |
| 1,2,3-Propanetriol (56-81-5) | | |
| France | OEL TWA (Legal Basis:INRS ED 984) | 10 mg/m³ (aerosol) |
| Sodium hydroxide (1310-73-2) | | |
| France | OEL TWA (Legal Basis:INRS ED 984) | 2 mg/m³ |

8.2. Exposure Controls

- Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.
- Personal Protective Equipment

: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Personal protective equipment should be chosen in accordance with Regulation (EU) 2016/425, CEN standards, and in discussion with the supplier of the protective equipment.



- Materials for Protective Clothing

: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.
- Hand Protection

: For occupational/workplace settings: Wear protective gloves.
- Eye Protection

: For occupational/workplace settings: Chemical safety goggles.
- Skin and Body Protection

: For occupational/workplace settings: Wear suitable protective clothing.
- Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- Other Information

: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

- Physical State

: Liquid
- Colour, Appearance

: Off-white to light orange
- Odour

: Characteristic
- Odour Threshold

: No data available
- pH

: 5,55 – 6,00
- Evaporation Rate

: No data available
- Melting Point

: No data available
- Freezing Point

: No data available
- Boiling Point

: 100 °C (212 °F)

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---------------------------------------|-----------------------------------|
| Flash Point | : 23 – 55 °C (73,4 – 131 °F) |
| Auto-Ignition Temperature | : No data available |
| Decomposition Temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour Pressure | : No data available |
| Relative Vapour Density At 20 °C | : No data available |
| Relative Density | : 0,98 – 1 (water = 1) |
| Solubility | : No data available |
| Partition Coefficient n-Octanol/Water | : No data available |
| Viscosity | : No data available |
| Viscosity, Dynamic | : 5000 – 6000 cP at 20 °C (68 °F) |
| Explosive Properties | : No data available. |
| Oxidising Properties | : No data available |
| Explosive Limits | : Not available |
| Particle Aspect Ratio | : Not applicable |
| Particle Aggregation State | : Not applicable |
| Particle Agglomeration State | : Not applicable |
| Particle Specific Surface Area | : Not applicable |
| Particle Dustiness | : Not applicable |

9.2. Other Information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

10.2. Chemical Stability

Flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidisers.

10.6. Hazardous Decomposition Products

Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Hazard Classes As Defined In Regulation (EC) No 1272/2008

| | |
|-----------------------------|---|
| Likely Routes of Exposure | : Ingestion Dermal Eye contact |
| Acute Toxicity (Oral) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute Toxicity (Dermal) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute Toxicity (Inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

| | |
|------------------------------|-----------------------------|
| Ethyl alcohol (64-17-5) | |
| LD50 Oral Rat | 10470 mg/kg |
| LD50 Dermal Rat | 20 ml/kg |
| LC50 Inhalation Rat | 124,7 mg/l/4h |
| Caffeine (58-08-2) | |
| LD50 Oral Rat | 367 mg/kg (Species: Wistar) |
| LD50 Oral | 192 mg/kg |
| LD50 Dermal Rat | > 2000 mg/kg |
| LC50 Inhalation Rat | 4,94 mg/l/4h |
| LC50 Inhalation Rat | 4,1 mg/l/4h |
| 1,2,3-Propanetriol (56-81-5) | |
| LD50 Oral Rat | 12600 mg/kg |
| LD50 Dermal Rabbit | > 10 g/kg |

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|--|---|
| Sodium hydroxide (1310-73-2) | |
| LD50 Oral Rat | 325 mg/kg |
| Skin Corrosion/Irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Eye Damage/Irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Respiratory or Skin Sensitization | : Not classified (Based on available data, the classification criteria are not met) |
| Germ Cell Mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Reproductive Toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| Specific Target Organ Toxicity (Single Exposure) | : Not classified (Based on available data, the classification criteria are not met) |
| Specific Target Organ Toxicity (Repeated Exposure) | : Not classified (Based on available data, the classification criteria are not met) |
| Aspiration Hazard | : Not classified (Based on available data, the classification criteria are not met) |
| Symptoms/Injuries After Inhalation | : Prolonged exposure may cause irritation. |
| Symptoms/Injuries After Skin Contact | : None expected under normal conditions of use. |
| Symptoms/Injuries After Eye Contact | : None expected under normal conditions of use. |
| Symptoms/Injuries After Ingestion | : Ingestion may cause adverse effects. |
| Chronic Symptoms | : None expected under normal conditions of use. |

11.2. Information On Other Hazards

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to humans as it does not meet the criteria set out in section A of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Hazardous To The Aquatic Environment, Short-Term (Acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous To The Aquatic Environment, Long-Term (Chronic) : Not classified (Based on available data, the classification criteria are not met)

| | |
|------------------------------|--|
| Ethyl alcohol (64-17-5) | |
| LC50 - Fish [1] | 11200 mg/l |
| EC50 - Crustacea [1] | 9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC50 - Fish [2] | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| ErC50 Algae | 1000 mg/l |
| NOEC chronic Crustacea | 9,6 mg/l |
| Caffeine (58-08-2) | |
| LC50 - Fish [1] | 151 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| 1,2,3-Propanetriol (56-81-5) | |
| LC50 - Fish [1] | 51000 – 57000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| Sodium hydroxide (1310-73-2) | |
| LC50 - Fish [1] | 45,4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 - Crustacea [1] | 40 mg/l |

12.2. Persistence and Degradability

| | |
|--|------------------|
| LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878)) | |
| Persistence and Degradability | Not established. |

12.3. Bioaccumulative Potential

| | |
|--|---------------------|
| LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878)) | |
| Bioaccumulative Potential | Not established. |
| Ethyl alcohol (64-17-5) | |
| Log POW | -0,32 |
| Caffeine (58-08-2) | |
| Log POW | -0,07 |
| 1,2,3-Propanetriol (56-81-5) | |
| BCF Fish 1 | No bioaccumulation. |
| Log POW | -1,76 |

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB Assessment

Does not contain any PBT/vPvB substances >= 0.1% assessed in accordance with REACH Annex XVIII

12.6. Endocrine Disrupting Properties

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

12.7. Other Adverse Effects

Other Information : Avoid unnecessary release into the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Product/Packaging Disposal : Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.
Recommendations :
Additional Information : Handle empty containers with care because residual vapours are flammable.
Ecology - Waste Materials : Avoid unnecessary release into environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN Number or ID Number

Not regulated for transport

14.2. UN Proper Shipping Name

Not regulated for transport

14.3. Transport Hazard Class

Not regulated for transport

14.4. Packing Group

Not regulated for transport

14.5. Environmental Hazards

Not regulated for transport

14.6. Special Precautions For User

No additional information available

14.7. Maritime Transport in Bulk According to IMO instruments

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

15.1.1.1. REACH Annex XVII Information

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| | |
|--|--|
| 3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F | LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878)) ; Ethyl alcohol |
| 40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. | Ethyl alcohol |

15.1.1.2. REACH Candidate List Information

Contains no substance on the REACH candidate list

15.1.1.3. POP (2019/1021) - Persistent Organic Pollutants Information

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.1.4. PIC Regulation EU (649/2012) - Export and Import of Hazardous Chemicals Information

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

15.1.1.5. REACH Annex XIV Information

Contains no REACH Annex XIV substances

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.1.6. Substances Depleting the Ozone layer (1005/2009) Information

No additional information available

15.1.1.7. EC Inventory Information

| |
|--|
| Ethyl alcohol (64-17-5) |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) |
| Caffeine (58-08-2) |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) |
| 1,2,3-Propanetriol (56-81-5) |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) |
| Sodium hydroxide (1310-73-2) |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) |

15.1.1.8. Other Information

No additional information available

15.1.2. National Regulations

No additional information available

15.1.3. International Inventory Lists

| |
|--|
| Ethyl alcohol (64-17-5) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory) |
| Caffeine (58-08-2) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory) |
| 1,2,3-Propanetriol (56-81-5) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory) |
| Sodium hydroxide (1310-73-2) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Poisonous and Deleterious Substances Control Law Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) |

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| |
|--|
| Listed on the TCSI (Taiwan Chemical Substance Inventory) |
| Listed on the NCI (Vietnam - National Chemicals Inventory) |

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

| | |
|--|---|
| Date of Preparation or Latest Revision | : 21/05/2024 |
| Data Sources | : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS. |
| Other Information | : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 |

Full Text of H-statements:

| | |
|---------------------------|---|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhalation) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |

Classification and Procedure Used to Derive the Classification for Mixtures According to Regulation (EC) 1272/2008 [CLP]:

| | |
|--------------|-----------------------|
| Flam. Liq. 3 | On basis of test data |
|--------------|-----------------------|

Indication of Changes

| Section | Change | Date Changed | Version |
|---------|---|--------------|---------|
| 1 | Added product code, modified logo and emergency contact | 21/05/2024 | 1.1 |

Abbreviations and Acronyms

| | |
|---|--|
| ACGIH – American Conference of Governmental Industrial Hygienists | NDS - Najwyższe Dopuszczalne Stezenie |
| ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways | NDSch - Najwyższe Dopuszczalne Stezenie Chwilowe |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road | NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe |
| ATE - Acute Toxicity Estimate | NOAEL - No-Observed Adverse Effect Level |
| BCF - Bioconcentration Factor | NOEC - No-Observed Effect Concentration |
| BEI - Biological Exposure Indices (BEI) | NRD - Nevirsytinas Ribinis Dydis |
| BOD – Biochemical Oxygen Demand | NTP – National Toxicology Program |
| CAS No. - Chemical Abstracts Service Number | OEL - Occupational Exposure Limits |
| CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 | PBT - Persistent, Bioaccumulative and Toxic |
| COD – Chemical Oxygen Demand | PEL - Permissible Exposure Limit |
| EC – European Community | pH – Potential Hydrogen |
| EC50 - Median Effective Concentration | REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals |
| EEC – European Economic Community | RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail |
| EINECS – European Inventory of Existing Commercial Chemical Substances | SADT - Self Accelerating Decomposition Temperature |
| EmS-No. (Fire) - IMDG Emergency Schedule Fire | SDS - Safety Data Sheet |
| EmS-No. (Spillage) - IMDG Emergency Schedule Spillage | STEL - Short Term Exposure Limit |
| EU – European Union | STOT - Specific Target Organ Toxicity |
| ErC50 - EC50 in Terms of Reduction Growth Rate | TA-Luft - Technische Anleitung zur Reinhaltung der Luft |
| GHS – Globally Harmonized System of Classification and Labeling of Chemicals | TEL TRK – Technical Guidance Concentrations |
| IARC - International Agency for Research on Cancer | ThOD – Theoretical Oxygen Demand |
| IATA - International Air Transport Association | TLM - Median Tolerance Limit |
| IBC Code - International Bulk Chemical Code | TLV - Threshold Limit Value |
| IMDG - International Maritime Dangerous Goods | TPRD - Trumpalaikio Poveikio Ribinis Dydis |
| IPRV - Ilgalaikio Poveikio Ribinis Dydis | TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern |
| IOELV – Indicative Occupational Exposure Limit Value | TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine |
| LC50 - Median Lethal Concentration | TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte |
| LD50 - Median Lethal Dose | TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte |
| LOAEL - Lowest Observed Adverse Effect Level | TSCA - Toxic Substances Control Act |
| LOEC - Lowest-Observed-Effect Concentration | TWA - Time Weighted Average |

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Log K_{oc} - Soil Organic Carbon-water Partitioning Coefficient
Log K_{ow} - Octanol/water Partition Coefficient
Log P_{ow} - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water
MAK – Maximum Workplace Concentration/Maximum Permissible Concentration
MARPOL - International Convention for the Prevention of Pollution

Limit Value Legal Basis*

*Includes the below and any related regulations/provisions, and subsequent amendments

EU - 2019/1831 EU in accor. with 98/24/EC - Directive 2019/1831/EU of October 24, 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 2000/39/EC.

EU - 2019/1243/EU, and 98/24/EC - Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work and amendment Regulation (EU) 2019/1243.

Austria - BGBl. II Nr. 254/2018 - Ordinance on Limit Values for Workplace Substances and on Carcinogens from the Federal Ministry of Economics and Labour, Published in 2003, Appendix 1: Substance List, Published through: Ministry of Economics and Labour of the Republic of Austria amended through the Government Gazette II (BGBl. II) No 119/2004) & BGBl. II No. 242/2006, BGBl. II No. 243/2007, lastly changed through BGBl. I Nr. 51/2011), BGBl. II Nr. 186/2015, BGBl. II Nr. 288/2017 amended by BGBl. II Nr. 254/2018.

Austria - BLV BGBl. II Nr. 254/2018 - Ordinance on health monitoring at the workplace 2008, published through BGBl. II Nr. 224/2007 by Austria Minister for Labor and Social Affairs, Lastly changed through BGBl. II Nr. 254/2018

Belgium - Royal Decree 21/01/2020 - Royal decree amending title 1 relating to chemical agents in Book VI of the code of well-being at work, with regard to the list of limit values of exposure to chemical agents and title 2 relating to carcinogens, mutagens and reprotoxics of Book VI of the code of well-being at work (1)

Bulgaria - Reg. No. 13/10 -

Regulation No. 13 of December 30, 2003 on the Protection of Workers from Hazards Related to Exposure to Chemical Agents at Work Labor Code, Annex No.1 Limit values of chemical agents in the air of the working environment, and Annex № 2 Biological limit values of chemical agents and their metabolites (bio markers of exposure) or bio markers of effect Amended by: 71/2006, 67/2007, 2/2012, 46/2015, 73/2018, 5/2020), and Regulation No.10 of September 26, 2003 on the Protection of Workers from the Risks Associated with Exposure to Carcinogens and Mutagens at Work Annex No.1 Occupational Exposure Limits, Amended by: 8/2004, 46/2015, 5/2020

Croatia - OG No. 91/2018 - Regulation on the Protection of Workers from Exposure to Hazardous Chemicals at Work, the Limit Values of Exposure and the Biological Limit Values. Official Gazette No. 91 of October 12, 2018

Cyprus - KDP 16/2019 - Government of Cyprus Cabinet of Ministers Regulation 268/2001 - Safety and Health in the Working Environment (Chemical Substances) Article 38, As amended by Regulation 16/2019 and Cabinet of Ministers Regulation 153/2001 - Safety and Health in the Working Environment (Chemical Substances-Carcinogens), as amended by Regulation 493/2004 - Safety and Health in the Working Environment (Chemical Substances - Carcinogens) AND Law 47(I) 2000 - Occupational Health and Safety (Asbestos), as amended by Decree 316/2006.

Czech Republic - Reg. 41/2020 - Regulation 41/2020 amending Regulation 361/2007 of Coll. establishing Occupation Exposure Limits as amended

Czech Republic - Decree No. 107/2013 - Decree No. 107/2013 Coll., amending Decree No. 432/2003 Coll., laying down the conditions for the application of the work into categories, limit values for the parameters of biological exposure tests, collection of biological material conditions for the implementation of biological exposure tests and requirements for reporting work with asbestos and biological agents

Denmark - BEK No. 698 of 28/05/2020 - Order on Limit Values for Substances and Materials, The Statutory Order No. 507 of May 17, 2011, Appendix 1 - Limits for air pollution, etc. and Appendix 3 - Biological Exposure Values, Amended by: No. 986 of October 11, 2012, No. 655 of May 31, 2018, No. 1458 December 13, 2019, No. 698 of May 28, 2020

Estonia - Regulation No. 105 - Health and Safety Requirements for the Use of Dangerous Chemicals and Materials Containing Them and Occupational Exposure Limits to Chemical Agents
Government of the Republic, Regulation No. 105 of 20 March 2001, Amended 17 October 2019, and 17 January, 2020.

Finland - HTP-ARVOT 2020 - Concentrations Known to be Hazardous,

VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit

WGK - Wassergefährdungsklasse

Greece - PWHSE - Occupational Exposure Limits - Protection of workers' health and safety from exposure to certain chemical substances during the workday, (latest amendment 82/2018) and Occupation Exposure Limits - Protection of workers' health and safety from exposure to certain carcinogenic and mutagenic chemical substances (latest amendment 26/2020), and Presidential Decree 212/2006 - Protection of workers that are exposed to asbestos.

Hungary - Decree 05/2020 - 5/2020. (II. 6.) ITM decree on the protection of the health and safety of workers from the risks related to chemical agents

Ireland - 2020 COP - 2020 Code of Practice for the Chemical Agents Regulations, Schedule 1

Italy - Decree 81 - Title IX, Annex XLIII and XXXVIII, Professional Exposure Limits and Annex XXXIX Mandatory Biological Limit Values and Health Monitoring, Article 1, Law 123 of August 3, 2007, Legislative Decree 81 of April 9, 2008, Last amended: January 2020

Italy - IMDFN1 - Ministerial Decree of August 20, 1999 Final Note (1)

Latvia - Reg. No. 325 - Cabinet of Ministers Regulation No. 325 - Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces, Amended by Cabinet of Ministers Regulation No. 92, 163, 407 and No. 11.

Lithuania - HN 23:2011 - Lithuanian Hygiene Standard HN 23:2011 Occupational Exposure Limit Values, Amended by Order V-695/A1-272.

Luxembourg - A-N 684 - Grand-Ducal Regulation of 20 July 2018 amending the Grand-Ducal Regulation of 14 November 2016 concerning the protection of the safety and health of employees against the risks associated with chemical agents in the workplace. Official journal of the Grand-Duke of Luxembourg, A-N°684 of 2018

Malta - MOSHAA Ch. 424 - Malta Occupational Health and Safety Authority Act: Chapter 424 as amended by: Legal Notice 353, 53, 198, and 57.

Netherlands- OWCRLV - Occupational Working Conditions Regulation, Limit Values for substances harmful to health, Annex XVIII, Updated from August 1, 2020.

Norway - FOR-2020-04-060695 - Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents, FOR-2011-12-06-1358, Updated by: FOR-2020-04-06-695, FOR-2020-03-23-402, FOR-2018-12-20-2186, FOR-2018-08-21-1255, FOR-2017-12-20-2353.

Poland - Dz. U. 2020 Nr. 61 - Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the Highest Allowable Concentrations and Intensities of Factors Harmful to Health in the Work Environment Dz.U. 2018 Nr. 1286 of June 12, 2018, Annex 1 - List of values of the highest permissible chemical concentrations and dust factors harmful to health in the work environment, amended by: Dz. U. 2020 Nr. 61.

Portugal - Portuguese Norm NP 1796:2014 - Occupational exposure limits and biological exposure indices to chemical agents. Table 1 - Occupational exposure limits and biological exposure indices to chemical agents (OELs), Law Decree 35/2020.

Romania - Gov. Dec. No 1.218 - Governmental Decision No. 1.218 from 06/09/2006 on the minimum health and safety requirements for protection of workers from the risks related to exposure to chemical agents, Annex No. 1 Mandatory National Occupational Exposure Limit Values for Chemical Agents. Amended by Decision no. 157, 584, 359, and 1.

Slovakia - Gov. Decree 33/2018 - Government Decree of Slovak Republic 33/2018 on January 17, 2018 amending Government Decree of Slovak Republic 355/2006 about protection of health of employees when working with chemical agents

Slovenia - No. 79/19 - Regulation for protection of workers against risks related to carcinogenic or mutagenic substances exposure. Annex III - Classification and binding levels of carcinogenic or mutagenic substances for occupational exposure. The Official Journal of the Republic of Slovenia, No. 101/2005. Amended by 38/15, 79/19. Regulation for protection of workers against risks related to exposure to chemical substances at the workplace. Republic of Slovenia, No. 100/2001 . Annex I - List of Binding Occupational

LINEANCE™ – AMINCISSANT Duo Sculpt (EU GHS (2020/878))

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---|---|
| 654/2020 OEL values 2020 Publications of Ministry of Social Affairs and Health 2020:24 Annexes1, 2 and 3. | Exposure Limit Values. Amended by 39/05, 53/07, 102/10, 38/15, 78/18, 78/19 |
| France - INRS ED 984 - Occupational Exposure Limit Values to Chemical Agents in France Published 2016 by the INRS National Institute of Research and Safety Health and safety of work, revised, updated by: Decree 2016-344, JORF No 0119, and Decree 2019-1487. | Spain - AFS 2018:1 - NATIONAL INSTITUTE FOR HEALTH AND SAFETY AT WORK. Occupational exposure limits for chemical agents in Spain. Tables 1 and 3. Latest edition Feb. 2019 |
| France - Decree 2009-1570 - Decree 2009-1570 of December 15, 2009, relative to the control of chemical risk on workplaces. | Sweden - AFS 2018:1 - Statute Book of the Swedish Work Environment Authority, AFS 2018:1 |
| Germany - TRGS 900 - Occupational Exposure Limits, Technical Rules for Dangerous Substances, latest amendment March, 2020 | The Swedish Work Environment Authority's Ordinance and General Guidance on Hygienic Limit Values |
| Germany - TRGS 903 - Biological Threshold Limits (BGW-Values), Technical Rules for Dangerous Substances, latest amendment March, 2020 | Switzerland - OLVSNAlF - Occupational Limit Values 2020 Swiss National Accident Insurance Fund. List of Biological Limit Values (BAT-Werte) and List of MAK Values. |
| Gibraltar - LN. 2018/131 - Factories (Control of Chemical Agents at Work) Regulations 2003 LN. 2003/035, amended by LN. 2008/035, LN. 2008/050, LN. 2012/021, LN. 2015/143, LN. 2018/181. | |

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

Church&Dwight EU GHS SDS (2020/878)