

## Arm & Hammer<sup>™</sup> Care & ReWear Clothing Refresher Spray (Original Fresh, Delightful Denim) - (NA GHS 2015 - EN)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products

Regulation (February 11, 2015).

Revision Date: 06/12/2022 Date of Issue: 11/01/2019 Supersedes Date: 06/28/2021 Version: 1.2

#### **SECTION 1: IDENTIFICATION**

Product Identifier
Product Form: Mixture

Product Name: Arm & Hammer<sup>™</sup> Care & ReWear Clothing Refresher Spray (Original Fresh, Delightful Denim) - (NA GHS 2015 - EN)

Product Code: 42012561, 42012557 Intended Use of the Product

Fabric care

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

www.churchdwight.com

**Emergency Telephone Number** 

**Emergency Number**: For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International)

#### **SECTION 2: HAZARDS IDENTIFICATION**

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### **Classification of the Substance or Mixture**

**GHS-US/CA Classification** 

Press. Gas (Comp.) H280 Eye Irrit. 2 H319

Full text of hazard classes and H-statements: see section 16

<u>Label Elements</u> GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)





Signal Word (GHS-US/CA) : Warning

**Hazard Statements (GHS-US/CA)**: H280 - Contains gas under pressure; may explode if heated.

H319 - Causes serious eye irritation.

Precautionary Statements (GHS-US/CA): P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P280 - Wear protective gloves, protective clothing, and eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention. P410+P403 - Protect from sunlight. Store in a well-ventilated place.

**Other Hazards** 

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No data available

06/12/2022 EN (English US) 1/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Ethyl alcohol	(CAS-No.) 64-17-5	2.85 - 3	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
Siloxanes and silicones, dimethyl, 3-	(CAS-No.) 68937-54-2	0.5 - 1.5	Eye Irrit. 2B, H320
hydroxypropyl methyl, ethoxylated			
Alcohols, C9-11, ethoxylated	(CAS-No.) 68439-46-3	0.1 - 1	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
2-Phenoxyethanol	(CAS-No.) 122-99-6	0.09 - 0.1	Acute Tox. 4 (Oral), H302
			Eye Irrit. 2A, H319
tert-Butyl alcohol	(CAS-No.) 75-65-0	<= 0.03	Flam. Liq. 2, H225
			Acute Tox. 4 (Inhalation:vapor), H332
			Eye Irrit. 2A, H319
			STOT SE 3, H336
			STOT SE 3, H335

Full text of H-phrases: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### **Description of First-aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Rinse immediately with plenty of water for 5 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### **Most Important Symptoms and Effects Both Acute and Delayed**

General: Causes serious eye irritation.

**Inhalation:** Prolonged exposure may cause irritation. **Skin Contact:** Prolonged exposure may cause skin irritation.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

**Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

## **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Container may explode in heat of fire.

Reactivity: Hazardous reactions will not occur under normal conditions.

06/12/2022 EN (English US) 2/11

<sup>\*</sup>Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

<sup>\*\*</sup> The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### **Advice for Firefighters**

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Fight fire remotely due to the risk of explosion. **Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO2). Nitrogen oxides. Silicon oxides.

#### **Reference to Other Sections**

Refer to Section 9 for flammability properties.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe gas, mist, spray.

#### **For Non-Emergency Personnel**

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Evacuate unnecessary personnel, isolate, and ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public waters.

#### Methods and Materials for Containment and Cleaning Up

**For Containment:** Stop leak, if possible without risk. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Stop the source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Additional Hazards When Processed: Do not pressurize, cut, or weld containers. Ruptured cylinders may rocket.

**Precautions for Safe Handling:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe gas, mist, spray. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong oxidizers.

### Specific End Use(s)

Fabric care

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

2-Phenoxyethanol (122-99-6)		
Ontario	OEL TWA (mg/m³)	141 mg/m³
Ontario	OEL TWA (ppm)	25 ppm

06/12/2022 EN (English US) 3/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Ethyl alcohol (64-17-5)			
USA ACGIH	ACCILICATEL (name)	1000	
	ACGIH STEL (ppm)	1000 ppm	
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m <sup>3</sup>	
USA OSHA	OSHA PEL (TWA) (nig/m )	1000 ppm	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³	
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm	
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)	
Alberta	OEL TWA (mg/m³)	1880 mg/m³	
Alberta	OEL TWA (ppm)	1000 ppm	
British Columbia	OEL STEL (ppm)	1000 ppm	
Manitoba	OEL STEL (ppm)	1000 ppm	
New Brunswick	OEL TWA (mg/m³)	1880 mg/m³	
New Brunswick	OEL TWA (ppm)	1000 ppm	
Newfoundland & Labrador	OEL STEL (ppm)	1000 ppm	
Nova Scotia	OEL STEL (ppm)	1000 ppm	
Nunavut	OEL STEL (ppm)	1250 ppm	
Nunavut	OEL TWA (ppm)	1000 ppm	
Northwest Territories	OEL STEL (ppm)	1250 ppm	
Northwest Territories	OEL TWA (ppm)	1000 ppm	
Ontario	OEL STEL (ppm)	1000 ppm	
Prince Edward Island	OEL STEL (ppm)	1000 ppm	
Québec	VEMP (mg/m³)	1880 mg/m³	
Québec	VEMP (ppm)	1000 ppm	
Saskatchewan	OEL STEL (ppm)	1250 ppm	
Saskatchewan	OEL TWA (ppm)	1000 ppm	
Yukon	OEL STEL (mg/m³)	1900 mg/m³	
Yukon	OEL STEL (ppm)	1000 ppm	
Yukon	OEL TWA (mg/m³)	1900 mg/m³	
Yukon	OEL TWA (ppm)	1000 ppm	
tert-Butyl alcohol (75-65-0)			
USA ACGIH	ACGIH TWA (ppm)	100 ppm	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA OSHA	OSHA PEL (TWA) (mg/m³)	300 mg/m <sup>3</sup>	
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	300 mg/m <sup>3</sup>	
USA NIOSH	NIOSH REL (TWA) (ppm)	100 ppm	
USA NIOSH	NIOSH REL (STEL) (mg/m³)	450 mg/m <sup>3</sup>	
USA NIOSH	NIOSH REL (STEL) (ppm)	150 ppm	
USA IDLH	US IDLH (ppm)	1600 ppm	
Alberta	OEL TWA (mg/m³)	303 mg/m³	
Alberta	OEL TWA (ppm)	100 ppm	
British Columbia	OEL TWA (ppm)	100 ppm	
Manitoba New Brunswick	OEL TWA (ppm) OEL TWA (mg/m³)	100 ppm 303 mg/m <sup>3</sup>	
New Brunswick	OEL TWA (mg/m²) OEL TWA (ppm)	100 ppm	
Newfoundland & Labrador	OEL TWA (ppm)	100 ppm	
Nova Scotia	OEL TWA (ppm)	100 ppm	
Nunavut	OEL TWA (ppin)	125 ppm	
INUITAVUL	OLL STEL (PPIII)	Tra hhiii	

06/12/2022 EN (English US) 4/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Nunavut	OEL TWA (ppm)	100 ppm
Northwest Territories	OEL STEL (ppm)	125 ppm
Northwest Territories	OEL TWA (ppm)	100 ppm
Ontario	OEL TWA (ppm)	100 ppm
Prince Edward Island	OEL TWA (ppm)	100 ppm
Québec	VEMP (mg/m³)	303 mg/m³
Québec	VEMP (ppm)	100 ppm
Saskatchewan	OEL STEL (ppm)	125 ppm
Saskatchewan	OEL TWA (ppm)	100 ppm
Yukon	OEL STEL (mg/m³)	450 mg/m³
Yukon	OEL STEL (ppm)	150 ppm
Yukon	OEL TWA (mg/m³)	300 mg/m <sup>3</sup>
Yukon	OEL TWA (ppm)	100 ppm

#### **Exposure Controls**

**Appropriate Engineering Controls:** For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

**Hand Protection:** For occupational/workplace settings: Wear protective gloves. If material is cold, wear thermally resistant protective gloves.

**Eye Protection:** For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Thermal Hazard Protection: For occupational/workplace settings: Wear thermally resistant protective clothing.

Other Information: When using, do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on Basic Physical and Chemical Properties**

Physical State : Gas
Appearance : Clear
Odor : Not available

Odor Threshold : Not available

**pH** : 5-8

Evaporation Rate: Not availableMelting Point: Not availableFreezing Point: Not availableBoiling Point: Not available

Flash Point :  $> 110 \,^{\circ}\text{C}$  ( $> 230 \,^{\circ}\text{F}$ ) Closed Cup

Auto-ignition Temperature: Not availableDecomposition Temperature: Not availableFlammability (solid, gas): Not availableLower Flammable Limit: Not availableUpper Flammable Limit: Not availableVapor Pressure: Not available

06/12/2022 EN (English US) 5/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Relative Vapor Density at 20°C : Not available
Relative Density : Not available
Specific Gravity : 0.85 - 1.100
Solubility : Soluble in water
Partition Coefficient: N-Octanol/Water : Not available
Viscosity : 1 - 10 cP

**Explosive Properties** : Contains gas under pressure; may explode if heated

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Hazardous reactions will not occur under normal conditions.
 Chemical Stability: Contains gas under pressure; may explode if heated.
 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, incompatible materials.

Incompatible Materials: Strong oxidizers.

**Hazardous Decomposition Products:** None expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **Information on Toxicological Effects - Product**

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified
LD50 and LC50 Data: Not available

LD30 and LC30 Data: Not available

**Skin Corrosion/Irritation:** Not classified (**pH:** 5 - 8)

Eye Damage/Irritation: Causes serious eye irritation. (pH: 5 - 8)

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

### Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

Alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 Oral Rat	1400 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
2-Phenoxyethanol (122-99-6)		
LD50 Oral Rat	1850 mg/kg	
LD50 Dermal Rabbit	5 ml/kg	
ATE US/CA (dermal)	5,000.00 mg/kg body weight	
Ethyl alcohol (64-17-5)		
LD50 Oral Rat	10470 mg/kg	
LD50 Dermal Rat	20 ml/kg	
LC50 Inhalation Rat	124.7 mg/l/4h	
ATE US/CA (dermal)	20,000.00 mg/kg body weight	
tert-Butyl alcohol (75-65-0)		
LD50 Oral Rat	2200 mg/kg	
LD50 Dermal Rabbit	> 2 g/kg	

06/12/2022 EN (English US) 6/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LC50 Inhalation Rat	> 10000 ppm/4h	
ATE US/CA (vapors)	11.00 mg/l/4h	
Dipropylene glycol (25265-71-8)		
LD50 Oral Rat	14850 mg/kg	
LD50 Dermal Rabbit	> 20 ml/kg	
Ethyl alcohol (64-17-5) (in alcoholic beverages)		
IARC Group	1	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
tert-Butyl alcohol (75-65-0)		
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.	

## SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

Ecology - General: Not classified.

Alcohols, C9-11, ethoxylated (68439-46-3)		
6 - 12 mg/l (Exposure time : 96 h - Species: Pimephales promelas)		
2.217 - 3.523 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
344 mg/l		
> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
11200 mg/l		
9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
1000 mg/l		
9.6 mg/l		
tert-Butyl alcohol (75-65-0)		
6130 - 6700 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
933 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
4607 - 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		

## **Persistence and Degradability**

Arm & Hammer <sup>™</sup> Care & ReWear Clothing Refresher Spray (Original Fresh, Delightful Denim)	
Persistence and Degradability	Not established.

#### **Bioaccumulative Potential**

Arm & Hammer <sup>™</sup> Care & ReWear Clothing Refresher Spray (Original Fresh, Delightful Denim)		
Bioaccumulative Potential	Not established.	
2-Phenoxyethanol (122-99-6)		
Log POW	1.13 (at 25 °C)	
Ethyl alcohol (64-17-5)		
Log POW	-0.32	
tert-Butyl alcohol (75-65-0)		
BCF Fish 1	1.09	
Log POW	0.35	

Mobility in Soil Not available

#### **Other Adverse Effects**

**Other Information:** Avoid release to the environment.

06/12/2022 EN (English US) 7/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Hazardous waste due to pressurized container. Do not puncture or incinerate container.

**Ecology - Waste Materials:** Avoid release to the environment.

#### **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### In Accordance with DOT

**Proper Shipping Name** : AEROSOLS

**Hazard Class** : 2.2 : UN1950 **Identification Number Label Codes** : 2.2 **ERG Number** : 126



In Accordance with IMDG

**Proper Shipping Name** : AEROSOLS

**Hazard Class** : 2.2 **Identification Number** : UN1950 **Label Codes** : 2.2 EmS-No. (Fire) : F-D EmS-No. (Spillage) : S-U



In Accordance with IATA

**Proper Shipping Name** : AEROSOLS, NON-FLAMMABLE

**Identification Number** : 2.2 **Hazard Class** : UN1950 **Label Codes** : 2.2 **ERG Code (IATA)** : 2L



In Accordance with TDG

**Proper Shipping Name** : AEROSOLS **Hazard Class** : 2.2 **Identification Number** : UN1950 **Label Codes** : 2.2



## **SECTION 15: REGULATORY INFORMATION**

### **US Federal and International Regulations**

Arm & Hammer <sup>™</sup> Care & ReWear Clothing Refresher Spray (Original Fresh, Delightful Denim)	
SARA Section 311/312 Hazard Classes Physical hazard - Gas under pressure	
	Health hazard - Serious eye damage or eye irritation

### Siloxanes and silicones, dimethyl, 3-hydroxypropyl methyl, ethoxylated (68937-54-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the TCSI (Talwan Chemical Substance Inventory)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the
	Chemical Data Reporting Rule, (40 CFR 711).

06/12/2022 8/11 EN (English US)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### Alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

**EPA TSCA Regulatory Flag** 

XU - XU - indicates a substance exempt from reporting under the

Chemical Data Reporting Rule, (40 CFR 711).

### 2-Phenoxyethanol (122-99-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Ethyl alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

### tert-Butyl alcohol (75-65-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

06/12/2022 EN (English US) 9/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Subject to reporting requirements of United States SARA Section 313

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

SARA Section 313 - Emission Reporting

1 %

#### **US State Regulations**

#### Ethyl alcohol (64-17-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### tert-Butyl alcohol (75-65-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

#### Dipropylene glycol (25265-71-8)

U.S. - Pennsylvania - RTK (Right to Know) List

#### **Canadian Regulations**

#### Siloxanes and silicones, dimethyl, 3-hydroxypropyl methyl, ethoxylated (68937-54-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

#### 2-Phenoxyethanol (122-99-6)

Listed on the Canadian DSL (Domestic Substances List)

#### Ethyl alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

#### tert-Butyl alcohol (75-65-0)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

## Date of Preparation or Latest Revision Other Information

- : 06/12/2022
- : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Inhalation:vapor)	Acute toxicity (inhalation:vapor) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 2	Flammable liquids Category 2

06/12/2022 EN (English US) 10/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Press. Gas (Comp.)	Gases under pressure Compressed gas
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H401	Toxic to aquatic life

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

Church&Dwight NA GHS SDS 2015

06/12/2022 EN (English US) 11/11