ARM & HAMMER™ 5 in 1 Power Paks Clean Burst (NA GHS 2024)

Safety Data Sheet

According to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations and according to the Hazardous Products Regulation (December 15, 2022).

Revision Date: 6/20/2025 Date of Issue: 6/15/2020 Supersedes Date: 7/18/2023 Version: 2.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: ARM & HAMMER™ 5 in 1 Power Paks Clean Burst (NA GHS 2024)

Product Code: 42013356, 42013871

Intended Use of the Product

Use Of The Substance/Mixture : Laundry detergent

Restrictions On Use : No additional information available

Name, Address, and Telephone of the Responsible Party

Company
Church & Dwight Co. Inc.
500 Charles Ewing Blvd
Ewing Township, NJ 08628
T 1-800-524-1328
www.churchdwight.com

Company
Church and Dwight Canada Corp.
5485 Ferrier
Montreal, Qc, H4P 1M6
www.churchdwight.ca
www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)
For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2A	H319
Hazardous to the aquatic environment, Acute Hazard, Category 1	H400
Hazardous to the aquatic environment, Chronic Hazard, Category 1	H410

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA) :

GHS07 GHS09

Signal Word (GHS-US/CA) : Warning

Hazard Statements (GHS-US/CA) : H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US/CA) : P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective gloves, and protective clothing.
P301+P312 - IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see Section 4 of this Safety Data Sheet).
P330 - Rinse mouth.
P332+P313 - If skin irritation occurs: Get medical advice or attention.
P337+P313 - If eye irritation persists: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

Hazards associated with known or reasonably anticipated uses

If this product is used in unforeseeable chemical processes and not used as intended or reasonable, the hazards listed in Section 2.3 cannot cover all chemistries. Therefore, a Process Hazard Analysis (PHA) or other hazard assessment for additional specific end uses should be performed to ensure that hazards are fully understood, and adequate safety measures are in place. See Section 10 for relevant reactivity and stability information

Other hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Benzenesulfonic acid, dodecyl-, compound with 2-aminoethanol (1:1)	(CAS-No.) 26836-07-7	< 31	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Dipropylene glycol	(CAS-No.) 25265-71-8	< 24	Not classified.
Alcohols, C10-16, ethoxylated	(CAS-No.) 68002-97-1	≤ 22	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Alcohols, C12-15, ethoxylated	(CAS-No.) 68131-39-5	≤ 22	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Alcohols, C12-16, ethoxylated	(CAS-No.) 68551-12-2	≤ 22	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Alcohols, C12-13, ethoxylated	(CAS-No.) 66455-14-9	5 – 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Fatty acids, C12-18 and C18-unsaturated	(CAS-No.) 90990-15-1	0.5 – 1.5	Eye Dam. 1, H318 Comb. Dust
Benzene, C10-16-alkyl derivatives	(CAS-No.) 68648-87-3	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,2-Propanediol	(CAS-No.) 57-55-6	< 0.2	Not classified.
Benzyl acetate	(CAS-No.) 140-11-4	< 0.1	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	(CAS-No.) 128-37-0	< 0.01	Aquatic Acute 1, H400

			Aquatic Chronic 1, H410 Comb. Dust
Ethylene oxide	(CAS-No.) 75-21-8	< 0.01	Flam. Gas 1A, H220 Press. Gas (Comp.), H280 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation:gas), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Muta. 1B, H340 Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372 Aquatic Acute 3, H402

Full text of H-statements: see section 16. This mixture has variable composition.

* Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2022-272 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes skin irritation. Causes serious eye irritation. Harmful if swallowed.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts.

Chronic Symptoms: Repeated or prolonged skin contact may cause dermatitis and defatting. Repeated exposure may cause skin dryness or cracking.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO_2), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO_2). Sulfur oxides. Sulfur dioxide. Aldehydes. Alcohols. Ethers. Organic acids.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Avoid breathing (vapor, mist, spray).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Do not get in eyes, on skin, or on clothing. Avoid breathing vapors, mist, spray. Handle empty containers with care because they may still present a hazard. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Copper and its alloys. Aluminum. Reducing agents. Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Laundry detergent

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Ethylene oxide (75-21-8)		
USA ACGIH	ACGIH® TLV® TWA	1 ppm
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen
USA ACGIH	BEI	Parameter: N-(2-Hydroxyethyl)valine (HEV) hemoglobin adducts - Medium: blood - Sampling time: not critical (applies to workers having representative Ethylene oxide exposure during the previous 120 days) Parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) - Medium: urine - Sampling time: end of shift (nonspecific, population based)
USA OSHA	OSHA PEL TWA	1 ppm
USA OSHA	OSHA PEL STEL	5 ppm (see 29 CFR 1910.1047)
USA OSHA	OSHA Action Level/Excursion Limit	0.5 ppm (Action Level, see 29 CFR 1910.1047)

		5 ppm (Excursion Limit, see 29 CFR 1910.1047)
USA NIOSH	NIOSH REL TWA	0.18 mg/m³ (less than stated value)
USA NIOSH	NIOSH REL TWA	0.1 ppm (less than stated value)
USA NIOSH	NIOSH REL C	9 mg/m³
USA NIOSH	NIOSH REL C	5 ppm
USA IDLH	IDLH	800 ppm
Alberta	OEL TWA	1.8 mg/m³
Alberta	OEL TWA	1 ppm
British Columbia	OEL STEL	1 ppm
British Columbia	OEL TWA	0.1 ppm
Manitoba	OEL TWA	1 ppm
New Brunswick	OEL TWA	1 ppm
Newfoundland & Labrador	OEL TWA	1 ppm
Nova Scotia	OEL TWA	1 ppm
Nunavut	OEL STEL	2 ppm
Nunavut	OEL TWA	1 ppm
Northwest Territories	OEL STEL	2 ppm
Northwest Territories	OEL TWA	1 ppm
Ontario	OEL TWAEV	18 mg/m³ (designated substances regulation)
Ontario	OEL TWAEV	10 ppm (designated substances regulation)
Ontario	OEL TWAEV	1.8 mg/m³ (designated substances regulation)
Ontario	OEL TWAEV	1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply)
Prince Edward Island	OEL TWA	1 ppm
Québec	VEMP (OEL TWAEV)	1.8 mg/m³
Québec	VEMP (OEL TWAEV)	1 ppm
Saskatchewan	OEL STEL	2 ppm
Saskatchewan	OEL TWA	1 ppm
Yukon	OEL STEL	135 mg/m³
Yukon	OEL STEL	75 ppm
Yukon	OEL TWA	90 mg/m³
Yukon	OEL TWA	50 ppm
1,2-Propanediol (57-55-6)		
USA AIHA	WEEL TWA	10 mg/m³
Ontario	OEL TWAEV	10 mg/m³ (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present-aerosol only) 155 mg/m³ (aerosol and vapor)
Ontario	OEL TWAEV	50 ppm (aerosol and vapor)
Benzyl acetate (140-11-4)		
USA ACGIH	ACGIH® TLV® TWA	10 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
Alberta	OEL TWA	61 mg/m³
Alberta	OEL TWA	10 ppm
British Columbia	OEL TWA	10 ppm
Manitoba	OEL TWA	10 ppm
New Brunswick	OEL TWA	10 ppm
Newfoundland & Labrador	OEL TWA	10 ppm
Nova Scotia	OEL TWA	10 ppm
Nunavut	OEL STEL	20 ppm
Nunavut	OEL TWA	10 ppm

Northwest Territories	OEL STEL	20 ppm
Northwest Territories	OEL TWA	10 ppm
Ontario	OEL TWAEV	10 ppm
Prince Edward Island	OEL TWA	10 ppm
Québec	VEMP (OEL TWAEV)	10 ppm
Saskatchewan	OEL STEL	20 ppm
Saskatchewan	OEL TWA	10 ppm

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)		
USA ACGIH	ACGIH® TLV® TWA	2 mg/m³ (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL TWA	10 mg/m³
Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	2 mg/m³ (inhalable; inhalable aerosol and vapour)
Manitoba	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
New Brunswick	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Newfoundland & Labrador	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Nova Scotia	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Nunavut	OEL STEL	4 mg/m³ (inhalable fraction and vapour)
Nunavut	OEL TWA	2 mg/m³ (inhalable fraction and vapour)
Northwest Territories	OEL STEL	4 mg/m³ (inhalable fraction and vapour)
Northwest Territories	OEL TWA	2 mg/m³ (inhalable fraction and vapour)
Ontario	OEL TWAEV	2 mg/m³ (inhalable fraction and vapor)
Prince Edward Island	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Québec	VEMP (OEL TWAEV)	2 mg/m³ (inhalable fraction and vapour)
Saskatchewan	OEL STEL	4 mg/m³ (inhalable fraction and vapour)
Saskatchewan	OEL TWA	2 mg/m³ (inhalable fraction and vapour)
Yukon	OEL STEL	20 mg/m³
Yukon	OEL TWA	10 mg/m³

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.

Materials for Protective Clothing: For occupational/workplace settings: Corrosion-proof clothing. Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves.

Eye Protection: For occupational/workplace settings: Chemical safety goggles or safety glasses with side shields.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: For occupational/workplace settings: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid

Color	:	Multi chamber compartments; one green liquid compartment, one bluepurple liquid compartment, one clear liquid compartment
Odor	:	Characteristic to laundry detergent
Odor Threshold	:	No data available
pH	:	7 – 9
Evaporation Rate	:	No data available
Melting Point	:	No data available
Freezing Point	:	No data available
Boiling Point	:	No data available
Flash Point	:	No data available
Auto-ignition Temperature	:	No data available
Decomposition Temperature	:	No data available
Flammability (solid, gas)	:	Not applicable
Lower Flammable Limit	:	No data available
Upper Flammable Limit	:	No data available
Vapor Pressure	:	No data available
Relative Vapor Density at 20°C	:	No data available
Relative Density	:	No data available
Specific Gravity	:	0.9 - 1.1 (water =1)
Solubility	:	Soluble in water.
Partition Coefficient: N-Octanol/Water	:	No data available
Viscosity, Kinematic	:	No data available
Particle characteristics	:	No data available
Viscosity, Dynamic	:	80 – 300 cP

SECTION 10:

Reactivity:
Hazardous reactions will not occur under normal conditions.
Chemical Stability:
Stable under recommended handling and storage conditions (see section 7).
Hazards associated with known or reasonably anticipated uses
Hazardous polymerization will not occur.
Conditions to Avoid:
Direct sunlight, extremely high or low temperatures, and incompatible materials.
Incompatible Materials:
Copper and its alloys. Aluminum. Reducing agents. Strong acids, strong bases, strong oxidizers.
Hazardous Decomposition Products:
Thermal decomposition may produce: Carbon oxides (CO, CO_2). Sulfur oxides. Sulfur dioxide. Aldehydes. Alcohols. Ethers. Organic acids.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Likely routes of exposure: Dermal, Eye Contact, Inhalation, Oral.
Acute Toxicity (Oral): Harmful if swallowed.
Acute Toxicity (Dermal): Not classified.
Acute Toxicity (Inhalation): Not classified.
LD50 and LC50 Data:

ARM & HAMMER™ 5 in 1 Power Paks Clean Burst (NA GHS 2024)	
ATE US/CA (oral)	702.20 mg/kg body weight

Skin Corrosion/Irritation: Causes skin irritation. (Conclusion based on OECD 435 In vitro Membrane Barrier Test method for Skin Corrosion)
Eye Damage/Irritation: Causes serious eye irritation. (Conclusion based on Bovine Corneal Opacity and Permeability Assay with Multiple Testing)
Respiratory or Skin Sensitization: Not classified.
Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.
Specific Target Organ Toxicity (Repeated Exposure): Not classified.
Reproductive Toxicity: Not classified.
Specific Target Organ Toxicity (Single Exposure): Not classified.
Aspiration Hazard: Not classified.
Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.
Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts.
Chronic Symptoms: Repeated or prolonged skin contact may cause dermatitis and defatting. Repeated exposure may cause skin dryness or cracking.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Alcohols, C12-15, ethoxylated (68131-39-5)	
LD50 Oral Rat	1600 – 2700 mg/kg
LD50 Dermal Rat	5000 mg/kg

Ethylene oxide (75-21-8)	
LD50 Oral Rat	72 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation Rat	800 ppm/4h

Alcohols, C12-13, ethoxylated (66455-14-9)	
LD50 Oral Rat	> 10 g/kg (Source: NLM_CIP)
LD50 Dermal Rabbit	3300 mg/kg (Source: ECHA_API)

Dipropylene glycol (25265-71-8)	
LD50 Oral Rat	14850 mg/kg (Source: NLM_CIP)
LD50 Dermal Rabbit	> 5010 mg/kg (Source: ECHA)
LC50 Inhalation Rat	> 2.34 mg/l/4h (No mortalities)

Benzene, C10-16-alkyl derivatives (68648-87-3)	
LD50 Oral Rat	> 5000 mg/kg (Source: IUCLID)
LD50 Dermal Rabbit	> 10200 mg/kg (Source: IUCLID)

1,2-Propanediol (57-55-6)	
LD50 Oral Rat	20 g/kg (Source: NLM_CIP)
LD50 Dermal Rabbit	20800 mg/kg (Source: NLM_CIP)

Benzyl acetate (140-11-4)	
LD50 Oral Rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 Dermal Rabbit	> 5000 mg/kg (Source: JAPAN_GHS)

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
LD50 Oral Rat	> 2930 mg/kg (Species: Sprague-Dawley)
LD50 Dermal Rat	> 2000 mg/kg (Source: JAPAN_GHS)

Alcohols, C10-16, ethoxylated (68002-97-1)	
ATE US/CA (oral)	500.00 mg/kg body weight

Benzenesulfonic acid, dodecyl-, compound with 2-aminoethanol (1:1) (26836-07-7)	
ATE US/CA (oral)	500.00 mg/kg body weight

Ethylene oxide (75-21-8)	
IARC Group	1
National Toxicology Program (NTP) Status	Known Human Carcinogens.
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.
OSHA Specifically Regulated Carcinogen List	In OSHA Specifically Regulated Carcinogen list.

Benzyl acetate (140-11-4)	
IARC Group	3

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
IARC Group	3

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Very toxic to aquatic life with long lasting effects.

Alcohols, C12-15, ethoxylated (68131-39-5)	
LC50 Fish 1	> 1 (≤ 10) mg/l
ErC50 algae	0.7 mg/l
NOEC Chronic Fish	> 0.1 (≤ 1) mg/l

Ethylene oxide (75-21-8)	
LC50 Fish 1	73 – 96 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: EPA)
EC50 - Crustacea [1]	137 – 300 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Alcohols, C12-13, ethoxylated (66455-14-9)	
LC50 Fish 1	< 1 mg/l
NOEC Chronic Fish	1.14 mg/l
NOEC Chronic Crustacea	0.8 mg/l

Dipropylene glycol (25265-71-8)	
EC50 - Crustacea [1]	> 100 mg/l (Exposure Time: 48 h - Species: Daphnia magna)
ErC50 algae	> 100 mg/l (Exposure Time: 72 h - Species: Desmodesmus subspicatus)
NOEC Chronic Algae	> 100 mg/l (Exposure Time: 72 h - Species: Desmodesmus subspicatus)

Benzene, C10-16-alkyl derivatives (68648-87-3)	
LC50 Fish 1	> 1000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	0.009 mg/l (Exposure time: 48 h - Species: Daphnia magna)

1,2-Propanediol (57-55-6)	
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
EC50 - Crustacea [1]	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
LC50 Fish 2	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 - Crustacea [2]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
ErC50 algae	1000 mg/l
NOEC Chronic Crustacea	1000 mg/l
NOEC Chronic Algae	1000 mg/l

Benzyl acetate (140-11-4)	
LC50 Fish 1	4 mg/l
NOEC Chronic Fish	0.92 mg/l

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
EC50 - Crustacea [1]	0.48 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 2	0.43 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
NOEC Chronic Fish	0.053 mg/l
NOEC Chronic Crustacea	0.069 mg/l (Species: Daphnia magna)

Alcohols, C12-16, ethoxylated (68551-12-2)	
LC50 Fish 1	> 1 (1 – 10) mg/l
NOEC Chronic Fish	> 0.1 mg/l

Alcohols, C10-16, ethoxylated (68002-97-1)	
LC50 Fish 1	> 1 mg/l
EC50 - Crustacea [1]	0.238 mg/l
ErC50 algae	0.254 mg/l
NOEC Chronic Fish	> 0.1 mg/l
NOEC Chronic Algae	0.077 mg/l

Persistence and Degradability

ARM & HAMMER™ 5 in 1 Power Paks Clean Burst (NA GHS 2024)

Persistence and Degradability	May cause long-term adverse effects in the environment.

Bioaccumulative Potential

ARM & HAMMER™ 5 in 1 Power Paks Clean Burst (NA GHS 2024)	
Bioaccumulative Potential	Not established.

Ethylene oxide (75-21-8)	
Log POW	-0.3 (at 25 °C (at pH 7)

Dipropylene glycol (25265-71-8)	
BCF Fish 1	0.3 (0.3 – 1.4)
Log POW	-0.462 (at 21.7 °C / 71.1 °F (at pH 6))

Benzene, C10-16-alkyl derivatives (68648-87-3)	
BCF Fish 1	(35)
Partition coefficient n-octanol/water (Log Kow)	8.43

1,2-Propanediol (57-55-6)	
BCF Fish 1	(1)
Log POW	-0.92

Benzyl acetate (140-11-4)	
Log POW	1.96 (at 25 °C / 77 °F (at pH 7))

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
BCF Fish 1	230 – 2500
Log POW	5.1

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: Do not dispose of waste into sewer. Do not empty into drains.

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS : ALCOHOLS, C10-16, ETHOXYLATED ; ALCOHOLS, C12-13, ETHOXYLATED)

Hazard Class : 9

Identification Number : UN3082

Label Codes : 9

Packing Group : III

Marine Pollutant : Marine pollutant

ERG Number : 171

In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS : ALCOHOLS, C10-16, ETHOXYLATED ; ALCOHOLS, C12-13, ETHOXYLATED)

Hazard Class : 9

Identification Number : UN3082

Label Codes : 9

Packing Group : III

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Marine pollutant : Marine pollutant

In Accordance with IATA

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS : ALCOHOLS, C10-16, ETHOXYLATED ; ALCOHOLS, C12-13, ETHOXYLATED)

Hazard Class : 9

Identification Number : UN3082

Label Codes : 9



Packing Group : III

ERG Code (IATA) : 9L

In Accordance with TDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS : ALCOHOLS, C10-16, ETHOXYLATED ; ALCOHOLS, C12-13, ETHOXYLATED)

Hazard Class : 9

Identification Number : UN3082

Label Codes : 9

Packing Group : III

Marine Pollutant (TDG) : Marine pollutant

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

ARM & HAMMER™ 5 in 1 Power Paks Clean Burst (NA GHS 2024)	
SARA Section 311/312 Hazard Classes	Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation Health hazard - Acute toxicity (any route of exposure)

Alcohols, C12-15, ethoxylated (68131-39-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EU NLP (No Longer Polymers) inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Ethylene oxide (75-21-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List) Listed on IARC (International Agency for Research on Cancer) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Listed as carcinogen on NTP (National Toxicology Program) Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Poisonous and Deleterious Substances Control Law Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
CERCLA RQ	10 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb
SARA Section 313 - Emission Reporting	0.1 %

Alcohols, C12-13, ethoxylated (66455-14-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EU NLP (No Longer Polymers) inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Dipropylene glycol (25265-71-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Benzene, C10-16-alkyl derivatives (68648-87-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

1,2-Propanediol (57-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Benzyl acetate (140-11-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Alcohols, C12-16, ethoxylated (68551-12-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EU NLP (No Longer Polymers) inventory
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Alcohols, C10-16, ethoxylated (68002-97-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EU NLP (No Longer Polymers) inventory
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Fatty acids, C12-18 and C18-unsaturated (90990-15-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Benzenesulfonic acid, dodecyl-, compound with 2-aminoethanol (1:1) (26836-07-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

US State Regulations

California Proposition 65

⚠ **WARNING:** This product can expose you to chemicals including Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Ethylene oxide (75-21-8)	X	X	X	X

Ethylene oxide (75-21-8)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Dipropylene glycol (25265-71-8)

U.S. - Pennsylvania - RTK (Right to Know) List

1,2-Propanediol (57-55-6)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Benzyl acetate (140-11-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

Canadian Regulations

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the Canadian DSL (Domestic Substances List)

Ethylene oxide (75-21-8)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-13, ethoxylated (66455-14-9)

Listed on the Canadian DSL (Domestic Substances List)

Dipropylene glycol (25265-71-8)

Listed on the Canadian DSL (Domestic Substances List)

Benzene, C10-16-alkyl derivatives (68648-87-3)

Listed on the Canadian DSL (Domestic Substances List)

1,2-Propanediol (57-55-6)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl acetate (140-11-4)
Listed on the Canadian DSL (Domestic Substances List)

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)
Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-16, ethoxylated (68551-12-2)
Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C10-16, ethoxylated (68002-97-1)
Listed on the Canadian DSL (Domestic Substances List)

Benzenesulfonic acid, dodecyl-, compound with 2-aminoethanol (1:1) (26836-07-7)
Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 06/20/2025

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2022-272.
This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:	
H220	Extremely flammable gas
H227	Combustible liquid
H280	Contains gas under pressure; may explode if heated
H301	Toxic if swallowed
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Glossary of Data Source Abbreviations

ATSDR: Agency for Toxic Substances and Disease Registry (U.S. Department of Health and Human Services)
AU_WES: Australia WES
CHEMVIEW: ChemView (U.S. Environmental Protection Agency)
EC_RAR: European Commission Renewal Assessment Report
EC_SCOEL: European Commission Scientific Committee on Occupational Exposure Limits
ECETOC: European Centre for Ecotoxicology and Toxicology of Chemicals
FOOD_JOURN: Food Research Journal (1956)
IARC: The International Agency for Research on Cancer
IDLH: National Institute for Occupational Health and Safety Immediately Dangerous to Life or Health Value Profiles
IUCLID: International Uniform Chemical Information Database
JAPAN_GHS: Japan GHS Basis for Classification Data
JP_J-CHECK: Japan J-Check
KR_NIER: South Korea National Institute of Environmental Research Evaluations

Reports
ECHA_API: European Chemicals Agency API
ECHA_RAC: ECHA Committee for Risk Assessment
EFSA: European Food Safety Authority
EPA: U.S. Environmental Protection Agency
EPA_AEGL: Acute Exposure Guideline Levels (U.S. Environmental Protection Agency)
EPA_FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act Reregistration Eligibility Decision (U.S. Environmental Protection Agency)
EPA_HPV: High Production Volume Chemicals (U.S. Environmental Protection Agency)
EPA_TRED: Risk Assessment for Tolerance Reassessment Eligibility Decision (U.S. Environmental Protection Agency)
EU_CLH: European Union Harmonised Classification and Labelling Proposal
EU_RAR: European Union Risk Assessment Report
NICNAS: Australia National Industrial Chemicals Notification and Assessment Scheme
NIOSH: National Institute for Occupational Health and Safety (U.S. Department of Health and Human Services)
NLM_CIP: National Library of Medicine ChemID plus database
NLM_HSDB: National Library of Medicine Hazardous Substance Data Bank
NLM_PUBMED: National Library of Medicine PubMed database
NTP: National Toxicology Program
NZ_CCID: New Zealand Chemical Classification and Information Database
OECD_EHSP: Environment, Health, and Safety Publication (Organisation for Economic Co-operation and Development)
OECD_SIDS: Screening Information Data Sets (Organisation for Economic Co-operation and Development)
WHO: World Health Organization

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS (Can, US)