# Toppik™ FiberHold Spray (NA GHS 2024)

Safety Data Sheet

According to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations and according to the Hazardous Products Regulation (December 15, 2022).

Date of Issue: 7/9/2025 Version: 1.0

## SECTION 1: IDENTIFICATION

### Product Identifier

**Product Form:** Mixture

**Product Name:** Toppik™ FiberHold Spray (NA GHS 2024)

**Product Code:** 42012049, F6757:02

### Intended Use of the Product

**Use Of The Substance/Mixture** : Hair Topical

**Restrictions On Use** : No additional information available

### Name, Address, and Telephone of the Responsible Party

**Company**
Church & Dwight Co. Inc.
500 Charles Ewing Blvd
Ewing Township, NJ 08628
T 1-800-524-1328
www.churchdwight.com

**Company**
Church and Dwight Canada Corp.
5485 Ferrier
Montreal, Qc, H4P 1M6
www.churchdwight.ca
www.econsumeraffairs.com/churchdwight/contactus

### Emergency Telephone Number

**Emergency Number** : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)
For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

## SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

### Classification of the Substance or Mixture

**GHS-US/CA Classification**

| | |
|---|---|
| Flammable liquids, Category 3 | H226 |
| Serious eye damage/eye irritation, Category 2 | H319 |

### Label Elements

**GHS-US/CA Labeling**

**Hazard Pictograms (GHS-US/CA)** :

GHS02 GHS07

**Signal Word (GHS-US/CA)** : Warning

**Hazard Statements (GHS-US/CA)** : H226 - Flammable liquid and vapor.
H319 - Causes serious eye irritation.

**Precautionary Statements (GHS-US/CA)** : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof equipment.
P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear eye protection, protective clothing and protective gloves.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice or attention.
P370+P378 - In case of fire: Use appropriate media to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of local, regional, national, territorial, provincial, and international regulations. to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### Hazards associated with known or reasonably anticipated uses

If this product is used in unforeseeable chemical processes and not used as intended or reasonable, the hazards listed in Section 2.3 cannot cover all chemistries. Therefore, a Process Hazard Analysis (PHA) or other hazard assessment for additional specific end uses should be performed to ensure that hazards are fully understood, and adequate safety measures are in place. See Section 10 for relevant reactivity and stability information.

### Other hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### Unknown Acute Toxicity (GHS-US/CA)

No additional information available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|---|---|---|---|
| Ethyl alcohol | (CAS-No.) 64-17-5 | 10 – 30 | Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319 |
| 1,2,3-Propanetriol | (CAS-No.) 56-81-5 | < 0.1 | Not classified. |
| .alpha.-Pinene | (CAS-No.) 80-56-8 | < 0.1 | Flam. Liq. 3, H226<br>Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| Citral | (CAS-No.) 5392-40-5 | < 0.1 | Flam. Liq. 4, H227<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1B, H317<br>Aquatic Acute 2, H401 |
| Sodium benzoate | (CAS-No.) 532-32-1 | < 0.1 | Eye Irrit. 2A, H319<br>Combustible. Dust |
| 2-Phenoxyethanol | (CAS-No.) 122-99-6 | < 0.1 | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318<br>STOT SE 3, H335 |

Full text of H-statements: see section 16.

* The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2022-272 and 29 CFR 1910.1200. Percentages are listed in weight by weight percentage (w/w%).

## SECTION 4: FIRST AID MEASURES

### Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Product is intended for topical use. Chemical irritation is unlikely. In the event that irritation occurs, wash affected areas with mild soap and water, then obtain medical advice/attention.

**Eye Contact:** Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes serious eye irritation.
**Inhalation:** Prolonged exposure may cause irritation.
**Skin Contact:** None expected under normal conditions of use.
**Eye Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.
**Ingestion:** Ingestion may cause gastrointestinal disturbances, including irritation, nausea, vomiting, and diarrhea, and central nervous system (brain) effects similar to alcohol intoxication. In severe cases, tremors, convulsions, loss of consciousness, coma, respiratory arrest, and death may occur.
**Chronic Symptoms:** Repeated or prolonged skin contact may cause dermatitis and defatting. Repeated exposure may cause skin dryness or cracking.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

**Suitable Extinguishing Media:** Dry chemical powder, alcohol-resistant foam, carbon dioxide ($CO_2$). Water may be ineffective but water should be used to keep fire-exposed container cool.
**Unsuitable Extinguishing Media:** Water may be ineffective because it may not cool the material below its flash point. Do not use a heavy water stream. A heavy water stream may spread burning liquid.

Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Flammable liquid and vapor. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
**Explosion Hazard:** May form flammable or explosive vapor-air mixture. Heating will cause rise in pressure with risk of bursting.
**Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion.

Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.
**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.
**Hazardous Combustion Products**: Nitrogen oxides. Carbon oxides (CO, $CO_2$).
**Other Information:** Alcohols burn with a pale blue flame that is difficult to see under normal lighting conditions.

**Reference to Other Sections**

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Remove ignition sources. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Do not get in eyes, on skin, or on clothing. Avoid breathing (vapor, mist, spray). Use special care to avoid static electric charges.

For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).
**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.
**Measure in Case of Dust Release:** Not applicable.

For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.
**Emergency Procedures:** Eliminate ignition sources first, then ventilate the area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters.

### Methods and Materials for Containment and Cleaning Up

**For Containment:** Remove ignition sources. As an immediate precautionary measure, isolate spill or leak area in all directions. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Contact competent authorities after a spill.

### Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

**Additional Hazards When Processed:** Handle empty containers with care because residual vapors are flammable.

**Precautions for Safe Handling:** Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

**Storage Conditions:** Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place. Material is hygroscopic.

**Incompatible Materials:** Strong oxidizers. Alkali metals.

### Specific End Use(s)

Hair Topical

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| **Ethyl alcohol (64-17-5)** | | |
|---|---|---|
| **USA ACGIH** | ACGIH® TLV® STEL | 1000 ppm |
| **USA ACGIH** | ACGIH chemical category | Confirmed Animal Carcinogen with Unknown Relevance to Humans |
| **USA OSHA** | OSHA PEL TWA | 1900 mg/m³ |
| **USA OSHA** | OSHA PEL TWA | 1000 ppm |
| **USA NIOSH** | NIOSH REL TWA | 1900 mg/m³ |
| **USA NIOSH** | NIOSH REL TWA | 1000 ppm |
| **USA IDLH** | IDLH | 3300 ppm (10% LEL) |
| **Alberta** | OEL TWA | 1880 mg/m³ |
| **Alberta** | OEL TWA | 1000 ppm |
| **British Columbia** | OEL STEL | 1000 ppm |
| **Manitoba** | OEL STEL | 1000 ppm |
| **New Brunswick** | OEL STEL | 1000 ppm |
| **Newfoundland & Labrador** | OEL STEL | 1000 ppm |
| **Nova Scotia** | OEL STEL | 1000 ppm |
| **Nunavut** | OEL STEL | 1250 ppm |
| **Nunavut** | OEL TWA | 1000 ppm |
| **Northwest Territories** | OEL STEL | 1250 ppm |
| **Northwest Territories** | OEL TWA | 1000 ppm |
| **Ontario** | OEL TWAEV | 1000 ppm |
| **Prince Edward Island** | OEL STEL | 1000 ppm |
| **Québec** | VECD (OEL STEV) | 1000 ppm |

| | | |
|---|---|---|
| **Saskatchewan** | OEL STEL | 1250 ppm |
| **Saskatchewan** | OEL TWA | 1000 ppm |
| **Yukon** | OEL STEL | 1900 mg/m³ |
| **Yukon** | OEL STEL | 1000 ppm |
| **Yukon** | OEL TWA | 1900 mg/m³ |
| **Yukon** | OEL TWA | 1000 ppm |
| **1,2,3-Propanetriol (56-81-5)** | | |
| **USA OSHA** | OSHA PEL TWA | 15 mg/m³ (mist, total particulate)<br>5 mg/m³ (mist, respirable fraction) |
| **Alberta** | OEL TWA | 10 mg/m³ (mist) |
| **British Columbia** | OEL TWA | 10 mg/m³ (mist, total)<br>3 mg/m³ (mist-respirable) |
| **Nunavut** | OEL STEL | 20 mg/m³ (mist) |
| **Nunavut** | OEL TWA | 10 mg/m³ (mist) |
| **Northwest Territories** | OEL STEL | 20 mg/m³ (mist) |
| **Northwest Territories** | OEL TWA | 10 mg/m³ (mist) |
| **Québec** | VEMP (OEL TWAEV) | 10 mg/m³ (mist) |
| **Saskatchewan** | OEL STEL | 20 mg/m³ (mist) |
| **Saskatchewan** | OEL TWA | 10 mg/m³ (mist) |
| **Yukon** | OEL TWA | 30 mppcf (mist)<br>10 mg/m³ (mist) |
| **Sodium benzoate (532-32-1)** | | |
| **USA ACGIH** | ACGIH® TLV® TWA | 2.5 mg/m³ (inhalable particulate matter) |
| **USA ACGIH** | ACGIH chemical category | Not Suspected as a Human Carcinogen,Skin - potential significant contribution to overall exposure by the cutaneous route |
| **Manitoba** | OEL TWA | 2.5 mg/m³ (inhalable particulate matter) |
| **Newfoundland & Labrador** | OEL TWA | 2.5 mg/m³ (inhalable particulate matter) |
| **Nova Scotia** | OEL TWA | 2.5 mg/m³ (inhalable particulate matter) |
| **Prince Edward Island** | OEL TWA | 2.5 mg/m³ (inhalable particulate matter) |
| **2-Phenoxyethanol (122-99-6)** | | |
| **Ontario** | OEL TWAEV | 141 mg/m³ |
| **Ontario** | OEL TWAEV | 25 ppm |
| **.alpha.-Pinene (80-56-8)** | | |
| **USA ACGIH** | ACGIH® TLV® TWA | 20 ppm (Turpentine and selected Monoterpenes) |
| **USA ACGIH** | ACGIH chemical category | Not Classifiable as a Human Carcinogen,dermal sensitizer |
| **Alberta** | OEL TWA | 111 mg/m³ (Turpentine and selected monoterpenes) |
| **Alberta** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **British Columbia** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Manitoba** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **New Brunswick** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Newfoundland & Labrador** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Nova Scotia** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Nunavut** | OEL STEL | 30 ppm (Turpentine and selected monoterpenes) |
| **Nunavut** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Northwest Territories** | OEL STEL | 30 ppm (Turpentine and selected monoterpenes) |
| **Northwest Territories** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Ontario** | OEL TWAEV | 20 ppm (Turpentine and selected monomers) |
| **Prince Edward Island** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Québec** | VEMP (OEL TWAEV) | 112 mg/m³ (Turpentine and certain monoterpenes) |
| **Québec** | VEMP (OEL TWAEV) | 20 ppm (Turpentine and certain monoterpenes) |

| | | |
|---|---|---|
| **Saskatchewan** | OEL STEL | 30 ppm (Turpentine and selected monoterpenes) |
| **Saskatchewan** | OEL TWA | 20 ppm (Turpentine and selected monoterpenes) |
| **Citral (5392-40-5)** | | |
| **USA ACGIH** | ACGIH® TLV® TWA | 5 ppm (inhalable fraction and vapor) |
| **USA ACGIH** | ACGIH chemical category | Not Classifiable as a Human Carcinogen,Skin - potential significant contribution to overall exposure by the cutaneous route,dermal sensitizer |
| **Manitoba** | OEL TWA | 5 ppm (inhalable fraction and vapor) |
| **New Brunswick** | OEL TWA | 5 ppm (inhalable fraction and vapor) |
| **Newfoundland & Labrador** | OEL TWA | 5 ppm (inhalable fraction and vapor) |
| **Nova Scotia** | OEL TWA | 5 ppm (inhalable fraction and vapor) |
| **Ontario** | OEL TWAEV | 5 ppm (inhalable fraction and vapor) |
| **Prince Edward Island** | OEL TWA | 5 ppm (inhalable fraction and vapor) |

Exposure Controls

**Appropriate Engineering Controls:** For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

**Personal Protective Equipment:** For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.

**Materials for Protective Clothing:** For occupational/workplace settings: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

**Hand Protection:** For occupational/workplace settings: Wear protective gloves.

**Eye Protection:** For occupational/workplace settings: Chemical safety goggles.

**Skin and Body Protection:** For occupational/workplace settings: Wear suitable protective clothing.

**Respiratory Protection:** For occupational/workplace settings and bulk quantities: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

| | | |
|---|---|---|
| **Physical State** | : | Liquid |
| Color | : | Clear |
| **Odor** | : | Perfume |
| **Odor Threshold** | : | No data available |
| **pH** | : | 5 – 5.5 |
| **Evaporation Rate** | : | No data available |
| **Melting Point** | : | No data available |
| **Freezing Point** | : | No data available |
| **Boiling Point** | : | > 76 °C (168.8 °F) |
| **Flash Point** | : | 23 °C (73.4 °F) Pensky-Martens Closed Cup |
| **Auto-ignition Temperature** | : | No data available |
| **Decomposition Temperature** | : | No data available |
| **Flammability (solid, gas)** | : | Not applicable |
| **Lower Flammable Limit** | : | No data available |
| **Upper Flammable Limit** | : | No data available |
| **Vapor Pressure** | : | No data available |
| **Relative Vapor Density at 20 °C** | : | No data available |
| **Relative Density** | : | No data available |

| | | |
|---|---|---|
| **Specific Gravity** | : | 0.94 - 0.99 (water =1) |
| **Solubility** | : | No data available |
| **Partition Coefficient: N-Octanol/Water** | : | No data available |
| **Viscosity, Kinematic** | : | No data available |
| **Particle characteristics** | : | No data available |
| **Viscosity** | : | Water thin |

## SECTION 10:

**Reactivity:**
Reacts violently with strong oxidizers. Increased risk of fire or explosion.
**Chemical Stability:**
Flammable liquid and vapor. May form flammable or explosive vapor-air mixture.
**Hazards associated with known or reasonably anticipated uses**
Hazardous polymerization will not occur.
**Conditions to Avoid:**
Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.
**Incompatible Materials:**
Strong oxidizers. Alkali metals.
**Hazardous Decomposition Products:**
Not expected to decompose under ambient conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Likely routes of exposure:** Dermal, Eye Contact, Inhalation, Oral.
**Acute Toxicity (Oral):** Not classified.
**Acute Toxicity (Dermal):** Not classified.
**Acute Toxicity (Inhalation):** Not classified.
**LD50 and LC50 Data:** No additional information available
**Skin Corrosion/Irritation:** Not classified.
**Eye Damage/Irritation:** Causes serious eye irritation.
**Respiratory or Skin Sensitization:** Not classified.
**Germ Cell Mutagenicity:** Not classified.
**Carcinogenicity:** Not classified.
**Specific Target Organ Toxicity (Repeated Exposure):** Not classified.
**Reproductive Toxicity:** Not classified.
**Specific Target Organ Toxicity (Single Exposure):** Not classified.
**Aspiration Hazard:** Not classified.
**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.
**Symptoms/Injuries After Skin Contact:** None expected under normal conditions of use.
**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.
**Symptoms/Injuries After Ingestion:** Ingestion may cause gastrointestinal disturbances, including irritation, nausea, vomiting, and diarrhea, and central nervous system (brain) effects similar to alcohol intoxication. In severe cases, tremors, convulsions, loss of consciousness, coma, respiratory arrest, and death may occur.
**Chronic Symptoms:** Repeated or prolonged skin contact may cause dermatitis and defatting. Repeated exposure may cause skin dryness or cracking.

### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

| **Ethyl alcohol (64-17-5)** | |
|---|---|
| **LD50 Oral Rat** | 10470 mg/kg |
| **LD50 Dermal Rabbit** | > 15800 mg/kg |
| **LC50 Inhalation Rat** | 133.8 mg/l/4h |
| **LC50 Inhalation Rat** | 124.7 mg/l/4h |

| **1,2,3-Propanetriol (56-81-5)** | |
|---|---|
| **LD50 Oral Rat** | 27200 mg/kg (Source: ECHA_API) |

| | |
|---|---|
| **LD50 Dermal Rabbit** | > 10 g/kg (Source: NLM_CIP) |
| **LC50 Inhalation Rat** | > 2.75 mg/l/4h (No mortalities) |

| **Sodium benzoate (532-32-1)** | |
|---|---|
| **LD50 Oral Rat** | 4070 mg/kg (Source: NLM_CIP) |

| **2-Phenoxyethanol (122-99-6)** | |
|---|---|
| **LD50 Oral Rat** | 1850 mg/kg (Source: EU_CLH) |
| **LD50 Dermal Rabbit** | 5 ml/kg (Source: NLM_CIP) |
| **LC50 Inhalation Rat** | > 1000 mg/m³ (Exposure time: 8 h) |
| **LC50 Inhalation Rat** | 176.5 mg/l/4h |

| **.alpha.-Pinene (80-56-8)** | |
|---|---|
| **LD50 Oral Rat** | > 500 mg/kg |
| **LD50 Dermal Rat** | > 5000 mg/kg (Source: CHEMVIEW) |

| **Citral (5392-40-5)** | |
|---|---|
| **LD50 Oral Rat** | 4960 mg/kg (Source: NLM_CIP) |
| **LD50 Dermal Rabbit** | 2250 mg/kg (Source: NLM_CIP) |

## SECTION 12: ECOLOGICAL INFORMATION

Toxicity

**Ecology - General:** Not classified.

| **Ethyl alcohol (64-17-5)** | |
|---|---|
| **LC50 Fish** | 11200 mg/l |
| **EC50 Crustacea** | 9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| **LC50 Fish** | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) |
| **ErC50 Agae** | 1000 mg/l |
| **NOEC Chronic Crustacea** | 9.6 mg/l |

| **1,2,3-Propanetriol (56-81-5)** | |
|---|---|
| **LC50 Fish** | 51000 – 57000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |

| **Sodium benzoate (532-32-1)** | |
|---|---|
| **LC50 Fish** | 420 – 558 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| **EC50 Crustacea** | 650 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| **LC50 Fish** | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) |

| **2-Phenoxyethanol (122-99-6)** | |
|---|---|
| **LC50 Fish** | 344 mg/l |
| **EC50 Crustacea** | > 500 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| **LC50 Fish** | 366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) |

| **.alpha.-Pinene (80-56-8)** | |
|---|---|
| **LC50 Fish** | 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) |
| **EC50 Crustacea** | 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) |

| **Citral (5392-40-5)** | |
|---|---|
| **LC50 Fish** | 4.1 mg/l |
| **EC50 Crustacea** | 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) |

Persistence and Degradability

| **Toppik™ FiberHold Spray (NA GHS 2024)** | |
|---|---|
| **Persistence and Degradability** | Not established. |

Bioaccumulative Potential

| **Toppik™ FiberHold Spray (NA GHS 2024)** | |
|---|---|
| **Bioaccumulative Potential** | Not established. |

| **Ethyl alcohol (64-17-5)** | |
|---|---|
| **Log POW** | -0.35 at 24 °C / 75.2 °F (at pH 7.4) |

| **1,2,3-Propanetriol (56-81-5)** | |
|---|---|
| **BCF Fish** | No bioaccumulation. |

| | |
|---|---|
| **Log POW** | -1.75 at 25 °C / 77 °F (at pH 7.4) |
| **Sodium benzoate (532-32-1)** | |
| **BCF Fish** | No bioaccumulation. |
| **Log POW** | -2.13 |
| **2-Phenoxyethanol (122-99-6)** | |
| **Log POW** | 1.107 |
| **.alpha.-Pinene (80-56-8)** | |
| **Log POW** | 4.1 |
| **Citral (5392-40-5)** | |
| **Log POW** | 2.76 at 25 °C / 77 °F |

Mobility in Soil

No additional information available

Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Additional Information:** Handle empty containers with care because residual vapors are flammable.

**Ecology - Waste Materials:** Hazardous waste (ignitable) due to flash point. Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**In Accordance with DOT**

**Proper Shipping Name** : ETHANOL SOLUTION
**Hazard Class** : 3
**Identification Number** : UN1170
**Label Codes** : 3

**Packing Group** : III
**ERG Number** : 127

**In Accordance with IMDG**

**Proper Shipping Name** : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
**Hazard Class** : 3
**Identification Number** : UN1170
**Label Codes** : 3

**Packing Group** : III
**EmS-No. (Fire)** : F-E
**EmS-No. (Spillage)** : S-D
**MFAG Number** : 127

**In Accordance with IATA**

**Proper Shipping Name** : ETHANOL SOLUTION
**Hazard Class** : 3
**Identification Number** : UN1170
**Label Codes** : 3

**Packing Group** : III
**ERG Code (IATA)** : 3L

**In Accordance with TDG**

**Proper Shipping Name** : ETHYL ALCOHOL SOLUTION
**Hazard Class** : 3
**Identification Number** : UN1170
**Label Codes** : 3

**Packing Group** : III

## SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

| **Toppik™ FiberHold Spray (NA GHS 2024)** | |
|---|---|
| **SARA Section 311/312 Hazard Classes** | Health hazard - Serious eye damage or eye irritation<br>Physical hazard - Flammable (gases, aerosols, liquids, or solids) |

**Ethyl alcohol (64-17-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

**1,2,3-Propanetriol (56-81-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

**Sodium benzoate (532-32-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

**2-Phenoxyethanol (122-99-6)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

**.alpha.-Pinene (80-56-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

**Citral (5392-40-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

## US State Regulations

**Ethyl alcohol (64-17-5)**

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

**1,2,3-Propanetriol (56-81-5)**

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

**.alpha.-Pinene (80-56-8)**

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

Canadian Regulations

**Ethyl alcohol (64-17-5)**

Listed on the Canadian DSL (Domestic Substances List)

**1,2,3-Propanetriol (56-81-5)**

Listed on the Canadian DSL (Domestic Substances List)

**Sodium benzoate (532-32-1)**

Listed on the Canadian DSL (Domestic Substances List)

**2-Phenoxyethanol (122-99-6)**

Listed on the Canadian DSL (Domestic Substances List)

**.alpha.-Pinene (80-56-8)**

Listed on the Canadian DSL (Domestic Substances List)

**Citral (5392-40-5)**

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 07/09/2025

**Indication of Changes** : Modified

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2022-272.
This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

| **GHS Full Text Phrases:** | |
|---|---|
| H225 | Highly flammable liquid and vapor |
| H226 | Flammable liquid and vapor |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |

**Glossary of Data Source Abbreviations**

ATSDR: Agency for Toxic Substances and Disease Registry (U.S. Department of Health and Human Services)
AU_WES: Australia WES
FOOD_JOURN: Food Research Journal (1956)
IARC: The International Agency for Research on Cancer
IDLH: National Institute for Occupational Health and Safety Immediately

CHEMVIEW: ChemView (U.S. Environmental Protection Agency)
EC_RAR: European Commission Renewal Assessment Report
EC_SCOEL: European Commission Scientific Committee on Occupational Exposure Limits
ECETOC: European Centre for Ecotoxicology and Toxicology of Chemicals Reports
ECHA_API: European Chemicals Agency API
ECHA_RAC: ECHA Committee for Risk Assessment
EFSA: European Food Safety Authority
EPA: U.S. Environmental Protection Agency
EPA_AEGL: Acute Exposure Guideline Levels (U.S. Environmental Protection Agency)
EPA_FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act Reregistration Eligibility Decision (U.S. Environmental Protection Agency)
EPA_HPV: High Production Volume Chemicals (U.S. Environmental Protection Agency)
EPA_TRED: Risk Assessment for Tolerance Reassessment Eligibility Decision (U.S. Environmental Protection Agency)
EU_CLH: European Union Harmonised Classification and Labelling Proposal
EU_RAR: European Union Risk Assessment Report
Dangerous to Life or Health Value Profiles
IUCLID: International Uniform Chemical Information Database
JAPAN_GHS: Japan GHS Basis for Classification Data
JP_J-CHECK: Japan J-Check
KR_NIER: South Korea National Institute of Environmental Research Evaluations
NICNAS: Australia National Industrial Chemicals Notification and Assessment Scheme
NIOSH: National Institute for Occupational Health and Safety (U.S. Department of Health and Human Services)
NLM_CIP: National Library of Medicine ChemID plus database
NLM_HSDB: National Library of Medicine Hazardous Substance Data Bank
NLM_PUBMED: National Library of Medicine PubMed database
NTP: National Toxicology Program
NZ_CCID: New Zealand Chemical Classification and Information Database
OECD_EHSP: Environment, Health, and Safety Publication (Organisation for Economic Co-operation and Development)
OECD_SIDS: Screening Information Data Sets (Organisation for Economic Co-operation and Development)
WHO: World Health Organization

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS (Can, US)