GRAVOL™ Immediate Release & Long Acting Caplets (CA GHS 2022)

Safety Data Sheet

According To The Hazardous Products Regulation (December 15, 2022).

Date of Issue: 12/17/2025 Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: GRAVOL™ Immediate Release & Long Acting Caplets (CA GHS 2022)

Product Code: 40000121

1.2 Recommended Use and Restrictions on Use

Use Of The Substance/Mixture : Nausea Relief

Restrictions On Use : No additional information available

Name, Address, and Telephone of the Responsible Party

Company

Church and Dwight Canada Corp.
5485 Ferrier
Montreal, Qc, H4P 1M6
www.churchdwight.ca
www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)
For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-CA Classification

Not classified.

Label Elements

GHS-CA Labeling

No labeling applicable according to the Hazardous Products Regulations (HPR) SOR/2015-17.

2.3. Other hazards which do not result in classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. Product is in tablet form, but contains substances that are combustible dusts. If these substances in their powder form are allowed to accumulate, dispersed in sufficient quantities in air, and in the presence of an ignition source, it may cause a dust explosion.

2.4. Unknown Acute Toxicity (GHS-CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Cellulose	(CAS-No.) 9004-34-6	15 - 40	Combustible dust
Carbonic acid, calcium salt (1:1)	(CAS-No.) 471-34-1	10 - 30	Not classified.
Starch	(CAS-No.) 9005-25-8	5 - 10	Combustible dust
Polyethylene glycol	(CAS-No.) 25322-68-3	≥ 7.235	Not classified.
Magnesium stearate	(CAS-No.) 557-04-0	0.1 - 1	Combustible dust
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	(CAS-No.) 128-37-0	< 0.1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Combustible dust

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: This product is intended for oral use. Ingestion of large quantities may have adverse effects

Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: If tablet is crushed: Dust may be harmful or cause irritation.

Skin Contact: If tablet is crushed: Prolonged exposure may cause skin irritation.

Eye Contact: If tablet is crushed: May cause slight irritation to eyes.

Ingestion: This product is intended for oral use. Ingestion of large quantities may have adverse effects

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO_2), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: If tablet is crushed: Combustible Dust.

Explosion Hazard: Product is in tablet form, but contains substances that are combustible dusts. If these substances in their powder form are allowed to accumulate, dispersed in sufficient quantities in air, and in the presence of an ignition source, it may cause a dust explosion.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO_2). Chlorides. Nitrogen oxides.

Other Information: Risk of dust explosion.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust. Avoid generating dust. Remove ignition sources. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use only non-sparking tools.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust. Avoid creating or spreading dust. Keep away from heat, sparks, open flames, and hot surfaces. No smoking.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. Use explosion-proof electrical, ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Nausea Relief

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Cellulose (9004-34-6)		
USA ACGIH	ACGIH® TLV® TWA	10 mg/m³
USA OSHA	OSHA PEL TWA	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL TWA	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)
Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	10 mg/m³ (total dust) 3 mg/m³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m³
New Brunswick	OEL TWA	10 mg/m³
Newfoundland & Labrador	OEL TWA	10 mg/m³
Nova Scotia	OEL TWA	10 mg/m³
Nunavut	OEL STEL	20 mg/m³
Nunavut	OEL TWA	10 mg/m³
Northwest Territories	OEL STEL	20 mg/m³
Northwest Territories	OEL TWA	10 mg/m³
Ontario	OEL TWAEV	10 mg/m³
Prince Edward Island	OEL TWA	10 mg/m³
Québec	VEMP (OEL TWAEV)	10 mg/m³ (paper fibres-total dust)
Saskatchewan	OEL STEL	20 mg/m³

Saskatchewan	OEL TWA	10 mg/m³
Yukon	OEL STEL	20 mg/m³
Yukon	OEL TWA	30 mppcf 10 mg/m³

Carbonic acid, calcium salt (1:1) (471-34-1)		
USA NIOSH	NIOSH REL TWA	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)
Alberta	OEL TWA	10 mg/m³
Nunavut	OEL STEL	20 mg/m³ (Limestone)
Nunavut	OEL TWA	10 mg/m³ (Limestone)
Northwest Territories	OEL STEL	20 mg/m³ (Limestone)
Northwest Territories	OEL TWA	10 mg/m³ (Limestone)
Québec	VEMP (OEL TWAEV)	10 mg/m³ (total dust)
Saskatchewan	OEL STEL	20 mg/m³ (Limestone)
Saskatchewan	OEL TWA	10 mg/m³ (Limestone)
Yukon	OEL STEL	20 mg/m³
Yukon	OEL TWA	30 mppcf 10 mg/m³

Starch (9005-25-8)		
USA ACGIH	ACGIH® TLV® TWA	10 mg/m³
USA ACGIH	ACGIH® chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL TWA	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL TWA	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)
Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	10 mg/m³ (total dust) 3 mg/m³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m³
New Brunswick	OEL TWA	10 mg/m³
Newfoundland & Labrador	OEL TWA	10 mg/m³
Nova Scotia	OEL TWA	10 mg/m³
Nunavut	OEL STEL	20 mg/m³
Nunavut	OEL TWA	10 mg/m³
Northwest Territories	OEL STEL	20 mg/m³
Northwest Territories	OEL TWA	10 mg/m³
Ontario	OEL TWAEV	10 mg/m³
Prince Edward Island	OEL TWA	10 mg/m³
Québec	VEMP (OEL TWAEV)	10 mg/m³ (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m³
Saskatchewan	OEL TWA	10 mg/m³
Yukon	OEL STEL	20 mg/m³
Yukon	OEL TWA	30 mppcf 10 mg/m³

Polyethylene glycol (25322-68-3)		
USA AIHA	WEEL TWA	10 mg/m³ (molecular weight >200-aerosol)

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)		
USA ACGIH	ACGIH® TLV® TWA	2 mg/m³ (inhalable fraction and vapor)
USA ACGIH	ACGIH® chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL TWA	10 mg/m³

Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	2 mg/m³ (inhalable; inhalable aerosol and vapour)
Manitoba	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
New Brunswick	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Newfoundland & Labrador	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Nova Scotia	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Nunavut	OEL STEL	4 mg/m³ (inhalable fraction and vapour)
Nunavut	OEL TWA	2 mg/m³ (inhalable fraction and vapour)
Northwest Territories	OEL STEL	4 mg/m³ (inhalable fraction and vapour)
Northwest Territories	OEL TWA	2 mg/m³ (inhalable fraction and vapour)
Ontario	OEL TWAEV	2 mg/m³ (inhalable fraction and vapor)
Prince Edward Island	OEL TWA	2 mg/m³ (inhalable fraction and vapor)
Québec	VEMP (OEL TWAEV)	2 mg/m³ (inhalable fraction and vapour)
Saskatchewan	OEL STEL	4 mg/m³ (inhalable fraction and vapour)
Saskatchewan	OEL TWA	2 mg/m³ (inhalable fraction and vapour)
Yukon	OEL STEL	20 mg/m³
Yukon	OEL TWA	10 mg/m³

Magnesium stearate (557-04-0)		
USA ACGIH	ACGIH® TLV® TWA	10 mg/m³ (inhalable particulate matter (Stearates) 3 mg/m³ (respirable particulate matter (Stearates)
British Columbia	OEL TWA	10 mg/m³ (does not include Stearates of toxic metals-inhalable (Stearates) 3 mg/m³ (does not include Stearates of toxic metals-respirable (Stearates)
Manitoba	OEL TWA	10 mg/m³ (inhalable particulate matter (Stearates) 3 mg/m³ (respirable particulate matter (Stearates)
Newfoundland & Labrador	OEL TWA	10 mg/m³ (inhalable particulate matter (Stearates) 3 mg/m³ (respirable particulate matter (Stearates)
Nova Scotia	OEL TWA	10 mg/m³ (inhalable particulate matter (Stearates) 3 mg/m³ (respirable particulate matter (Stearates)
Ontario	OEL TWAEV	10 mg/m³ (except stearates of toxic metals-inhalable particulate matter) 3 mg/m³ (except stearates of toxic metals-respirable particulate matter)
Prince Edward Island	OEL TWA	10 mg/m³ (inhalable particulate matter (Stearates) 3 mg/m³ (respirable particulate matter (Stearates)
Québec	VEMP (OEL TWAEV)	10 mg/m³ (except Stearates of toxic metals-inhalable aerosol fraction (Stearates) 3 mg/m³ (except Stearates of toxic metals-respirable aerosol fraction (Stearates)

Exposure Controls

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.

Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.
Hand Protection: For occupational/workplace settings: Wear protective gloves.
Eye and Face Protection: For occupational/workplace settings: Chemical safety goggles.
Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.
Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	:	Solid
Appearance	:	Pink and white (2 layers) tablet
Odor	:	None
Odor Threshold	:	No data available
pH	:	No data available
Evaporation Rate	:	No data available
Melting Point	:	No data available
Freezing Point	:	No data available
Boiling Point	:	No data available
Flash Point	:	No data available
Auto-ignition Temperature	:	No data available
Decomposition Temperature	:	No data available
Flammability (solid, gas)	:	No data available
Lower Flammable Limit	:	No data available
Upper Flammable Limit	:	No data available
Vapor Pressure	:	No data available
Relative Vapor Density at 20°C	:	No data available
Relative Density	:	No data available
Specific Gravity	:	No data available
Solubility	:	No data available
Partition Coefficient: N-Octanol/Water	:	No data available
Viscosity, Kinematic	:	No data available
Particle characteristics	:	No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity:
Hazardous reactions will not occur under normal conditions.
Chemical Stability:
Stable under recommended handling and storage conditions (see section 7).
Possibility of Hazardous Reactions:
Hazardous polymerization will not occur.
Conditions to Avoid:
Direct sunlight, extremely high or low temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. Dust accumulation (to minimize explosion hazard).
Incompatible Materials:
Strong acids, strong bases, strong oxidizers.
Hazardous Decomposition Products:
Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Likely routes of exposure: Dermal, Eye Contact, Inhalation, Oral.
Acute Toxicity (Oral): Not classified.
Acute Toxicity (Dermal): Not classified.
Acute Toxicity (Inhalation): Not classified.
LD50 and LC50 Data:
No additional information available
Skin Corrosion/Irritation: Not classified.
Eye Damage/Irritation: Not classified.
Respiratory or Skin Sensitization: Not classified.
Germ Cell Mutagenicity: Not classified.
Carcinogenicity: Not classified.
Specific Target Organ Toxicity (Repeated Exposure): Not classified.
Reproductive Toxicity: Not classified.
Specific Target Organ Toxicity (Single Exposure): Not classified.
Aspiration Hazard: Not classified.
Symptoms/Injuries After Inhalation: If tablet is crushed: Dust may be harmful or cause irritation.
Symptoms/Injuries After Skin Contact: If tablet is crushed: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact: If tablet is crushed: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion: This product is intended for oral use. Ingestion of large quantities may have adverse effects
Chronic Symptoms: None known.
.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Cellulose (9004-34-6)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 5800 mg/m³ (Exposure time: 4 h Source: NLM_CIP)

Carbonic acid, calcium salt (1:1) (471-34-1)	
LD50 Oral Rat	6450 mg/kg (Source: NLM_CIP)
LD50 Dermal Rat	> 2000 mg/kg (Source: ECHA_API)

Polyethylene glycol (25322-68-3)	
LD50 Oral Rat	22 g/kg (Source: NLM_CIP)
LD50 Dermal Rabbit	> 20 g/kg (Source: NLM_CIP)
ATE CA (oral)	22,000.00 mg/kg body weight

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
LD50 Oral Rat	> 2930 mg/kg (Species: Sprague-Dawley)
LD50 Dermal Rat	> 2000 mg/kg (Source: JAPAN_GHS)

Magnesium stearate (557-04-0)	
LD50 Oral Rat	> 5000 mg/kg

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
IARC Group	3

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Not classified.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
EC50 - Crustacea [1]	0.48 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 2	0.43 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
NOEC chronic fish	0.053 mg/l

NOEC chronic crustacea	0.069 mg/l (Species: Daphnia magna)

Persistence and Degradability

GRAVOL™ Immediate Release & Long Acting Caplets (CA GHS 2022)	
Persistence and Degradability	Not established.

Bioaccumulative Potential

GRAVOL™ Immediate Release & Long Acting Caplets (CA GHS 2022)	
Bioaccumulative Potential	Not established.

Carbonic acid, calcium salt (1:1) (471-34-1)	
BCF Fish 1	(no bioaccumulation)

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
BCF Fish 1	230 – 2500
Partition coefficient n-octanol/water (Log Pow)	5.1

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

Canadian Regulations

Cellulose (9004-34-6)
Listed on the Canadian DSL (Domestic Substances List)

Carbonic acid, calcium salt (1:1) (471-34-1)
Listed on the Canadian DSL (Domestic Substances List)

Starch (9005-25-8)
Listed on the Canadian DSL (Domestic Substances List)

Polyethylene glycol (25322-68-3)
Listed on the Canadian DSL (Domestic Substances List)

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)
Listed on the Canadian DSL (Domestic Substances List)

Magnesium stearate (557-04-0)
Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 12/17/2025

Other Information : This document has been prepared in accordance with the SDS requirements of Canada's Hazardous Products Regulations (HPR) SOR/2022-272

GHS Full Text Phrases:

H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Glossary of Data Source Abbreviations

ATSDR: Agency for Toxic Substances and Disease Registry (U.S. Department of Health and Human Services)
AU_WES: Australia WES
CHEMVIEW: ChemView (U.S. Environmental Protection Agency)
EC_RAR: European Commission Renewal Assessment Report
EC_SCOEL: European Commission Scientific Committee on Occupational Exposure Limits
ECETOC: European Centre for Ecotoxicology and Toxicology of Chemicals Reports
ECHA_API: European Chemicals Agency API
ECHA_RAC: ECHA Committee for Risk Assessment
EFSA: European Food Safety Authority
EPA: U.S. Environmental Protection Agency
EPA_AEGL: Acute Exposure Guideline Levels (U.S. Environmental Protection Agency)
EPA_FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act Reregistration Eligibility Decision (U.S. Environmental Protection Agency)
EPA_HPV: High Production Volume Chemicals (U.S. Environmental Protection Agency)
EPA_TRED: Risk Assessment for Tolerance Reassessment Eligibility Decision (U.S. Environmental Protection Agency)
EU_CLH: European Union Harmonised Classification and Labelling Proposal
EU_RAR: European Union Risk Assessment Report
FOOD_JOURN: Food Research Journal (1956)
IARC: The International Agency for Research on Cancer
IDLH: National Institute for Occupational Health and Safety Immediately Dangerous to Life or Health Value Profiles
IUCLID: International Uniform Chemical Information Database
JAPAN_GHS: Japan GHS Basis for Classification Data
JP_J-CHECK: Japan J-Check
KR_NIER: South Korea National Institute of Environmental Research Evaluations
NICNAS: Australia National Industrial Chemicals Notification and Assessment Scheme
NIOSH: National Institute for Occupational Health and Safety (U.S. Department of Health and Human Services)
NLM_CIP: National Library of Medicine ChemID plus database
NLM_HSDB: National Library of Medicine Hazardous Substance Data Bank
NLM_PUBMED: National Library of Medicine PubMed database
NTP: National Toxicology Program
NZ_CCID: New Zealand Chemical Classification and Information Database
OECD_EHSP: Environment, Health, and Safety Publication (Organisation for Economic Co-operation and Development)
OECD_SIDS: Screening Information Data Sets (Organisation for Economic Co-operation and Development)
WHO: World Health Organization

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Safety Data Sheet (SDS), (CA/US)