

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

#### **SECTION 1. IDENTIFICATION**

Product name : SANEX NATURE PROTECT DEODORANT - AEROSOL

SENSITIVE SKIN B06545760000

Product code : 100000182609

Manufacturer or supplier's details

Company name of supplier : Colgate-Palmolive Co

300 Park Avenue New York, NY 10022

Telephone

US: Consumer Affairs - 1-800-468-6502

Emergency telephone num-

Global-CHEMTREC- +1 703-741-5970

ber

For emergencies involving spill, leak, fire, exposure or acci-

dent call CHEMTREC (24hr) at (800) 424-9300 or

(703) 527-3887.

#### Recommended use of the chemical and restrictions on use

Recommended use : Deodorant

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with 29 CFR 1910.1200

Flammable aerosols : Category 1

Skin irritation : Category 2

**GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H315 Causes skin irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

Precautionary statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after

use.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P410 + P412 Protect from sunlight. Do not expose to tempera-

tures exceeding 50 °C/ 122 °F.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Components

Chemical name	CAS-No.	Concentration (% w/w)
ISOBUTANE	75-28-5	>= 30 - < 50
BUTANE	106-97-8	>= 20 - < 30
PROPANE	74-98-6	>= 10 - < 20
ISODODECANE	93685-81-5	>= 10 - < 20

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

SDS Number: Revision Date: Date of last issue: -Version

660000009575 1.0 10/18/2019 Date of first issue: 10/18/2019

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Notes to physician No information available.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

ucts

Hazardous combustion prod- : No hazardous combustion products are known

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

**Environmental precautions** Prevent product from entering drains.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against : fire and explosion

Do not spray on a naked flame or any incandescent material.

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ignition.

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects. No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

or to the same specific and sa	Components	CAS-No.	Value type	Control parame-	Basis
--	------------	---------	------------	-----------------	-------



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

		(Form of exposure)	ters / Permissible concentration	
ISOBUTANE	75-28-5	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
BUTANE	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
PROPANE	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

#### Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

In the case of vapour formation use a respirator with an approved filter.

In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : aerosol

Colour : colourless

pH : No data available

Flash point :  $-76 \,^{\circ}\text{F} / -60 \,^{\circ}\text{C}$ 

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : No data available

Hazardous decomposition

products

None known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 28.56 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

Revision Date: 10/18/2019

SDS Number: 660000009575

Date of last issue: -

Date of first issue: 10/18/2019

**Components:** 

**ISOBUTANE:** 

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : LC50 (Rabbit): 520 ppm

Exposure time: 2 h Test atmosphere: gas

Method: No information available.

Acute dermal toxicity : Remarks: Not applicable

**BUTANE:** 

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : LC50 (Mouse): 1,237 mg/l, 520 ppm

Exposure time: 2 h Test atmosphere: gas

Method: No information available.

Acute dermal toxicity : Remarks: Not applicable

**PROPANE:** 

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: Not applicable

ISODODECANE:

Acute oral toxicity : LD50 (Rat): > 15,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 4,951 mg/m3

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

**ISOBUTANE:** 

Result : No skin irritation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

**BUTANE:** 

Remarks : No data available

PROPANE:

Result : No skin irritation

**ISODODECANE:** 

Species : Rabbit Exposure time : 4 h Result : irritating

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

**ISOBUTANE:** 

Result : No eye irritation

**BUTANE:** 

Result : No eye irritation

PROPANE:

Result : No eye irritation

**ISODODECANE:** 

Species : Rabbit

Result : No eye irritation

Exposure time : 72 h

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

**ISOBUTANE:** 

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

**BUTANE:** 

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Remarks : No data available

PROPANE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

**ISODODECANE:** 

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

Exposure routes : Inhalation

Remarks : No data available

# Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

### Reproductive toxicity

Not classified based on available information.

# STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### **Product:**

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the

statements in Section 2 of the SDS.

### **SECTION 12. ECOLOGICAL INFORMATION**

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

DOT :



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 

 1.0
 10/18/2019
 660000009575
 Date of first issue: 10/18/2019

Date of mot locae. 10/10/2010

UN 1950 Aerosols, Class 2.1

TDG :

UN 1950 Aerosols, Class 2.1

IATA

UN 1950 Aerosols, flammable, Class 2.1

IMDG :

UN 1950 AEROSOLS, Class 2.1. Marine pollutant: No

ADR :

UN 1950 AEROSOLS, flammable, Class 2.1 5F Gases

#### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Skin corrosion or irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

ISOBUTANE 75-28-5 BUTANE 106-97-8 PROPANE 74-98-6

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

#### Massachusetts Right To Know

ISOBUTANE 75-28-5 BUTANE 106-97-8 PROPANE 74-98-6

#### Pennsylvania Right To Know

 ISOBUTANE
 75-28-5

 BUTANE
 106-97-8

 PROPANE
 74-98-6

 ISODODECANE
 93685-81-5

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.


Version Revision Date: SDS Number: Date of last issue: -

1.0 10/18/2019 660000009575 Date of first issue: 10/18/2019

Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

#### **Further information**

#### NFPA:



#### HMIS® IV:

HEALTH	1	2
FLAMMABILITY		4
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 10/18/2019

US / EN