

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number:

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

#### **SECTION 1. IDENTIFICATION**

Product name : PALMOLIVE OXY PLUS POWER DEGREASER

DISHWASHING LIQUID

B02922060005

Product code : 200000012874

Manufacturer or supplier's details

Company name of supplier : Colgate-Palmolive Co

300 Park Avenue New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone num-

ber

For emergencies involving spill, leak, fire, exposure or acci-

Date of last issue: -

dent call CHEMTREC (24hr) at (800) 424-9300 or

(703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : A formulated dishwashing liquid

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 3

Eye irritation : Category 2A

**GHS** label elements

Hazard pictograms





Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

### Precautionary statements

#### Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

#### Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

## **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
ETHANOL (ETHYL ALCOHOL)	64-17-5	>= 5 - < 10
LAURAMIDOPROPYLDIMETHYLAMINE OXIDE	61792-31-2	>= 5 - < 10
SODIUM CHLORIDE	7647-14-5	>= 1 - < 5
MYRISTAMIDOPROPYLAMINE OXIDE	67806-10-4	>= 1 - < 5
METHANOL	67-56-1	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

## **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges.

Provide sufficient air exchange and/or exhaust in work rooms.

Open drum carefully as content may be under pressure.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ETHANOL (ETHYL ALCOHOL)	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
METHANOL	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z-1
		STEL	250 ppm 325 mg/m3	OSHA P0
		TWA	200 ppm 260 mg/m3	OSHA P0

## Hazardous components without workplace control parameters

Components	CAS-No.
LAURAMIDOPROPYLDIMET	61792-31-2
HYLAMINE OXIDE	
SODIUM CHLORIDE	7647-14-5
MYRISTAMIDOPROPYLAMIN	67806-10-4
E OXIDE	

## **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Sam-	Permissible	Basis
		parameters	specimen	pling	concentra-	
				time	tion	
METHANOL	67-56-1	Methanol	Urine	End of	15 mg/l	ACGIH
				shift (As		BEI
				soon as		
				possible		
				after		
				exposure		
				ceases)		

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : light yellow

pH : 7.1

Flash point : 110.0 °F

Density : >= 1.00 g/cm3

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l

Exposure time: 4 h

Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

ETHANOL (ETHYL ALCOHOL):

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 124.7 mg/l

Exposure time: 4 h

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 15,800 mg/kg

Method: No information available.

LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Acute oral toxicity : LC50 (Rat): 500 - 1,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LC50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

**SODIUM CHLORIDE:** 

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 42,000 mg/l

Exposure time: 1 h

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Method: No information available.

**MYRISTAMIDOPROPYLAMINE OXIDE:** 

Acute oral toxicity : LC50 (Rat): 500 - 1,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

Acute dermal toxicity : LC50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

**METHANOL:** 

Acute oral toxicity : LD50: 100 mg/kg

Method: Acute toxicity estimate

Acute inhalation toxicity : LC50: 3 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: Converted acute toxicity point estimate

Acute dermal toxicity : LD50: 300 mg/kg

Method: Converted acute toxicity point estimate

### Skin corrosion/irritation

Not classified based on available information.

## **Components:**

### **ETHANOL (ETHYL ALCOHOL):**

Result: No skin irritation

### LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: Mild skin irritation

#### SODIUM CHLORIDE:

Result: No skin irritation

## **MYRISTAMIDOPROPYLAMINE OXIDE:**

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: Mild skin irritation

### **METHANOL:**

Result: No skin irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

## **Components:**

### **ETHANOL (ETHYL ALCOHOL):**

Result: Irritation to eyes, reversing within 21 days

### LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Exposure time: 1 h

Method: OECD Test Guideline 405

### **SODIUM CHLORIDE:**

Result: Mild eye irritation

### **MYRISTAMIDOPROPYLAMINE OXIDE:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Exposure time: 1 h

Method: OECD Test Guideline 405

## **METHANOL:**

Result: No eye irritation

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

## Components:

## ETHANOL (ETHYL ALCOHOL):

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

### LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal Species: Guinea pig

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

### **SODIUM CHLORIDE:**

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

## **MYRISTAMIDOPROPYLAMINE OXIDE:**

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Test Type: Maximisation Test Exposure routes: Dermal Species: Guinea pig

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

### **METHANOL:**

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

IARC Group 1: Carcinogenic to humans This finished consumer prod-

uct is not expected to exhibit carcinogenic effects. Exposure through ingestion of Ethanol (64-17-5) is not applicable to the

intended use of this product.

ETHANOL (ETHYL 64-17-5

ALCOHOL)

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### Components:

### **METHANOL:**

Target Organs: Eyes, Central nervous system Assessment: Causes damage to organs.

### STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

## **Product:**

Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

### **SECTION 12. ECOLOGICAL INFORMATION**

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

### **SECTION 14. TRANSPORT INFORMATION**

DOT :

NA 1993 Combustible liquids, N.O.S. (ETHANOL (ETHYL

ALCOHOL)),3,III.

DOT Non-Bulk: Not Regulated.

TDG

UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III.

IATA

UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III.

IMDG :

UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III.

ADR

UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III.

### International Regulations

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
METHANOL	67-56-1	100	100 (F003)
METHANOL	67-56-1	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
FORMALDEHYDE	50-00-0	100	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ETHANOL (ETHYL

64-17-5

ALCOHOL)

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

FORMALDEHYDE 50-00-0 SODIUM BISULFITE 7631-90-5

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

FORMALDEHYDE 50-00-0 SODIUM BISULFITE 7631-90-5

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## **US State Regulations**

## Massachusetts Right To Know

ETHANOL (ETHYL ALCOHOL)	64-17-5
FORMAL DEHYDE	50-00-0

### Pennsylvania Right To Know

WATER	7732-18-5
ETHANOL (ETHYL ALCOHOL)	64-17-5
LAURAMIDOPROPYLDIMETHYLAMINE OXIDE	61792-31-2
METHANOL	67-56-1
AMMONIUM SULFATE	7783-20-2

## **New Jersey Right To Know**

WATER	7732-18-5
ETHANOL (ETHYL ALCOHOL)	64-17-5
LAURAMIDOPROPYLDIMETHYLAMINE OXIDE	61792-31-2
SODIUM CHLORIDE	7647-14-5
METHANOL	67-56-1

California Prop. 65 : This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

## **California Permissible Exposure Limits for Chemical Contaminants**

ETHANOL (ETHYL ALCOHOL) 64-17-5

## The components of this product are reported in the following inventories:

TSCA : All ingredients in this product are listed on the TSCA Inventory

or are not required to be listed on the TSCA Inventory.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/24/2017 660000004463 Date of first issue: 2017/04/24

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

Revision Date: 04/24/2017


SDS Number: 660000004463

Date of last issue: -

Date of first issue: 2017/04/24

### **Further information**

## NFPA:



Special hazard.

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date US / EN

: 04/24/2017