

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

**SECTION 1. IDENTIFICATION**

Product name : Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good

B06564370000

Product code : 100000232096

**Manufacturer or supplier's details**

Company name of supplier : Colgate-Palmolive Co  
300 Park Avenue  
New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

**Recommended use of the chemical and restrictions on use**

Recommended use : Deodorant

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable aerosols : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.

**Storage:**

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Components**

Chemical name	CAS-No.	Concentration (% w/w)
ISOBUTANE	75-28-5	>= 30 - < 50
BUTANE	106-97-8	>= 20 - < 30
PROPANE	74-98-6	>= 20 - < 30
BASIC ALUMINUM CHLORIDE	12042-91-0	>= 5 - < 10
ISODODECANE	93685-81-5	>= 1 - < 5

**SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Treat symptomatically.

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : No hazardous combustion products are known
- Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid breathing dust.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

## Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

Use only explosion-proof equipment.  
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ISOBUTANE	75-28-5	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		STEL	1,000 ppm	ACGIH
BUTANE	106-97-8	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		TWA	800 ppm 1,900 mg/m <sup>3</sup>	OSHA P0
PROPANE	74-98-6	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA P0
BASIC ALUMINUM CHLORIDE	12042-91-0	TWA	2 mg/m <sup>3</sup> (Aluminium)	OSHA P0

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

**Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

## Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : aerosol

Colour : off-white

Odour : No data available

pH : No data available

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : -76 °F / -60 °C

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Particle characteristics  
Particle size : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

Hazardous decomposition products : No data available

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Product:**

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 135.35 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****ISOBUTANE:**

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : LC50 (Rat): 1,443 mg/l  
Exposure time: 15 min  
Test atmosphere: gas

Acute dermal toxicity : Remarks: Not applicable

**BUTANE:**

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : LC50 (Rat): 1,443 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

Acute dermal toxicity : Remarks: Not applicable

**PROPANE:**

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: Not applicable

**BASIC ALUMINUM CHLORIDE:**

Acute oral toxicity : LD50 (Rat): 9,187 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**ISODODECANE:**

Acute oral toxicity : LD50 (Rat): > 15,000 mg/kg

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 16.7 mg/l  
Exposure time: 4 h  
Test atmosphere: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****ISOBUTANE:**

Result : No skin irritation

**BUTANE:**

Remarks : No data available

**PROPANE:**

Result : No skin irritation

**BASIC ALUMINUM CHLORIDE:**

Method : OECD Test Guideline 404

Result : No skin irritation

**ISODODECANE:**

Species : Rabbit

Exposure time : 4 h

Result : irritating

Remarks : May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****ISOBUTANE:**

Result : No eye irritation

**BUTANE:**

Result : No eye irritation

**PROPANE:**

Result : No eye irritation



**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

**BASIC ALUMINUM CHLORIDE:**

Result : No eye irritation

**ISODODECANE:**

Species : Rabbit  
Result : No eye irritation  
Exposure time : 72 h  
Method : OECD Test Guideline 405

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****ISOBUTANE:**

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**BUTANE:**

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Remarks : No data available

**PROPANE:**

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**BASIC ALUMINUM CHLORIDE:**

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

Result : Does not cause skin sensitisation.

**ISODODECANE:**

Exposure routes : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.

Exposure routes : Inhalation  
Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks : This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

**SECTION 12. ECOLOGICAL INFORMATION**

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION**

DOT	:	UN 1950 Aerosols, Class 2.1
TDG	:	UN 1950 AEROSOLS, Class 2.1
IATA	:	UN 1950 Aerosols, flammable, Class 2.1
IMDG	:	UN 1950 AEROSOLS, Class 2.1 Marine Pollutant: No

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

**IMDG EmS Number :F-D, S-U****ADR**

:

UN 1950 AEROSOLS, Class 2.1

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations. Product may be shipped as Limited Quantity in retail packaging. The shipper is responsible for identifying any exemptions including Limited Quantity, that may apply based on package size.

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

ISOBUTANE	75-28-5
BUTANE	106-97-8
PROPANE	74-98-6

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

GLYCINE	56-40-6
---------	---------

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

**Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**US State Regulations****Massachusetts Right To Know**

ISOBUTANE	75-28-5
BUTANE	106-97-8
PROPANE	74-98-6
Dimethicone	63148-62-9
ISODODECANE	93685-81-5
ISOPROPYL PALMITATE	142-91-6

**Pennsylvania Right To Know**

ISOBUTANE	75-28-5
BUTANE	106-97-8
PROPANE	74-98-6
BASIC ALUMINUM CHLORIDE	12042-91-0

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

## Sanex Spray UAP Dermo AP 72 H Ultra Efficacy Finished Good


*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/14/2024	660000021134	Date of first issue: 11/14/2024

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### NFPA 704:



#### HMIS® IV:

<b>HEALTH</b>	/	<b>1</b>
<b>FLAMMABILITY</b>		<b>4</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 11/14/2024  
 US / EN