

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

### **SECTION 1. IDENTIFICATION**

Product code

Product name : Tom's Anti-Plaque plus Whitening Fennel

B05447690000 200000037914

Manufacturer or supplier's details

Company name of supplier : Tom's of Maine

Consumer Dialogue Department

302 Lafayette Center Kennebunk, ME 04043

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone num-

ber

For emergencies involving spill, leak, fire, exposure or acci-

dent call CHEMTREC (24hr) at (800) 424-9300 or

(703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

Other hazards

None known.

**GHS** label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 1.6 04/04/2025 660000002723 Date of first issue: 05/12/2016

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Components

| Chemical name         | CAS-No.    | Concentration (% w/w) |
|-----------------------|------------|-----------------------|
| Calcium Carbonate     | 1317-65-3  | >= 30 - <= 60         |
| Glycerin              | 56-81-5    | >= 10 - <= 30         |
| SILICA                | 7631-86-9  | >= 1 - <= 5           |
| ZINC CITRATE          | 546-46-3   | >= 0.5 - <= 1.5       |
| SODIUM LAURYL SULFATE | 151-21-3   | >= 0.5 - <= 1.5       |
| CRYSTALLINE SILICA    | 14808-60-7 | >= 0.1 - <= 1         |

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms : Causes serious eye irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.6 Revision Date: 04/04/2025

SDS Number: 660000002723

Date of last issue: 12/04/2024 Date of first issue: 05/12/2016

and effects, both acute and

delayed

Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE** 



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

| Components        | CAS-No.   | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration       | Basis    |
|-------------------|-----------|-------------------------------------|--|----------|
| Calcium Carbonate | 1317-65-3 | TWA (total dust)                    | 15 mg/m3   | OSHA Z-1 |
|                   |           | TWA (respirable fraction)           | 5 mg/m3  | OSHA Z-1 |
|                   |           | TWA (Total dust)                    | 15 mg/m3   | OSHA P0  |
|                   |           | TWA (respirable dust fraction)      | 5 mg/m3  | OSHA P0  |
| Glycerin          | 56-81-5   | TWA (mist, respirable fraction)     | 5 mg/m3  | OSHA Z-1 |
|                   |           | TWA (mist, total dust)              | 15 mg/m3   | OSHA Z-1 |
|                   |           | TWA (Mist -<br>total dust)          | 10 mg/m3   | OSHA P0  |
|                   |           | TWA (Mist - respirable fraction)    | 5 mg/m3  | OSHA P0  |
| SILICA            | 7631-86-9 | TWA (Dust)                          | 20 Million parti-<br>cles per cubic foot<br>(Silica) | OSHA Z-3 |



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

|                    |            | TWA (Dust)                          | 80 mg/m3 /<br>%SiO2<br>(Silica) | OSHA Z-3 |
|--------------------|------------|-------------------------------------|---------------------------------|----------|
| CRYSTALLINE SILICA | 14808-60-7 | TWA (respirable)                    | 10 mg/m3 /<br>%SiO2+2           | OSHA Z-3 |
|                    |            | TWA (respirable)                    | 250 mppcf /<br>%SiO2+5          | OSHA Z-3 |
|                    |            | TWA (respirable dust fraction)      | 0.1 mg/m3                       | OSHA P0  |
|                    |            | TWA (Respirable particulate matter) | 0.025 mg/m3<br>(Silica)         | ACGIH    |
|                    |            | TWA (Respirable dust)               | 0.05 mg/m3                      | OSHA Z-1 |

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste

Colour : white

Odour : No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 1.6 04/04/2025 660000002723 Date of first issue: 05/12/2016

pH : 8.3 - 9.3

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Particle characteristics

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.6

Revision Date: 04/04/2025

SDS Number: 660000002723

Date of last issue: 12/04/2024 Date of first issue: 05/12/2016

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 12.55 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

**Calcium Carbonate:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

SILICA:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 58.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: No information available.

ZINC CITRATE:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

Acute inhalation toxicity : LC50: > 200 mg/l

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

**SODIUM LAURYL SULFATE:** 

Acute oral toxicity : LD50 (Rat): 977 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

**CRYSTALLINE SILICA:** 

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

**Calcium Carbonate:** 

Result : No skin irritation

Glycerin:

Result : No skin irritation

SILICA:

Result : No skin irritation

ZINC CITRATE:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

**SODIUM LAURYL SULFATE:** 

Species : Rabbit Exposure time : 24 h Assessment : irritating



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

Method : OECD Test Guideline 404

Result : irritating

**CRYSTALLINE SILICA:** 

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

**Calcium Carbonate:** 

Result : No eye irritation

Glycerin:

Result : No eye irritation

SILICA:

Result : No eye irritation

ZINC CITRATE:

Species : Rabbit
Result : Eye irritation

Method : OECD Test Guideline 405

**SODIUM LAURYL SULFATE:** 

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

**CRYSTALLINE SILICA:** 

Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

**Calcium Carbonate:** 

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Glycerin:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

SILICA:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

ZINC CITRATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

**SODIUM LAURYL SULFATE:** 

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

**CRYSTALLINE SILICA:** 

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

**SODIUM LAURYL SULFATE:** 

Genotoxicity in vitro : Test Type: reverse mutation assay



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 1.6 04/04/2025 660000002723 Date of first issue: 05/12/2016

Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 478

Result: negative

### Carcinogenicity

Not classified based on available information.

IARC Group 1: Carcinogenic to humans This finished consumer prod-

uct is not expected to exhibit carcinogenic effects. Exposure via airborne, respirable unbound particles of Crystalline silica (14808-60-7) contained in limestone is not applicable to the in-

tended use of this product

CRYSTALLINE SILICA 14808-60-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP Known to be human carcinogen This finished consumer product

is not expected to exhibit carcinogenic effects. Exposure via airborne, respirable unbound particles of Crystalline silica (14808-60-7) contained in limestone is not applicable to the in-

tended use of this product

CRYSTALLINE SILICA 14808-60-7

### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

## **Components:**

## **SODIUM LAURYL SULFATE:**

Species : Rat

488 mg/kg

Application Route : Oral

Species : Mouse



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

: 488 mg/kg : Dermal

**Aspiration toxicity** 

**Application Route** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a com-

ponent of the hazard determination used to prepare the

statements in Section 2 of the SDS.

**Components:** 

**CRYSTALLINE SILICA:** 

Remarks : No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

DOT :

Not regulated.

TDG :

Not regulated.

IATA :

Not regulated.

IMDG :

Not regulated.

**IMDG EmS Number**: Not applicable.

ADR :

Not regulated.

## **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 1.6
 04/04/2025
 660000002723
 Date of first issue: 05/12/2016

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

ZINC CITRATE 546-46-3

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Glycerin 56-81-5

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

ZINC CITRATE 546-46-3

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

#### Massachusetts Right To Know

| Calcium Carbonate              | 1317-65-3  |
|--------------------------------|------------|
| Glycerin                       | 56-81-5    |
| WATER                          | 7732-18-5  |
| SILICA                         | 7631-86-9  |
| SODIUM LAURYL SULFATE          | 151-21-3   |
| CHONDRUS CRISPUS (CARRAGEENAN) | 9000-07-1  |
| CRYSTALLINE SILICA             | 14808-60-7 |

## Pennsylvania Right To Know

| Calcium Carbonate              | 1317-65-3 |
|--------------------------------|-----------|
| Glycerin                       | 56-81-5   |
| WATER                          | 7732-18-5 |
| XYLITOL                        | 87-99-0   |
| SILICA                         | 7631-86-9 |
| CHONDRUS CRISPUS (CARRAGEENAN) | 9000-07-1 |
| SODIUM SULFATE                 | 7757-82-6 |

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 1.6 04/04/2025 660000002723 Date of first issue: 05/12/2016

#### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.6


Revision Date: 04/04/2025

SDS Number: 66000002723

Date of last issue: 12/04/2024 Date of first issue: 05/12/2016

## **Further information**

### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date US / EN

: 04/04/2025