

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

SECTION 1. IDENTIFICATION

Product name : Colgate Optic White Enamel White Toothpaste

B05445140004

Product code : 200000050005

Manufacturer or supplier's details

Company name of supplier : Colgate-Palmolive Co

300 Park Avenue New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone num-

ber

For emergencies involving spill, leak, fire, exposure or acci-

dent call CHEMTREC (24hr) at (800) 424-9300 or

(703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Eye irritation : Category 2A

GHS label elements

Hazard pictograms



Signal word : Warning



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P362 Take off contaminated clothing and wash before reuse.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene Glycol	57-55-6	>= 30 - < 50
ETHYLENE OXIDE PROPYLENE	9003-11-6	>= 10 - < 20
OXIDE COPOLYMER		
Polyethylene Glycol	25322-68-3	>= 5 - < 10
Glycerin	56-81-5	>= 5 - < 10
Fumed Silica	112945-52-5	>= 1 - < 5
TETRASODIUM PYROPHOSPHATE	7722-88-5	>= 1 - < 5
SODIUM LAURYL SULFATE	151-21-3	>= 1 - < 5
SODIUM	7631-97-2	>= 1 - < 5
MONOFLUOROPHOSPHATE		
HYDROGEN PEROXIDE	7722-84-1	>= 1 - < 5
L-MENTHOL	2216-51-5	>= 1 - < 5
DISODIUM PYROPHOSPHATE	7758-16-9	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 09/20/2019 2.1 01/28/2021 660000002367 Date of first issue: 03/03/2016

In case of skin contact If skin irritation persists, call a physician.

> If on skin, rinse well with water. If on clothes, remove clothes.

Immediately flush eye(s) with plenty of water. In case of eye contact

> Remove contact lenses. Protect unharmed eve.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Administer milk but do not induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye irritation.

Notes to physician Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

ucts

Hazardous combustion prod- : No hazardous combustion products are known

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emergency procedures

Personal precautions, protec- : Use personal protective equipment.

Prevent product from entering drains. Environmental precautions

Prevent further leakage or spillage if safe to do so.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL
Polyethylene Glycol	25322-68-3	TWA (aero- sol)	10 mg/m3	US WEEL
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

Fumed Silica	112945-52-5	TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
TETRASODIUM PYROPHOSPHATE	7722-88-5	TWA	5 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA P0
HYDROGEN PEROXIDE	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z-1
		TWA	1 ppm 1.4 mg/m3	OSHA P0
		TWA	1 ppm	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : white

PH : 8.0

Flash point : Not applicable



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

: No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 14.72 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Propylene Glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Polyethylene Glycol:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Fumed Silica:

Acute oral toxicity : LD50 (Rat): 3,160 mg/kg

Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

TETRASODIUM PYROPHOSPHATE:

Acute oral toxicity : LD50 (Rat): 1,624 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rabbit): > 0.58 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

SODIUM LAURYL SULFATE:

Acute oral toxicity : LD50 (Rat): 977 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

SODIUM MONOFLUOROPHOSPHATE:

Acute oral toxicity : LD50 (Rat): 888 mg/kg

Method: No information available.

Acute inhalation toxicity : LC50 (Rabbit): 1.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Acute toxicity estimate

Acute dermal toxicity : LD50 (Rabbit): 1,100 mg/kg

Method: Acute toxicity estimate



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 09/20/2019 2.1 01/28/2021 660000002367 Date of first issue: 03/03/2016

HYDROGEN PEROXIDE:

Acute oral toxicity : LD50 (Rat): 1,026 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat): > 0.17 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Remarks: Harmful by inhalation.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

L-MENTHOL:

Acute oral toxicity : LD50 (Rat): 3,400 mg/kg

Acute inhalation toxicity : Remarks: No data available

DISODIUM PYROPHOSPHATE:

Acute oral toxicity : LD50 (Mouse): 2,650 mg/kg

Method: No information available.

Acute inhalation toxicity : LC50 (Rabbit): > 0.58 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OPPTS 870.1300

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes skin irritation.

Components:

Propylene Glycol:

Result : No skin irritation

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Polyethylene Glycol:

Result : No skin irritation

Glycerin:

Result : No skin irritation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 09/20/2019 2.1 01/28/2021 660000002367 Date of first issue: 03/03/2016

Fumed Silica:

Result : Severe skin irritation

TETRASODIUM PYROPHOSPHATE:

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

SODIUM LAURYL SULFATE:

Result : Severe skin irritation

Remarks : Extremely corrosive and destructive to tissue.

SODIUM MONOFLUOROPHOSPHATE:

Result : Severe skin irritation

Remarks : May cause skin irritation in susceptible persons.

HYDROGEN PEROXIDE:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

L-MENTHOL:

Result : May irritate skin.

DISODIUM PYROPHOSPHATE:

Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propylene Glycol:

Result : No eye irritation

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Polyethylene Glycol:

Result : No eye irritation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 09/20/2019 2.1 01/28/2021 660000002367 Date of first issue: 03/03/2016

Glycerin:

Result : No eye irritation

Fumed Silica:

Result : Irritation to eyes, reversing within 21 days

TETRASODIUM PYROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

SODIUM LAURYL SULFATE:

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

SODIUM MONOFLUOROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

HYDROGEN PEROXIDE:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

L-MENTHOL:

Remarks : May cause irreversible eye damage.

DISODIUM PYROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene Glycol:

Exposure routes : Inhalation

Remarks : No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Polyethylene Glycol:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Glycerin:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Fumed Silica:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

TETRASODIUM PYROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

SODIUM LAURYL SULFATE:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

SODIUM MONOFLUOROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

HYDROGEN PEROXIDE:

Exposure routes : Dermal Species : Guinea pig

Result : Does not cause skin sensitisation.

Exposure routes : inhalation (vapour)

Species : Mouse

Result : Does not cause respiratory sensitisation.

L-MENTHOL:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

DISODIUM PYROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

STOT - single exposure

Not classified based on available information.

Components:

HYDROGEN PEROXIDE:

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a com-

ponent of the hazard determination used to prepare the

statements in Section 2 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT :

Not regulated.

TDG :

Not regulated.

IATA :

Not regulated.

IMDG :

Not regulated.

ADR :

Not regulated.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium Fluoride	7681-49-4	1000	*



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.		Calculated product RQ
		(lbs)	(lbs)
HYDROGEN PEROXIDE	7722-84-1	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
HYDROGEN PEROXIDE	7722-84-1	1000

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Propylene Glycol 57-55-6
Polyethylene Glycol 25322-68-3
Glycerin 56-81-5

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium Fluoride 7681-49-4

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium Fluoride 7681-49-4

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Propylene Glycol	57-55-6
ETHYLENE ÓXIDE PROPYLENE OXIDE COPOLYMER	9003-11-6
Polyethylene Glycol	25322-68-3
Glycerin	56-81-5
TETRASODIUM PYROPHOSPHATE	7722-88-5
SODIUM LAURYL SULFATE	151-21-3
SODIUM MONOFLUOROPHOSPHATE	7631-97-2

^{*:} Calculated RQ exceeds reasonably attainable upper limit.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 09/20/2019
2.1	01/28/2021	660000002367	Date of first issue: 03/03/2016

HYDROGEN PEROXIDE	7722-84-1
L-MENTHOL	2216-51-5
SODIUM SACCHARIN	128-44-9

Pennsylvania Right To Know

Propylene Glycol	57-55-6
CALCIUM PYROPHOSPHATE	7790-76-3
ETHYLENE OXIDE PROPYLENE OXIDE COPOLYMER	9003-11-6
Polyethylene Glycol	25322-68-3
Glycerin	56-81-5
PVP (POLYVINYL PYRROLIDONE)	9003-39-8
Fumed Silica	112945-52-5
TETRASODIUM PYROPHOSPHATE	7722-88-5
HYDROGEN PEROXIDE	7722-84-1
SODIUM SACCHARIN	128-44-9
Sodium Fluoride	7681-49-4
SODIUM SULFATE	7757-82-6

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG -Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.


 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/20/2019

 2.1
 01/28/2021
 660000002367
 Date of first issue: 03/03/2016

MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 01/28/2021

US / EN