

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

**SECTION 1. IDENTIFICATION**

Product name : TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT  
B05447670001

Product code : 200000040174

**Manufacturer or supplier's details**

Company name of supplier : Tom's of Maine  
Consumer Dialogue Department  
302 Lafayette Center  
Kennebunk, ME 04043

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

**Recommended use of the chemical and restrictions on use**

Recommended use : Dentifrice.

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Eye irritation : Category 2A

Skin sensitisation : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

## TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

### Precautionary statements

#### : **Prevention:**

P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium Carbonate	1317-65-3	>= 30 - < 50
Glycerin	56-81-5	>= 20 - < 30
SILICA	7631-86-9	>= 1 - < 5
ZINC CITRATE	546-46-3	>= 1 - < 5
SODIUM LAURYL SULFATE	151-21-3	>= 1 - < 5
SPEARMINT OIL	8008-79-5	>= 1 - < 5
CRYSTALLINE SILICA	14808-60-7	>= 0.1 - < 1

## SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water.

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye irritation.

Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

## TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version 1.3	Revision Date: 12/04/2024	SDS Number: 660000003556	Date of last issue: 08/22/2023 Date of first issue: 10/07/2016
----------------	------------------------------	-----------------------------	---

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium Carbonate	1317-65-3	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	15 mg/m <sup>3</sup>	OSHA P0

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue:
1.3	12/04/2024	660000003556	08/22/2023
			Date of first issue: 10/07/2016

		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0
SILICA	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
CRYSTALLINE SILICA	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version 1.3	Revision Date: 12/04/2024	SDS Number: 660000003556	Date of last issue: 08/22/2023 Date of first issue: 10/07/2016
----------------	------------------------------	-----------------------------	---

When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	paste
Colour	:	white
Odour	:	No data available
pH	:	8.3 - 9.3
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Solubility(ies) Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Particle characteristics Particle size	:	No data available

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 12.55 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

**Components:****Calcium Carbonate:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402

**SILICA:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 58.8 mg/l

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: No information available.

**ZINC CITRATE:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: > 200 mg/l  
Test atmosphere: No information available.  
Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**SODIUM LAURYL SULFATE:**

Acute oral toxicity : LD50 (Rat): 977 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**SPEARMINT OIL:**

Acute oral toxicity : LD50 (Rat): 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: No information available.

**CRYSTALLINE SILICA:**

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Calcium Carbonate:**

Result : No skin irritation



**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

**Glycerin:**

Result : No skin irritation

**SILICA:**

Result : No skin irritation

**ZINC CITRATE:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**SODIUM LAURYL SULFATE:**

Species : Rabbit  
Exposure time : 24 h  
Assessment : irritating  
Method : OECD Test Guideline 404  
Result : irritating

**SPEARMINT OIL:**

Result : Severe skin irritation

**CRYSTALLINE SILICA:**

Remarks : No data available

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Calcium Carbonate:**

Result : No eye irritation

**Glycerin:**

Result : No eye irritation

**SILICA:**

Result : No eye irritation

**ZINC CITRATE:**

Species : Rabbit  
Result : Eye irritation  
Method : OECD Test Guideline 405

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

**SODIUM LAURYL SULFATE:**

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

**SPEARMINT OIL:**

Result : No eye irritation

**CRYSTALLINE SILICA:**

Remarks : No data available

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Calcium Carbonate:**

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**Glycerin:**

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**SILICA:**

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**ZINC CITRATE:**

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

Result : Does not cause skin sensitisation.

**SODIUM LAURYL SULFATE:**

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**SPEARMINT OIL:**

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Result : May cause sensitisation by skin contact.

**CRYSTALLINE SILICA:**

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****SODIUM LAURYL SULFATE:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Escherichia coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse (male and female)  
Application Route: Oral  
Method: OECD Test Guideline 478  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**IARC**

Group 1: Carcinogenic to humans This finished consumer product is not expected to exhibit carcinogenic effects. Exposure via airborne, respirable unbound particles of Crystalline silica (14808-60-7) contained in limestone is not applicable to the intended use of this product

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

CRYSTALLINE SILICA 14808-60-7

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

Known to be human carcinogen This finished consumer product is not expected to exhibit carcinogenic effects. Exposure via airborne, respirable unbound particles of Crystalline silica (14808-60-7) contained in limestone is not applicable to the intended use of this product

CRYSTALLINE SILICA 14808-60-7

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****SODIUM LAURYL SULFATE:**

Species	:	Rat
	:	488 mg/kg
Application Route	:	Oral
Species	:	Mouse
	:	488 mg/kg
Application Route	:	Dermal

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks : This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

**Components:****CRYSTALLINE SILICA:**

Remarks : No data available

**SECTION 12. ECOLOGICAL INFORMATION**

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION**

DOT	:	Not regulated.
TDG	:	Not regulated.
IATA	:	Not regulated.

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

**IMDG**

:

Not regulated.

**IMDG EmS Number** :Not applicable.**ADR**

:

Not regulated.

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards**: Respiratory or skin sensitisation  
Serious eye damage or eye irritation**SARA 313**

: The following components are subject to reporting levels established by SARA Title III, Section 313:

ZINC CITRATE 546-46-3

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Glycerin 56-81-5

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

**TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

ZINC CITRATE	546-46-3	1.194 %
--------------	----------	---------

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**US State Regulations****Massachusetts Right To Know**

Calcium Carbonate	1317-65-3
Glycerin	56-81-5
WATER	7732-18-5
SILICA	7631-86-9
SODIUM LAURYL SULFATE	151-21-3
CHONDRUS CRISPUS (CARRAGEENAN)	9000-07-1
CRYSTALLINE SILICA	14808-60-7

**Pennsylvania Right To Know**

Calcium Carbonate	1317-65-3
Glycerin	56-81-5
WATER	7732-18-5
XYLITOL	87-99-0
SILICA	7631-86-9
CHONDRUS CRISPUS (CARRAGEENAN)	9000-07-1
SPEARMINT OIL	8008-79-5
SODIUM SULFATE	7757-82-6

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -

## TOM'S OF MAINE WHITENING TOOTHPASTE SPEARMINT


*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 08/22/2023
1.3	12/04/2024	660000003556	Date of first issue: 10/07/2016

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 12/04/2024  
US / EN