

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

SECTION 1. IDENTIFICATION

Product name : Ultra POL Oxy Plus Odor Eliminator
B02927300007

Product code : 200000012694

Manufacturer or supplier's details

Company name of supplier : Colgate-Palmolive Co
300 Park Avenue
New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : A formulated dishwashing liquid

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 3

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

Precautionary statements

:

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous components**

| Chemical name | CAS-No. | Concentration (% w/w) |
|------------------------------------|------------|-----------------------|
| ETHANOL (ETHYL ALCOHOL) | 64-17-5 | $\geq 5 - < 10$ |
| LAURAMIDOPROPYLDIMETHYLAMINE OXIDE | 61792-31-2 | $\geq 1 - < 5$ |
| SODIUM CHLORIDE | 7647-14-5 | $\geq 1 - < 5$ |
| MYRISTAMIDOPROPYLAMINE OXIDE | 67806-10-4 | $\geq 1 - < 5$ |
| METHANOL | 67-56-1 | $\geq 0.1 - < 1$ |

SECTION 4. FIRST AID MEASURES

General advice

:

Move out of dangerous area.

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

| | | |
|---|---|---|
| If inhaled | : | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | : | If on skin, rinse well with water. If on clothes, remove clothes. |
| In case of eye contact | : | Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | : | Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : | Causes serious eye irritation. |

SECTION 5. FIREFIGHTING MEASURES

| | | |
|---|---|---|
| Suitable extinguishing media | : | Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | No hazardous combustion products are known |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------------|---------|----------------------------------|--|-------|
| ETHANOL (ETHYL) | 64-17-5 | STEL | 1,000 ppm | ACGIH |

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

| | | | | |
|----------|---------|------|--------------------------------------|-----------|
| ALCOHOL) | | | | |
| | | TWA | 1,000 ppm 1,900 mg/m ³ | NIOSH REL |
| | | TWA | 1,000 ppm 1,900 mg/m ³ | OSHA Z-1 |
| | | TWA | 1,000 ppm 1,900 mg/m ³ | OSHA P0 |
| METHANOL | 67-56-1 | TWA | 200 ppm | ACGIH |
| | | STEL | 250 ppm | ACGIH |
| | | TWA | 200 ppm 260 mg/m ³ | NIOSH REL |
| | | ST | 250 ppm 325 mg/m ³ | NIOSH REL |
| | | TWA | 200 ppm 260 mg/m ³ | OSHA Z-1 |
| | | STEL | 250 ppm 325 mg/m ³ | OSHA P0 |
| | | TWA | 200 ppm 260 mg/m ³ | OSHA P0 |

Hazardous components without workplace control parameters

| Components | CAS-No. |
|--|------------|
| LAURAMIDOPROPYLDIMET HYLAMINE OXIDE | 61792-31-2 |
| SODIUM CHLORIDE | 7647-14-5 |
| MYRISTAMIDOPROPYLAMIN E OXIDE | 67806-10-4 |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sam- pling time | Permissible concentra- tion | Basis |
|------------|---------|--------------------|---------------------|--|-----------------------------------|--------------|
| METHANOL | 67-56-1 | Methanol | Urine | End of shift (As soon as possible after exposure ceases) | 15 mg/l | ACGIH BEI |

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : pink
- pH : 6.5 - 7.3
- Flash point : 110.0 °F
- Density : $\geq 1.00 \text{ g/cm}^3$

SECTION 10. STABILITY AND REACTIVITY

- Reactivity : No decomposition if stored and applied as directed.
- Chemical stability : No decomposition if stored and applied as directed.
- Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapours may form explosive mixture with air.
- Conditions to avoid : Heat, flames and sparks.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

- Acute oral toxicity : Acute toxicity estimate: $> 5,000 \text{ mg/kg}$
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: $> 200 \text{ mg/l}$
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: $> 5,000 \text{ mg/kg}$
Method: Calculation method

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

Components:**ETHANOL (ETHYL ALCOHOL):**

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: No information available.
Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 15,800 mg/kg
Method: No information available.

LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Acute oral toxicity : LC50 (Rat): 500 - 1,000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LC50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

SODIUM CHLORIDE:

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 42,000 mg/l
Exposure time: 1 h
Test atmosphere: No information available.
Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg
Method: No information available.

MYRISTAMIDOPROPYLAMINE OXIDE:

Acute oral toxicity : LC50 (Rat): 500 - 1,000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LC50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

METHANOL:

Acute oral toxicity : LD50: 100 mg/kg
Method: Acute toxicity estimate

Acute inhalation toxicity : LC50: 3 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Converted acute toxicity point estimate

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

Acute dermal toxicity : LD50: 300 mg/kg
Method: Converted acute toxicity point estimate

Skin corrosion/irritation

Not classified based on available information.

Components:**ETHANOL (ETHYL ALCOHOL):**

Result: No skin irritation

LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: Mild skin irritation

SODIUM CHLORIDE:

Result: No skin irritation

MYRISTAMIDOPROPYLAMINE OXIDE:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: Mild skin irritation

METHANOL:

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**ETHANOL (ETHYL ALCOHOL):**

Result: Irritation to eyes, reversing within 21 days

LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days
Exposure time: 1 h
Method: OECD Test Guideline 405

SODIUM CHLORIDE:

Result: Mild eye irritation

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

MYRISTAMIDOPROPYLAMINE OXIDE:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days
Exposure time: 1 h
Method: OECD Test Guideline 405

METHANOL:

Result: No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**ETHANOL (ETHYL ALCOHOL):**

Exposure routes: Inhalation
Remarks: No data available

Exposure routes: Dermal
Result: Does not cause skin sensitisation.

LAURAMIDOPROPYLDIMETHYLAMINE OXIDE:

Exposure routes: Inhalation
Remarks: No data available

Exposure routes: Dermal
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Does not cause skin sensitisation.

SODIUM CHLORIDE:

Exposure routes: Inhalation
Remarks: No data available

Exposure routes: Dermal
Result: Does not cause skin sensitisation.

MYRISTAMIDOPROPYLAMINE OXIDE:

Exposure routes: Inhalation
Result: Does not cause respiratory sensitisation.

Test Type: Maximisation Test
Exposure routes: Dermal
Species: Guinea pig
Method: OECD Test Guideline 406

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

Result: Does not cause skin sensitisation.

METHANOL:

Exposure routes: Inhalation

Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

Group 1: Carcinogenic to humans This finished consumer product is not expected to exhibit carcinogenic effects. Exposure through ingestion of Ethanol (64-17-5) is not applicable to the intended use of this product.

ETHANOL (ETHYL
ALCOHOL) 64-17-5

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:**METHANOL:**

Target Organs: Eyes, Central nervous system

Assessment: Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

Further information

Product:

Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

| | | |
|------------------------|---|--|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

| | | |
|------|---|--|
| DOT | : | NA 1993 Combustible liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III. DOT Non-Bulk: Not Regulated. |
| TDG | : | UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III. |
| IATA | : | UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III. |
| IMDG | : | UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III. |
| ADR | : | UN 1993 Flammable liquids, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,III. |

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------|---------|-----------------------|--------------------------------|
| METHANOL | 67-56-1 | 100 | 100 (F003) |
| METHANOL | 67-56-1 | 5000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------|---------|-----------------------|--------------------------------|
| FORMALDEHYDE | 50-00-0 | 100 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

ETHANOL (ETHYL 64-17-5
ALCOHOL)

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

FORMALDEHYDE 50-00-0
SODIUM BISULFITE 7631-90-5

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

FORMALDEHYDE 50-00-0

Ultra POL Oxy Plus Odor Eliminator

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

SODIUM BISULFITE 7631-90-5

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations**Massachusetts Right To Know**

| | |
|-------------------------|---------|
| ETHANOL (ETHYL ALCOHOL) | 64-17-5 |
| FORMALDEHYDE | 50-00-0 |

Pennsylvania Right To Know

| | |
|------------------------------------|------------|
| WATER | 7732-18-5 |
| ETHANOL (ETHYL ALCOHOL) | 64-17-5 |
| LAURAMIDOPROPYLDIMETHYLAMINE OXIDE | 61792-31-2 |
| METHANOL | 67-56-1 |
| AMMONIUM SULFATE | 7783-20-2 |

New Jersey Right To Know

| | |
|------------------------------------|------------|
| WATER | 7732-18-5 |
| ETHANOL (ETHYL ALCOHOL) | 64-17-5 |
| LAURAMIDOPROPYLDIMETHYLAMINE OXIDE | 61792-31-2 |
| SODIUM CHLORIDE | 7647-14-5 |
| METHANOL | 67-56-1 |

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

California Permissible Exposure Limits for Chemical Contaminants

| | |
|-------------------------|---------|
| ETHANOL (ETHYL ALCOHOL) | 64-17-5 |
|-------------------------|---------|

The components of this product are reported in the following inventories:

TSCA : All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Har-

Ultra POL Oxy Plus Odor Eliminator


This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 04/21/2017 | 660000004460 | Date of first issue: 2017/04/21 |

monized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



HMIS® IV:

| | | |
|-----------------|--|---|
| HEALTH | | 2 |
| FLAMMABILITY | | 2 |
| PHYSICAL HAZARD | | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 04/21/2017
 US / EN