

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

SECTION 1. IDENTIFICATION

Product name : Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

Product code : 200000049165

Material : B06702260001

Manufacturer or supplier's details

Company : Colgate-Palmolive Co
300 Park Avenue
New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Telefax : +50250224239500

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

Medical Emergency (24HR): For MEDICAL EMERGENCIES involving this product call: (888) 489-3861

Recommended use of the chemical and restrictions on use

Recommended use : A formulated dentifrice.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1A

Serious eye damage : Category 1

Skin sensitisation : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

- Hazard statements : H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
- Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
GLYCERIN	56-81-5	>= 50 - < 70
HYDROGEN PEROXIDE	7722-84-1	>= 5 - < 10
2-PROPENOIC ACID, HOMOPOLYMER	9003-01-4	>= 5 - < 10
SODIUM HYDROXIDE	1310-73-2	>= 1 - < 5
PEPPERMINT (MENTHA PIPERITA) OIL	PEPPERMINT	>= 0.1 - < 1
SODIUM FLUORIDE	7681-49-4	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products	: No hazardous combustion products are known
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	: No special environmental precautions required.
Methods and materials for containment and cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: For personal protection see section 8.

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
GLYCERIN	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0
HYDROGEN PEROXIDE	7722-84-1	TWA	1 ppm 1.4 mg/m ³	NIOSH REL
		TWA	1 ppm 1.4 mg/m ³	OSHA Z-1
		TWA	1 ppm 1.4 mg/m ³	OSHA P0
		TWA	1 ppm	ACGIH
SODIUM HYDROXIDE	1310-73-2	C	2 mg/m ³	ACGIH
		C	2 mg/m ³	NIOSH REL
		TWA	2 mg/m ³	OSHA Z-1
		C	2 mg/m ³	OSHA P0
SODIUM FLUORIDE	7681-49-4	TWA	2.5 mg/m ³ (Fluorine)	NIOSH REL
		TWA	2.5 mg/m ³ (Fluorine)	OSHA Z-1
		TWA	2.5 mg/m ³ (Fluorine)	ACGIH
		TWA	2.5 mg/m ³ (Fluorine)	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
2-PROPENOIC ACID, HOMOPOLYMER	9003-01-4
PEPPERMINT (MENTHA)	PEPPERMIN

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

PIPERITA) OIL	T
---------------	---

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
SODIUM FLUORIDE	7681-49-4	CUST-TD-95246 (CUST-N15.001106 65)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		CUST-TD-95246 (CUST-N15.001106 65)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : colourless

pH : 6.0

Flash point : > 200 °F

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

GLYCERIN:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: No information available.

HYDROGEN PEROXIDE:

Acute oral toxicity : LD50 (Rat): 1,026 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402

2-PROPENOIC ACID, HOMOPOLYMER:

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rabbit): 1.71 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgement

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg
Method: Expert judgement

SODIUM HYDROXIDE:

Acute oral toxicity : LD50 (Rabbit): 500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

PEPPERMINT (MENTHA PIPERITA) OIL:

Acute oral toxicity : LD50 (Rat): 2,650 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

SODIUM FLUORIDE:

Acute oral toxicity : LD50 (Rat): 177 - 272 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:**GLYCERIN:**

Result: No skin irritation

HYDROGEN PEROXIDE:

Result: Corrosive after 3 minutes or less of exposure

2-PROPENOIC ACID, HOMOPOLYMER:

Result: No skin irritation

SODIUM HYDROXIDE:

Result: Corrosive

PEPPERMINT (MENTHA PIPERITA) OIL:

Result: Severe skin irritation

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

SODIUM FLUORIDE:

Result: Severe skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Components:

GLYCERIN:

Remarks: No data available

HYDROGEN PEROXIDE:

Result: Irreversible effects on the eye

2-PROPENOIC ACID, HOMOPOLYMER:

Result: No eye irritation

SODIUM HYDROXIDE:

Result: Corrosive

PEPPERMINT (MENTHA PIPERITA) OIL:

Result: Irritation to eyes, reversing within 21 days

SODIUM FLUORIDE:

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: Not classified based on available information.

Product:

Remarks: No data available

Components:

GLYCERIN:

Exposure routes: Inhalation

Remarks: No data available

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

HYDROGEN PEROXIDE:

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

Result: Does not cause skin sensitisation.

2-PROPENOIC ACID, HOMOPOLYMER:

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

SODIUM HYDROXIDE:

Exposure routes: Inhalation

Remarks: No data available

Exposure routes: Dermal

Remarks: No data available

PEPPERMINT (MENTHA PIPERITA) OIL:

Exposure routes: Inhalation

Remarks: No data available

Exposure routes: Dermal

Result: May cause sensitisation by skin contact.

SODIUM FLUORIDE:

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental, Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable) or testing conducted on the final product (i.e., This product is biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

DOT : Not regulated.

TDG : Not regulated.

IATA : Not regulated.

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

IMDG :
Not regulated.

ADR :
NOT REGULATED.

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
SODIUM HYDROXIDE	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
HYDROGEN PEROXIDE	7722-84-1	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : The following components are subject to reporting levels established by SARA Title III, Section 302:

HYDROGEN PEROXIDE 7722-84-1

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

GLYCERIN

56-81-5

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

EDTA	60-00-4
SODIUM HYDROXIDE	1310-73-2
SODIUM FLUORIDE	7681-49-4

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

EDTA	60-00-4
SODIUM HYDROXIDE	1310-73-2
SODIUM FLUORIDE	7681-49-4

US State Regulations

Massachusetts Right To Know

GLYCERIN	56-81-5	50 - 70 %
HYDROGEN PEROXIDE	7722-84-1	5 - 10 %
SODIUM HYDROXIDE	1310-73-2	1 - 5 %
SODIUM SACCHARIN	128-44-9	0.1 - 1 %

Pennsylvania Right To Know

GLYCERIN	56-81-5	50 - 70 %
Water	WATER	20 - 30 %
HYDROGEN PEROXIDE	7722-84-1	5 - 10 %
2-PROPENOIC ACID, HOMOPOLYMER	9003-01-4	5 - 10 %
SODIUM HYDROXIDE	1310-73-2	1 - 5 %
SODIUM SACCHARIN	128-44-9	0.1 - 1 %
SODIUM FLUORIDE	7681-49-4	0.1 - 1 %

New Jersey Right To Know

GLYCERIN	56-81-5	50 - 70 %
Water	WATER	20 - 30 %
HYDROGEN PEROXIDE	7722-84-1	5 - 10 %
2-PROPENOIC ACID, HOMOPOLYMER	9003-01-4	5 - 10 %
SODIUM HYDROXIDE	1310-73-2	1 - 5 %
SODIUM FLUORIDE	7681-49-4	0.1 - 1 %

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response;

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0


SDS Number: 660000002009

Revision Date: 01/29/2016

GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date

: 01/29/2016

Colgate Optic White Professional Whitening System - Hydrogen Peroxide 6% w/w

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.0

SDS Number: 660000002009

Revision Date: 01/29/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN