

## SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

### SECTION 1. IDENTIFICATION

Product name : SPEED STICK POWER OF NATURE ANTIPERSPIRANT  
GEL LIGHTNING  
B06520550001

Product code : 200000036992

#### Manufacturer or supplier's details

Company name of supplier : Colgate-Palmolive Co  
300 Park Avenue  
New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : A formulated deodorant /antiperspirant.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.  
No smoking.

## SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY	90604-80-1	$\geq 10 - < 20$
DECAMETHYLCYCLOPENTASILOXANE	541-02-6	$\geq 5 - < 10$
ETHANOL (ETHYL ALCOHOL)	64-17-5	$\geq 5 - < 10$
Propylene Glycol	57-55-6	$\geq 5 - < 10$

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.

## SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

- |   |   |   |
|---|---|---|
| In case of eye contact                                      | : | Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed  | : | Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.   |
| Most important symptoms and effects, both acute and delayed | : | None known.   |

### SECTION 5. FIREFIGHTING MEASURES

- |   |   |   |
|---|---|---|
| Suitable extinguishing media                  | : | Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Dry chemical  |
| Unsuitable extinguishing media                | : | High volume water jet   |
| Specific hazards during fire-fighting         | : | Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products                 | : | No hazardous combustion products are known  |
| Further information                           | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.  |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions   | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.  |

## SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY	90604-80-1	TWA	5 mg/m <sup>3</sup> (Zirconium)	OSHA Z-1
		TWA	5 mg/m <sup>3</sup>	ACGIH

## SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

			(Zirconium)	
		STEL	10 mg/m3 (Zirconium)	ACGIH
		TWA	5 mg/m3 (Zirconium)	OSHA P0
		STEL	10 mg/m3 (Zirconium)	OSHA P0
		TWA	5 mg/m3 (Zirconium)	NIOSH REL
		ST	10 mg/m3 (Zirconium)	NIOSH REL
DECAMETHYLCYCLOPENTA SILOXANE	541-02-6	TWA	10 ppm	US WEEL
ETHANOL (ETHYL ALCOHOL)	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : gel

Colour : colourless

## **SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

---

pH : No data available

Flash point : 111 °F / 44 °C

---

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

---

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 74.79 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY:**

Acute oral toxicity : Remarks: Not applicable

Acute inhalation toxicity : Remarks: Not applicable

Acute dermal toxicity : Remarks: Not applicable

##### **ETHANOL (ETHYL ALCOHOL):**

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 124.7 mg/l

**SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL  
LIGHTNING**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

Exposure time: 4 h  
Test atmosphere: No information available.  
Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 15,800 mg/kg  
Method: No information available.

**Propylene Glycol:**

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 317,042 mg/l  
Exposure time: 2 h  
Test atmosphere: No information available.  
Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: No information available.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY:**

Result : Mild skin irritation

**DECAMETHYLCYCLOPENTASILOXANE:**

Result : No skin irritation

**ETHANOL (ETHYL ALCOHOL):**

Result : No skin irritation

**Propylene Glycol:**

Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY:**

Result : No eye irritation

**DECAMETHYLCYCLOPENTASILOXANE:**

Result : No eye irritation

## SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

---

### ETHANOL (ETHYL ALCOHOL):

Species : Rabbit  
Result : Moderate eye irritation

### Propylene Glycol:

Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY:

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

#### DECAMETHYLCYCLOPENTASILOXANE:

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

### ETHANOL (ETHYL ALCOHOL):

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

### Propylene Glycol:

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

Not classified based on available information.



## **SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

### **Carcinogenicity**

Not classified based on available information.

### **IARC**

Group 1: Carcinogenic to humans This product is not expected to exhibit carcinogenic effects. Exposure through ingestion of Ethanol (64-17-5) is not applicable to the intended use of this product.

ETHANOL (ETHYL ALCOHOL) 64-17-5

### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **NTP**

This product is not expected to exhibit carcinogenic effects. Exposure through ingestion of Ethanol (64-17-5) is not applicable to the intended use of this product.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

Remarks

: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

## **SECTION 12. ECOLOGICAL INFORMATION**

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational

## **SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

---

Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

---

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

- Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### **SECTION 14. TRANSPORT INFORMATION**

- DOT** :  
UN 1170 Ethanol solutions, 3, III. DOT Non bulk: Not Regulated. Marine Pollutant: No.
- TDG** :  
Not Regulated (As per TDG Part 1 Section 1.36 (b))
- IATA** :  
Not Regulated (As per IATA Special provision A58)
- IMDG** :  
Not Regulated (As per IMDG Special provision 144)
- ADR** :  
Not Regulated (As per ADR Special provision 144)

## **SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

##### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

##### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

##### **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

ETHANOL (ETHYL	64-17-5
ALCOHOL)	
Propylene Glycol	57-55-6

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

##### **Massachusetts Right To Know**

WATER	7732-18-5
ETHANOL (ETHYL ALCOHOL)	64-17-5
Propylene Glycol	57-55-6

##### **Pennsylvania Right To Know**

WATER	7732-18-5
ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY	90604-80-1
DECAMETHYLCYCLOPENTASILOXANE	541-02-6

## **SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

ETHANOL (ETHYL ALCOHOL)	64-17-5
TRIPROPYLENE GLYCOL	24800-44-0
DIMETHICONE	63148-62-9
Propylene Glycol	57-55-6

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## **SECTION 16. OTHER INFORMATION**

### **Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative


## SPEED STICK POWER OF NATURE ANTIPERSPIRANT GEL LIGHTNING

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2020	660000010397	Date of first issue: 01/20/2020

### Further information

#### NFPA:



#### HMIS® IV:

HEALTH	/	0
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 01/20/2020  
US / EN