

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

SECTION 1. IDENTIFICATION

Product name : COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT
B05400540000
Product code : 100000194967

Manufacturer or supplier's details

Company name of supplier : Colgate-Palmolive Co
300 Park Avenue
New York, NY 10022

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :



Signal word : WARNING

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272 Contaminated work clothing must not be allowed out of the workplace.

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
amorphous silica or silicates	112926-00-8	>= 10 - < 20
Glycerin	56-81-5	>= 5 - < 10
Polyethylene Glycol	25322-68-3	>= 1 - < 5
ZINC OXIDE	1314-13-2	>= 1 - < 5
Sodium Fluoride	7681-49-4	>= 0.1 - < 1
CORN MINT (MENTHA ARVENSIS PIPERASCENS) OIL	68917-18-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : If on skin, rinse well with water. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Administer milk but do not induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and | : May cause an allergic skin reaction. |

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT*This industrial Safety Data Sheet provides health and safety information for occupational use only.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

delayed

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
amorphous silica or silicates	112926-00-8	TWA	6 mg/m ³	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0
Polyethylene Glycol	25322-68-3	TWA (aerosol)	10 mg/m ³	US WEEL
ZINC OXIDE	1314-13-2	TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
		STEL (Respirable particulate matter)	10 mg/m ³	ACGIH
		TWA (Dust)	5 mg/m ³	NIOSH REL
		TWA	5 mg/m ³	NIOSH REL

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

		(Fumes)		
		ST (Fumes)	10 mg/m3	NIOSH REL
		C (Dust)	15 mg/m3	NIOSH REL
		TWA (Fumes)	5 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Fumes)	5 mg/m3	OSHA P0
		STEL (Fumes)	10 mg/m3	OSHA P0
Sodium Fluoride	7681-49-4	TWA	2.5 mg/m3 (Fluorine)	NIOSH REL
		TWA	2.5 mg/m3 (Fluorine)	OSHA Z-1
		TWA	2.5 mg/m3 (Fluorine)	ACGIH
		TWA	2.5 mg/m3 (Fluorine)	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Sodium Fluoride	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	white
pH	:	8.35
Flash point	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT*This industrial Safety Data Sheet provides health and safety information for occupational use only.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

Components:**amorphous silica or silicates:**

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg
Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Polyethylene Glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

ZINC OXIDE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 5.7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Sodium Fluoride:

Acute oral toxicity : LD50 (Rat): 177 - 272 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

CORN MINT (MENTHA ARVENSIS PIPERASCENS) OIL:

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

Components:**amorphous silica or silicates:**

Remarks : No data available

Glycerin:

Result : No skin irritation

Polyethylene Glycol:

Result : No skin irritation

ZINC OXIDE:

Result : No skin irritation

Sodium Fluoride:

Result : Severe skin irritation

Remarks : May cause skin irritation in susceptible persons.

CORN MINT (MENTHA ARVENSIS PIPERASCENS) OIL:

Result : Severe skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**amorphous silica or silicates:**

Remarks : No data available

Glycerin:

Result : No eye irritation

Polyethylene Glycol:

Result : No eye irritation

ZINC OXIDE:

Result : No eye irritation

Sodium Fluoride:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

CORN MINT (MENTHA ARVENSIS PIPERASCENS) OIL:

Result : Irritation to eyes, reversing within 21 days

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**amorphous silica or silicates:**

Exposure routes	:	Inhalation
Remarks	:	No data available

Exposure routes	:	Dermal
Remarks	:	No data available

Glycerin:

Exposure routes	:	Inhalation
Remarks	:	No data available

Exposure routes	:	Dermal
Result	:	Does not cause skin sensitisation.

Polyethylene Glycol:

Exposure routes	:	Inhalation
Remarks	:	No data available

Exposure routes	:	Dermal
Result	:	Does not cause skin sensitisation.

ZINC OXIDE:

Exposure routes	:	Inhalation
Result	:	Does not cause respiratory sensitisation.

Exposure routes	:	Dermal
Result	:	Does not cause skin sensitisation.

Sodium Fluoride:

Exposure routes	:	Inhalation
Result	:	Does not cause respiratory sensitisation.

Exposure routes	:	Dermal
Result	:	Does not cause skin sensitisation.

CORN MINT (MENTHA ARVENSIS PIPERASCENS) OIL:

Exposure routes	:	Inhalation
Remarks	:	No data available

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

Exposure routes : Dermal
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:**Sodium Fluoride:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks : This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT	:	Not regulated
TDG	:	Not regulated
IATA	:	Not regulated
IMDG	:	Not regulated
ADR	:	

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT

This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

Not regulated

SECTION 15. REGULATORY INFORMATION
EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Fluoride	7681-49-4	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitisation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

ZINC OXIDE 1314-13-2

ZINC CITRATE 546-46-3

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Glycerin	56-81-5
Polyethylene Glycol	25322-68-3

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium Fluoride	7681-49-4
-----------------	-----------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium Fluoride	7681-49-4
-----------------	-----------

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

ZINC OXIDE	1314-13-2
------------	-----------

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT*This industrial Safety Data Sheet provides health and safety information for occupational use only.*

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations**Massachusetts Right To Know**

D-Sorbitol	50-70-4
WATER	7732-18-5
amorphous silica or silicates	112926-00-8
Glycerin	56-81-5
MANNITOL	69-65-8
Polyethylene Glycol	25322-68-3
ZINC OXIDE	1314-13-2
CHONDRUS CRISPUS (CARRAGEENAN)	9000-07-1

Pennsylvania Right To Know

D-Sorbitol	50-70-4
WATER	7732-18-5
amorphous silica or silicates	112926-00-8
Glycerin	56-81-5
Syrups, hydrolyzed starch, hydrogenated	68425-17-2
ZINC OXIDE	1314-13-2
CHONDRUS CRISPUS (CARRAGEENAN)	9000-07-1
Sodium Fluoride	7681-49-4
SODIUM SULFATE	7757-82-6

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Admin-

COLGATE 2 IN 1 LIQUID TOOTHPASTE-COOLMINT


This industrial Safety Data Sheet provides health and safety information for occupational use only.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2020	660000012859	Date of first issue: 11/25/2020

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 11/25/2020
 US / EN