

SAFETY DATA SHEET

Singapore

Section 1. Identification

HyClone™ prime expression medium

(chemically defined)

Catalogue Number SH31198

Other means of identification Not available.

Product type Powder.

Relevant identified uses of the substance or mixture and uses advised against

For further manufacturing.

Uses advised against Reason

Supplier

HyClone Laboratories Cytiva Austria
925 West 1800 South Kremplstr. 5
Logan, Utah 84321 4061 Pasching
Phone: (435) 792-8000 AUSTRIA

Phone: +43 7229 64865

Cytiva Singapore 25 Tuas South Street 1 Singapore 638034

> Cytiva Singapore 25 Tuas South Street 1 Singapore 638034

Emergency telephone number (with hours of operation)

+65 6863 6704

(hours of operation: 8.30 pm - 5.30 pm)

Section 2. Hazards identification

Classification of the substance

Not classified.

or mixture

GHS label elements, including precautionary statements

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.

Precautionary statements

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Other hazards which do not

result in classification

Warning: May form explosible dust-air mixture if dispersed.

Article Number SH31198 Page: 1/9

. Varaian 0.0

Validation date: 10 September 2025

Version 0.02

Section 3. Composition/information on ingredients

 Substance/mixture
 Mixture

 Other means of identification
 Not available.

 Chemical formula
 Not applicable.

Ingredient name%Identifierspotassium chloride<2.4</td>CAS: 7447-40-7EC: 231-211-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check

for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

hours.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Ingestion Wash out mouth with water. If material has been swallowed and the exposed person is conscious,

give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

Skin contact No known significant effects or critical hazards.

Ingestion No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

couahina

Skin contact No specific data.

Ingestion No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

person may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Unsuitable extinguishing media Avoid high pressure media which could cause the formation of a potentially explosible dust-air

mixture

Specific hazards arising from the May form explosible dust-air mixture if dispersed.

chemical

Article Number SH31198 Page: 2/9

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides halogenated compounds metal oxide/oxides

fiahters

Special protective actions for fire- Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard

area. Avoid breathing dust. Put on appropriate personal protective equipment. For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or

sweep up material and place in a designated, labeled waste container. Dispose of via a licensed

waste disposal contractor.

Large spill Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas.

Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Advice on general occupational

hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None

Biological exposure indices

No exposure indices known.

Appropriate engineering controls Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Article Number SH31198 Page: 3/9

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions

to acceptable levels.

Individual protection measures

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating,

smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment

indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree

of protection: safety glasses with side-shields. If operating conditions cause high dust

concentrations to be produced, use dust goggles.

Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all

times when handling chemical products if a risk assessment indicates this is necessary.

Personal protective equipment for the body should be selected based on the task being performed **Body protection**

and the risks involved and should be approved by a specialist before handling this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected based on the

task being performed and the risks involved and should be approved by a specialist before

handling this product.

Respiratory protection Based on the hazard and potential for exposure, select a respirator that meets the appropriate

standard or certification. Respirators must be used according to a respiratory protection program to

ensure proper fitting, training, and other important aspects of use

Section 9. Physical and chemical properties

Appearance

Physical state Solid. [Powder.] Color Off-white Odor Not available. Odor threshold Not available. pН 52 to 74 Melting point/freezing point Not available. **Boiling point or initial boiling** Not available.

point and boiling range

Flash point Not applicable. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Not available. **Flammability** Lower and upper explosive

(flammable) limits

Not applicable.

Not available. Vapor pressure Relative vapor density Not applicable. Relative density Not available. Solubility in water Not available. Partition coefficient: n-octanol/ Not applicable.

water

Auto-ignition temperature Not applicable. **Decomposition temperature** Not available. SADT Not available.

Viscosity Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.

Flow time (ISO 2431) Not available

Particle characteristics

Median particle size Not available

> Article Number SH31198 Page: 4/9

Section 10. Stability and reactivity

Reactivity

No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame).

Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate

static electricity during transfer by grounding and bonding containers and equipment before

transferring material. Prevent dust accumulation.

Reactive or incompatible with the following materials: oxidizing materials

Hazardous decomposition

Incompatible materials

products

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SADT Not available.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name Result

potassium chloride Rat - Male - Oral - LD50

2600 mg/kg

<u>Toxic effects</u>: Gastrointestinal - Hypermotility, diarrhea Gastrointestinal -

Nausea or vomiting Rat - Oral - LD50 2000 mg/kg

Conclusion/Summary [Product] Not available.

Skin corrosion/irritation

Not available.

L-valine

Conclusion/Summary [Product] Not available.

Ingredient nameConclusion/SummaryL-valineMay cause skin irritation.

Serious eye damage/eye irritation

Not available.

Conclusion/Summary [Product] Not available.

Ingredient nameConclusion/SummaryL-valineMay cause eye irritation.

Respiratory corrosion/irritation

Not available.

Conclusion/Summary [Product] Not available.

Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary [Product] Not available.

Respiratory

Conclusion/Summary [Product] Not available.

Germ cell mutagenicity

Not available.

Conclusion/Summary [Product] Not available.

Article Number SH31198 Page: 5/9

Carcinogenicity

Not available.

Conclusion/Summary [Product] Not available.

Reproductive toxicity

Not available.

Conclusion/Summary [Product] Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes

of exposure

Routes of entry anticipated: Oral, Dermal, Eyes.

Potential acute health effects

Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following:

irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact No specific data.

Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Potential chronic health effects

Not available.

Conclusion/Summary [Product] Not available.

General Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.Reproductive toxicityNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Article Number SH31198 Page: 6/9

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
HyClone™ prime expression medium (chemically defined)	112594.7	N/A	N/A	N/A	N/A
potassium chloride	2600	N/A	N/A	N/A	N/A
L-valine	2000	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name Result

Acute - LC50 - Fresh water potassium chloride

Crustaceans - Water flea - Pseudosida ramosa - Neonate

Age: ≤24 hours 9.68 mg/l [48 hours] Effect: Mortality

Acute - EC50 - Fresh water

ISO

Algae - Green algae - Desmodesmus subspicatus

9.24 g/l [72 hours] Effect: Population

Acute - LC50 - Fresh water Fish - Zebra danio - Danio rerio

509.65 mg/l [96 hours] Effect: Mortality

L-valine LC50

Fish

10000 mg/l [96 hours]

Conclusion/Summary [Product] Not available.

Ingredient name Conclusion/Summary L-valine Naturally occurring substance

Persistence/degradability

Product/ingredient name Result L-valine 82% [28 days]

Conclusion/Summary [Product] Not available.

Ingredient name

Conclusion/Summary

L-valine Not expected to bioaccumulate. Naturally occurring substance

Product/ingredient name Aquatic half-life **Photolysis** Biodegradability L-valine Readily

Bioaccumulative potential

Product/ingredient name LogPow **BCF Potential** L-valine -2.26 0.846 Low

Mobility in soil

Soil/Water partition coefficient Not available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Article Number SH31198 Page: 7/9

> Validation date: 10 September 2025 Version 0.02

Section 14. Transport information

UN **IMDG** IATA **UN** number Not available. Not available. Not available. **UN proper** Not available. Not available. Not available. shipping name Not available. Transport hazard Not available. Not available class(es) Packing group **Environmental** No. No. No. hazards Additional information

ADR/RID ADN

UN number Not available. Not available.

UN proper Not available. Not available. shipping name

Transport hazard Not available. Not available.

Transport hazard Not available. Not available. class(es)

Packing group - -

Environmental No. No.

hazards
Additional information

Special precautions for user Transport within user's premises: always transport in closed containers that are upright and

secure. Ensure that persons transporting the product know what to do in the event of an accident or

spillage.

Transport in bulk according to

IMO instruments

Not available.

Section 15. Regulatory information

Singapore - hazardous chemicals under government control

Ingredient name Status
Phosphides Listed

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Article Number SH31198 Page: 8/9

International lists

National inventory

United States Not determined.

Canada inventory Not determined.

China At least one component is not listed.

Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

Section 16. Other information

History

Date of printing10 September 2025Date of issue/Date of revision10 September 2025Date of previous issue18 July 2024.

Version 0.02

sds_author@cytiva.com

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

Procedure used to derive the classification

Classification Justification

Not classified.

References Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Article Number SH31198 Page: 9/9