



SAFETY DATA SHEET

Republic of Korea

In accordance with the Standard for Classification and Labeling of Chemical Substance and Safety Data Sheet, Article 10 Paragraph 1

Section 1. Chemical product and company identification

A. Product name HyCloneTM peak expression medium (chemically

defined)

Catalogue Number SH31192

Article Number SH31192

B. Recommended use of the chemical

For Further Manufacturing or Research Use. Not for Diagnostic or Therapeutic Use.

Restrictions on use

Uses advised against

C. Manufacturer

Manufacturer HyClone Laboratories 925 West 1800 South Logan, Utah 84321 Phone: (435) 792-8000

Cytiva Singapore

Cytiva Austria Kremplstr. 5 4061 Pasching AUSTRIA Phone: +43 7229 64865 Fax (+43) 7229 64866

1 Maritime Square #13-01 Harbourfront Centre Singapore 099253

Distributor 유통업자 글로벌 라이프 사이언스 솔루션즈 코리아 유한회사 BRC BLDG., 2동 2층 송도미래로 9, 연수구

SHC BLDG., 2동 2 송도미래로 9, 연수 인천시 대한민국 +82 2 3478 4584

Emergency telephone number (with hours of operation)

+82-2-3478-4584 (9.00 am - 6.00 pm)

Section 2. Hazards identification

A. Hazard classification AQUATIC HAZARD (LONG-TERM) - Category 3

This product is classified in accordance with the Industrial Safety and Health Act and the Chemical

Control Act.

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic

environment: 69.7%

B. GHS label elements, including precautionary statements

Signal word No signal word.

Hazard statements Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention Avoid release to the environment.

ResponseNot applicable.StorageNot applicable.

Disposal Dispose of contents and container in accordance with all local, regional, national and international

regulations

C. Other hazards which do not result in classification May form combustible dust concentrations in air.

Article Number SH31192 Page: 1/9

Section 3. Composition/information on ingredients

Substance/mixture Mixture

Other means of identification Not available.

Ingredient name L-serine	Common name	Identifiers CAS: 56-45-1	% ≤5
potassium chloride		CAS: 7447-40-7	≤5
L-valine		CAS: 72-18-4	≤5
Cobalt chloride (CoCl2), hexahydrate		CAS: 7791-13-1	≤5
Sulfuric acid, manganese(2+) salt, hydrate (1	1:1:1)	CAS: 10034-96-5	≤5
Cadmium compounds		CAS: 7790-78-5	≤5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

A. Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check

for and remove any contact lenses. Get medical attention if irritation occurs.

B. Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

C. Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of

inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may

need to be kept under medical surveillance for 48 hours.

D. Ingestion Wash out mouth with water. If material has been swallowed and the exposed person is conscious,

give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel.

E. Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

person may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

A. Extinguishing media

Suitable Use dry chemical powder.

Not suitable Avoid high pressure media which could cause the formation of a potentially explosible dust-air

nixture

carbon dioxide

B. Specific hazards arising

from the chemical

May form explosible dust-air mixture if dispersed. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from

being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides halogenated compounds metal oxide/oxides

C. Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive pressure mode.

Special precautions for fire-

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Section 6. Accidental release measures

A. Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

B. Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

C. Methods and materials for containment and cleaning up

Article Number SH31192 Page: 2/9

Small spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed

waste disposal contractor.

Large spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

A. Precautions for safe handling

Protective measures

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

B. Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

A. Control parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known

B. Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

C. Personal protective equipment

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Eye protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Skin protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Article Number SH31192 Page: 3/9

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

A. Appearance

Physical state Solid. [Powder.] Color Not available. Odor Not available. Not available. C. Odor threshold D. Not available. Ηα E. Melting/freezing point Not available. Not available. **Boiling point or initial** boiling point and boiling

range

G. Flash point Not applicable.
Fire point Not available.
Burning time Not available.
Burning rate Not available.
H. Evaporation rate Not available.
I. Flammability (solid, gas) Not available.

J. Lower and upper explosive (flammable) limits

Not applicable.

Not available. K. Vapor pressure Solubility in water Not available L. Vapor density M. Not applicable. N. Relative density Not available. Partition coefficient: n-O. Not applicable. octanol/water

P. Auto-ignition temperature
Q. Decomposition

Not applicable.

temperature
SADT Not available.

R. Viscosity Not applicable.
Flow time (ISO 2431) Not available.

S. Molecular weight Not applicable.

Particle characteristics

Median particle size Not available.

Section 10. Stability and reactivity

A. Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

B. Conditions to avoid Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame).

Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before

transferring material. Prevent dust accumulation.

C. Incompatible materials Reactive or incompatible with the following materials:

oxidizing materials

D. Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Article Number SH31192 Page: 4/9

Section 11. Toxicological information

A. Information on the likely routes of exposure

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Respiratory Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

Oral No known significant effects or critical hazards. Skin No known significant effects or critical hazards.

Eyes Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the eyes.

Over-exposure signs/symptoms

Adverse symptoms may include the following: Inhalation

respiratory tract irritation

coughing

Ingestion No specific data. Skin contact No specific data

Eye contact Adverse symptoms may include the following:

irritation redness

B. Health hazards

Acute toxicity Not available.

Conclusion/Summary

[Product]

Not available.

Skin corrosion/irritation

Not available.

Conclusion/Summary

[Product]

Not available.

Serious eye damage/eye irritation

Not available.

Conclusion/Summary

[Product]

Not available

Respiratory corrosion/irritation

Not available.

Conclusion/Summary

[Product]

Not available.

Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary

Not available.

[Product]

Respiratory

Conclusion/Summary

Not available.

[Product]

Not available.

Article Number SH31192 Page: 5/9 Germ cell mutagenicity

.

Conclusion/Summary

[Product]

Not available.

Carcinogenicity

Not available.

Not available.

Conclusion/Summary

Not available.

[Product]

Classification

Product/ingredient name	OSHA	IARC	NTP	ACGIH
Cobalt chloride (CoCl2),	-	2B	Reasonably anticipated to be a human carcinogen.	A3
hexahydrate Sulfuric acid, manganese(2+) salt, hydrate (1:1:1)	-	-	-	A4
Cadmium compounds	-	1	-	A2

Reproductive toxicity

Not available.

Conclusion/Summary

Not available.

[Product]

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Potential chronic health effects

Not available.

Conclusion/Summary

[Product]

Not available.

General Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.Reproductive toxicityNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
HyClone™ peak expression medium (ADCF)	33848.3	99731.3	N/A	N/A	N/A
L-serine	14000	N/A	N/A	N/A	N/A
potassium chloride	2600	N/A	N/A	N/A	N/A
L-valine	2000	N/A	N/A	N/A	N/A
Cobalt chloride (CoCl2), hexahydrate	766	N/A	N/A	N/A	N/A
Cadmium compounds	665	1100	N/A	11	N/A

Article Number SH31192 Page: 6/9

Section 12. Ecological information

A. **Ecotoxicity**

Not available.

Conclusion/Summary

[Product]

Not available.

B. Persistence/degradability

Not available.

Conclusion/Summary

[Product]

Not available.

C. Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
L-serine	-3.07	0.609	Low
L-valine	-2.26	0.846	Low

D. Mobility in soil

Soil/Water partition coefficient Not available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

A. Disposal methods The generation of waste should be avoided or minimized wherever possible. Disposal of this

product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration

or landfill should only be considered when recycling is not feasible.

B. Disposal precautions This material and its container must be disposed of in a safe way. Care should be taken when

handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Section 14. Transport information

<u>UN</u>

UN number Not available. Proper shipping name Not available. C. Classes Not available.

D. Packing group Not available.

E. Marine pollutant Nο

Additional information

Label

IMDG

Not available. UN number

Not available Proper shipping name

Not available. C. Classes

Not available. D. Packing group

Marine pollutant E. No

Additional information

Label

<u>IATA</u>

D.

Not available. **UN** number

В. Proper shipping name Not available.

Classes Not available.

Not available.

Marine pollutant No.

Additional information

Label

Packing group

Article Number SH31192 Page: 7/9 Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or

Transport in bulk according to

IMO instruments

Not available.

Section 15. Regulatory information

Regulation according to ISHA

ISHA article 117 (Harmful substances prohibited from

manufacture)

ISHA article 118 (Harmful substances requiring permission)

None of the components are listed.

None of the components are listed.

Exposure Limits of Chemical Substances and Physical Factors

The following components have an OEL:

ISHA Enforcement Regs Annex 19 (Exposure standards established for harmful factors)

The following components are listed: cobalt and its inorganic compounds, manganese and its inorganic compounds, Cadmium and its compounds

ISHA Enforcement Regs Annex 21 (Harmful factors subject to Work Environment

Measurement)

None of the components are listed.

ISHA Enforcement Regs Annex 22 (Harmful Factors Subject to Special Health

Check-up)

Standard of Industrial Safety and Health Annex 12

None of the components are listed.

None of the components are listed.

(Hazardous substances subject to control)

B. Regulation according to Chemicals Control Act

Article 11 (TRI) None of the components are listed.

Article 27)

Article 18 Prohibited (K-Reach None of the components are listed.

Article 19 Candidate substances subject to authorization (K-Reach Article

Article 19 Subject to

authorization (K-Reach Article

None of the components are listed.

Article 20 Toxic Chemicals (K-

Reach Article 20)

Not applicable

Article 20 Restricted (K-Reach None of the components are listed.

Article 27)

Article 39 (Accident Precaution Chemicals)

Not listed.

MoE 2021-51 - Regulations on the quantity of toxic substances, restricted substances, prohibited substances and permitted substances

Not listed.

Existing Chemical Substances Subject to Registration

The following components are listed: Sulfuric acid, zinc salt (1:1), heptahydrate, Cadmium chloride,

hydrate (2:5), Tin chloride (SnCl2), dihydrate

C. Dangerous Materials Safety Management Act Not available

D. Wastes regulation Dispose of contents and container in accordance with all local, regional, national and international regulations.

E. Regulation according to other foreign laws

Article 2 of Youth Protection Act on Substances Hazardous Not applicable.

to Youth

Article Number SH31192 Page: 8/9

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Republic of Korea Not determined.
United States Not determined.
China Not determined.

Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

Section 16. Other information

A. References

B. First issue date 08 February 2022

C. Date of issue/Date of

revision

08 February 2022 / 11 September 2025

D. Version 3

Data of uninting 44 Courts

Date of printing 11 September 2025

sds_author@cytiva.com

E. Other

Indicates information that has changed from previously issued version.

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Preteral of 1979, ("Marrel" = marine pollution)

by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Article Number SH31192 Page: 9/9

Version 3