



# SAFETY DATA SHEET

United States

## Section 1. Identification

Product name

**HyClone™ CD BEVS complete medium**

Catalogue Number

**SH31205.02**



9 0 S H 3 1 2 0 5 . 0 2

Other means of identification

Not available.

Product type

Powder.

## Relevant identified uses of the substance or mixture and uses advised against

For Further Manufacturing or Research Use. Not for Diagnostic or Therapeutic Use.

Supplier / Manufacturer

Cytiva Austria  
Kremlstr. 5  
4061 Pasching  
AUSTRIA  
Tel. (+43) 7229 64865  
Fax (+43) 7229 64866

HyClone Laboratories  
925 West 1800 South  
Logan, Utah 84321  
Phone: (435) 792-8000

Cytiva Singapore  
1 Maritime Square #13-01  
Harbourfront Centre  
Singapore 099253

Cytiva Singapore  
25 Tuas South Street 1  
Singapore 638034

Cytiva  
Amersham Place  
Little Chalfont  
Buckinghamshire  
HP7 9NA United Kingdom  
+44 1494 508000

Cytiva USA  
100 Results Way  
Marlborough, MA 01752  
1-800-526-3593

In case of emergency

INFOTRAC - 24 Hour number: 1-800-535-5053

Outside of the United States, call 24 Hour number: 001-352-323-3500 (Call Collect)

## Section 2. Hazards identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

AQUATIC HAZARD (LONG-TERM) - Category 3

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 72.2%

### GHS label elements

Signal word

No signal word.

Hazard statements

Harmful to aquatic life with long lasting effects.

### Precautionary statements

Prevention

Avoid release to the environment.

Response

Not applicable.



<b>Storage</b>	Not applicable.
<b>Disposal</b>	Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Hazards not otherwise classified</b>	None known.
<b>Hazards identified when used</b>	No known significant effects or critical hazards.

### Section 3. Composition/information on ingredients

Substance/mixture			
Other means of identification			
Ingredient name	Synonyms	%	Identifiers
L-serine	2-Serine; serine; Serine, L-; 2-AMINO-3-HYDROXYPROPANOIC ACID, (S)-; BETA-HYDROXYALANINE; 2-Amino-3-hydroxypropanoic acid; 2-Amion-3-hydroxypropionic acid; D,L-Serine; (S)-2-Amino-3-hydroxypropanoic acid; SERINE PURISS, L-	≥1 - ≤5	CAS: 56-45-1
L-valine	2-Valine; 2-Amino-3-methylbutanoic acid; valine; Valine, L-; ALPHA-AMINO-BETA-METHYLBUTYRIC ACID, L-; ALPHA-AMINOISOVALERIC ACID, L-(+)-; VALINE, (S)-; 2-AMINO-3-METHYLBUTANOIC ACID, (S)-; 2-AMINO-3-METHYLBUTYRIC ACID, (S)-; ALPHA-AMINO-BETA-METHYLBUTYRIC ACID, (S)-; 2-Amino-3-methylbutyric acid	≥1 - ≤5	CAS: 72-18-4
magnesium sulphate	Sulfuric acid magnesium salt (1:1); Sulfuric acid, magnesium salt (1:1); Magnesium sulfate; MAGNESIUM SULFATE ANHYDROUS; Magnesium sulfate (1:1); SULFURIC ACID MAGNESIUM SALT; MANGANESEUM SULFATE; Magnesium Sulphate A.R.; magnesium(2+) sulfate	≥1 - ≤5	CAS: 7487-88-9
Copper chloride (CuCl <sub>2</sub> ), dihydrate	Cupric chloride, dihydrate; Copper (II) chloride, dihydrate; copper dichloride hydrate; Copper(2+) chloride dihydrate; Copper chloride, dihydrate; Cupric chloride dihydrate; Coppertrace; Copper chloride dihydrate; Copper chloride (CuCl <sub>2</sub> ), dihydrate; Copper dichloride dihydrate; Copper (II) Chloride Dihydrate	≤0.1	CAS: 10125-13-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

### Section 4. First aid measures

#### Description of necessary first aid measures

<b>Eye contact</b>	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Skin contact</b>	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b>	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

#### Most important symptoms/effects, acute and delayed

##### Potential acute health effects

<b>Eye contact</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
--------------------	--



<b>Inhalation</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
<b>Skin contact</b>	No known significant effects or critical hazards.
<b>Ingestion</b>	No known significant effects or critical hazards.
<b><u>Over-exposure signs/symptoms</u></b>	
<b>Eye contact</b>	Adverse symptoms may include the following: irritation redness
<b>Inhalation</b>	Adverse symptoms may include the following: respiratory tract irritation coughing
<b>Skin contact</b>	No specific data.
<b>Ingestion</b>	No specific data.

**Indication of immediate medical attention and special treatment needed, if necessary**

<b>Notes to physician</b>	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	No specific treatment.
<b>Protection of first-aiders</b>	No action shall be taken involving any personal risk or without suitable training.

**See toxicological information (Section 11)****Section 5. Fire-fighting measures****Extinguishing media**

<b>Suitable extinguishing media</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
<b>Hazardous thermal decomposition products</b>	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides halogenated compounds metal oxide/oxides
<b>Special protective actions for fire-fighters</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Section 6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

<b>For non-emergency personnel</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>Environmental precautions</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

**Methods and materials for containment and cleaning up**

<b>Small spill</b>	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
<b>Large spill</b>	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.



## Section 7. Handling and storage

### Precautions for safe handling

<b>Protective measures</b>	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Advice on general occupational hygiene</b>	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<b>Conditions for safe storage, including any incompatibilities</b>	Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

<b>Ingredient name</b>	<b>Exposure limits</b>
L-serine	None.
L-valine	None.
magnesium sulphate	None.
Copper chloride (CuCl <sub>2</sub> ), dihydrate	None.

#### Biological exposure indices

No exposure indices known.

#### Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

#### Skin protection

##### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

##### Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

##### Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

##### Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



## Section 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Solid. [Powder.]
<b>Color</b>	Off-white.
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	3.8 to 4.2 [Conc. (% w/w): 4.8%]
<b>Melting point/freezing point</b>	Not available.
<b>Boiling point or initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not applicable.
<b>Burning time</b>	Not available.
<b>Burning rate</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability</b>	Not available.
<b>Lower and upper explosive (flammable) limits</b>	Not applicable.
<b>Vapor pressure</b>	Not available.
<b>Relative vapor density</b>	Not applicable.
<b>Relative density</b>	Not available.
<b>Solubility in water</b>	Not available.
<b>Partition coefficient: n-octanol/water</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	Not available.
<b>SADT</b>	Not available.
<b>Viscosity</b>	Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.
<b>Flow time (ISO 2431)</b>	Not available.

### Particle characteristics

<b>Median particle size</b>	Not available.
-----------------------------	----------------

## Section 10. Stability and reactivity

<b>Reactivity</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	The product is stable.
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	No specific data.
<b>Incompatible materials</b>	No specific data.
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

<b>Product/ingredient name</b>	<b>Result</b>
L-serine	Rat - Oral - LD50 14 g/kg
L-valine	Rat - Oral - LD50 2000 mg/kg
<b>Conclusion/Summary [Product]</b>	Not available.

#### Skin corrosion/irritation

Not available.

<b>Conclusion/Summary [Product]</b>	Not available.
---	----------------

<b>Ingredient name</b>	<b>Conclusion/Summary</b>
------------------------	---------------------------



L-serine	May cause skin irritation.
L-valine	May cause skin irritation.

**Serious eye damage/eye irritation**

Not available.

**Conclusion/Summary [Product]**

**Ingredient name**

L-serine  
L-valine

**Conclusion/Summary**

May cause eye irritation.  
May cause eye irritation.

**Respiratory corrosion/irritation**

Not available.

**Conclusion/Summary [Product]**

**Respiratory or skin sensitization**

Not available.

**Skin**

**Conclusion/Summary [Product]**

**Respiratory**

**Conclusion/Summary [Product]**

**Germ cell mutagenicity**

Not available.

**Conclusion/Summary [Product]**

**Carcinogenicity**

Not available.

**Conclusion/Summary [Product]**

**Reproductive toxicity**

Not available.

**Conclusion/Summary [Product]**

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure** Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.



9 5 3 1 3 1 7 0 8 5

**Potential acute health effects**

<b>Eye contact</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
<b>Inhalation</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
<b>Skin contact</b>	No known significant effects or critical hazards.
<b>Ingestion</b>	No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Eye contact</b>	Adverse symptoms may include the following: irritation redness
<b>Inhalation</b>	Adverse symptoms may include the following: respiratory tract irritation coughing
<b>Skin contact</b>	No specific data.
<b>Ingestion</b>	No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

<b>Potential immediate effects</b>	Not available.
<b>Potential delayed effects</b>	Not available.

**Long term exposure**

<b>Potential immediate effects</b>	Not available.
<b>Potential delayed effects</b>	Not available.

**Potential chronic health effects**

Not available.

<b>Conclusion/Summary [Product]</b>	Not available.
-------------------------------------	----------------

<b>General</b>	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
<b>Carcinogenicity</b>	No known significant effects or critical hazards.
<b>Mutagenicity</b>	No known significant effects or critical hazards.
<b>Reproductive toxicity</b>	No known significant effects or critical hazards.

**Numerical measures of toxicity****Acute toxicity estimates**

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
DPM-HyClone™ CD BEVS complete medium	20199.2	13580.8	N/A	143.3	N/A
L-serine	14000	N/A	N/A	N/A	N/A
L-valine	2000	N/A	N/A	N/A	N/A
magnesium sulphate	500	1100	N/A	11	N/A

**Section 12. Ecological information****Toxicity**

Product/ingredient name	Result
L-serine	<b>Acute - EC50</b> Daphnia 83 mg/l [48 hours]
L-valine	<b>Acute - NOEC</b> Algae 1000 mg/l [72 hours] <b>LC50</b> Fish 10000 mg/l [96 hours]
magnesium sulphate	<b>Chronic - NOEC - Fresh water</b> Daphnia - Water flea - <i>Daphnia magna</i> - Neonate Age: <24 hours 360 mg/l [3 weeks] <b>Effect:</b> Reproduction <b>Chronic - IC10 - Fresh water</b> Aquatic plants - Lesser Duckweed - <i>Lemna aequinoctialis</i> 1.9 mg/l [96 hours] <b>Effect:</b> Population



Copper chloride (CuCl<sub>2</sub>), dihydrate

**Acute - IC50 - Fresh water**  
 Aquatic plants - Lesser Duckweed - *Lemna aequinoctialis*  
 4.4 mg/l [96 hours]  
Effect: Population

**Acute - LC50 - Fresh water**  
 Fish - Purple Spotted Gudgeon - *Mogurnda mogurnda* - Larvae  
 40 mg/l [96 hours]  
Effect: Mortality

**Acute - EC50 - Fresh water**  
 Daphnia - Water flea - *Daphnia magna*  
 343.56 mg/l [48 hours]  
Effect: Intoxication

**Acute - EC50 - Marine water**  
 US EPA  
 Algae - Diatom - *Skeletonema costatum*  
Age: 3 days  
 9.52 ppb [72 hours]  
Effect: Population

**Chronic - NOEC - Marine water**  
 US EPA  
 Crustaceans - Harpacticoid copepod - *Tisbe battagliai*  
Age: <24 hours  
 18 ppb [21 days]  
Effect: Mortality

**Conclusion/Summary**  
**[Product]** Not available.

**Ingredient name**  
 L-serine  
 L-valine

**Conclusion/Summary**  
 Naturally occurring substance  
 Naturally occurring substance

#### Persistence and degradability

**Product/ingredient name**  
 L-valine

**Result**  
 82% [28 days]

**Ingredient name**  
 L-serine  
 L-valine

**Conclusion/Summary**  
 Not expected to bioaccumulate. Naturally occurring substance  
 Not expected to bioaccumulate. Naturally occurring substance

<b>Product/ingredient name</b> L-valine	<b>Aquatic half-life</b> -	<b>Photolysis</b> -	<b>Biodegradability</b> Readily
--	-------------------------------	------------------------	------------------------------------

#### Bioaccumulative potential

<b>Product/ingredient name</b>	<b>LogP<sub>ow</sub></b>	<b>BCF</b>	<b>Potential</b>
L-serine	-3.07	0.609	Low
L-valine	-2.26	0.846	Low

#### Mobility in soil

**Soil/Water partition coefficient** Not available.

**Other adverse effects** No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



## Section 14. Transport information

**Product is not regulated as dangerous goods for transport.**

## Section 15. Regulatory information

### U.S. Federal regulations

**TSCA 4(a) proposed test rules:** glycine

**TSCA 8(a) CDR Exempt/Partial exemption:** Not determined

**Clean Water Act (CWA) 307:** Sulfuric acid, zinc salt (1:1), heptahydrate; Copper chloride (CuCl<sub>2</sub>), dihydrate; sodium selenite

**Clean Water Act (CWA) 311:** iron (II) sulfate (1:1) heptahydrate; Sulfuric acid, zinc salt (1:1), heptahydrate; fumaric acid; Copper chloride (CuCl<sub>2</sub>), dihydrate; sodium selenite

### TSCA 12(b) - Chemical export notification

Not applicable.

### Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

Listed

### Clean Air Act Section 602 Class I Substances

Not listed

### Clean Air Act Section 602 Class II Substances

Not listed

### DEA List I Chemicals (Precursor Chemicals)

Not listed

### DEA List II Chemicals (Essential Chemicals)

Not listed

### SARA 302/304

#### Composition/information on ingredients

	%	EHS	SARA 302 TPQ (lbs)	SARA 304 RQ (lbs)	SARA 304 RQ (gallons)
sodium selenite	<0.0004	Yes.	100 / 10000	-	100
<b>SARA 304 RQ</b>					-

### SARA 311/312

**Classification** Not applicable.

#### Composition/information on ingredients

Name	%	Classification
L-valine	<1.75	ACUTE TOXICITY (oral) - Category 4
magnesium sulphate	<1.75	ACUTE TOXICITY (oral) - Category 4
		ACUTE TOXICITY (dermal) - Category 4
		ACUTE TOXICITY (inhalation) - Category 4

### State regulations

**Massachusetts** The following components are listed: SUCROSE DUST

**New York** None of the components are listed.

**New Jersey** None of the components are listed.

**Pennsylvania** The following components are listed: .ALPHA.-D-GLUCOPYRANOSIDE, .BETA.-D-FRUCTOFURANOSYL

### California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

**United States** Not determined.

**Canada inventory** Not determined.



## Section 16. Other information

### National Fire Protection Association (U.S.A.)



#### Procedure used to derive the classification

##### Classification

AQUATIC HAZARD (LONG-TERM) - Category 3

##### Justification

Calculation method

#### History

Date of printing 1/27/2026

Date of issue/Date of revision 1/27/2026

Date of previous issue No previous validation

Version 1

sds\_author@cytiva.com

#### Key to abbreviations

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

UN = United Nations

#### References

Not available.

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

