

SAFETY DATA SHEET

United States

Section 1. Identification

Product name

MF1, 210 mm x 297 mm, 50 pack

Catalogue Number 8122

8122-6621

Chemical name Glass microfibre bound with organic binder

Other means of identification Not available.

Product type Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Analytical chemistry. Laboratory chemicals

In case of emergency

Scientific research and development

Consumer use

Supplier Cytiva Amersham Place

Little Chalfont Buckinghamshire HP7 9NA United Kingdom

+44 1494 508000

Cytiva USA 100 Results Way Marlborough, MA 01752

1-800-526-3593

INFOTRAC - 24 Hour number: 1-800-535-5053

Outside of the United States, call 24 Hour number: 001-352-323-3500 (Call Collect)

Section 2. Hazards identification

OSHA/HCS status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200).

Classification of the substance

or mixture

SKIN IRRITATION - Category 2 CARCINOGENICITY - Category 2

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic

environment: 100%

GHS label elements

Hazard pictograms





Signal word Warning

Hazard statements Causes skin irritation.
Suspected of causing cancer.

Precautionary statements

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves, protective clothing and eye or face protection. Wash

thoroughly after handling.

Response IF exposed or concerned: Get medical advice or attention. IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it

before reuse.

Article Number: 29026459 Page: 1/9

Validation date 29 September 2025

Storage Store locked up.

Disposal Dispose of contents and container in accordance with all local, regional, national and international

regulations.

Hazards not otherwise

classified

None known.

Hazards identified when used No known significant effects or critical hazards.

Section 3. Composition/information on ingredients

Substance/mixture Mixture

Chemical name Glass microfibre bound with organic binder

Other means of identification Not available.

Ingredient nameSynonyms%Identifiersglass, oxide, chemicalsGlass, oxide; Glassy sodium≥65 - ≤85CAS: 65997-17-3

phosphate; Lead borosilicate glass enamel flux; Sodium calcium magnesium polyphosphate; Sodium calcium magnesium silica polyphosphate; Sodium calcium polyphosphate; Sodium zinc potassium polyphosphate; glass flakes (CAS RN 65997-17-3): — of a thickness of 0,3 µm or more but not more than 10 µm, and — coated with titanium dioxide (CAS RN 13463 67 7) or icon oxide (CAS RN 13463 67 7) oxide

13463-67-7) or iron oxide (CAS RN 18282- 10-5); Fibrous glass; glass,

fibrous; Glass

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Inhalation

Description of necessary first aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

vaisthand

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue

to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

Ingestion Wash out mouth with water. Remove dentures if any. If material has been swallowed and the

exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If

unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contactNo known significant effects or critical hazards. **Inhalation**No known significant effects or critical hazards.

Skin contact Causes skin irritation.

Ingestion No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation

Eye contact Adverse symptoms may include the following:

pain or irritation watering

redness No specific data.


Skin contact Adverse symptoms may include the following:

irritation

redness

Ingestion No specific data.

Article Number: 29026459 Page: 2/9



Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have

been ingested or inhaled.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

No specific fire or explosion hazard.

Hazardous thermal decomposition products

No specific data.

Special protective actions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

ino action shall be taken involving any personal risk of without suitable training.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Special protective equipment for fire-fighters

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when

ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Methods and materials for containment and cleaning up

Small spill Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with

equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal

contractor.

Large spill Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water

courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of

via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse

container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental

contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name

glass, oxide, chemicals

Exposure limits

NIOSH REL (United States, 10/2020) [FIBROUS GLASS DUST]

TWA 10 hours: 3 fibers/cm³.

TWA 10 hours: 5 mg/m3. Form: Total.

NIOSH REL (United States, 10/2020) [MINERAL WOOL FIBER]

TWA 10 hours: 3 fibers/cm³. Form: Fibers of spec

length.

TWA 10 hours: 5 mg/m³. Form: Total. CAL OSHA PEL (United States, 5/2018)

TWA 8 hours: 1 fibers/cm³.

ACGIH TLV (United States, 1/2024) [Continuous filament glass fibers] A4.

TWA 8 hours: 1 fibers/cm³. Form: Respirable fibers: length greater than 5 uM; aspect ratio equal to or greater than 3:1 as determined by the membrane filter method at 400-450X magnification (4-mm objective) phase contrast illumination.. TWA 8 hours: 5 mg/m³. Form: Inhalable fraction.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

Environmental exposure controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.

Article Number : 29026459 Page: 4/9



Version 1

Section 9. Physical and chemical properties

Appearance

Solid. Physical state White. Color Odorless. Odor Not available. Odor threshold рΗ Not applicable. Melting point/freezing point Not applicable. **Boiling point or initial boiling** Not applicable.

point and boiling range

Flash point Not applicable. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability Not available. Lower and upper explosive Not applicable.

(flammable) limits Vapor pressure

Not applicable.

Relative vapor density Not applicable. Relative density Not available. Solubility in water Not applicable. Partition coefficient: n-octanol/ Not applicable.

water

Not applicable.

Auto-ignition temperature Decomposition temperature Not available. SADT Not available.

Viscosity Dynamic (room temperature): Not applicable.

Kinematic (room temperature): Not applicable. Kinematic (40°C (104°F)): Not applicable.

Flow time (ISO 2431) Not available.

Particle characteristics

Not available. Median particle size

Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials No specific data.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available

Conclusion/Summary

[Product]

Not available.

Skin corrosion/irritation

Not available.

Conclusion/Summary

Irritating to skin.

[Product]

Serious eye damage/eye irritation

Not available.

29026459 Article Number : Page: 5/9 Conclusion/Summary [Product]

Repeated exposure of the eyes to a low level of dust can produce eye irritation.

Respiratory corrosion/irritation

Not available.

Conclusion/Summary

[Product]

Repeated inhalation of dust can produce varying degrees of respiratory irritation or lung damage.

Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary

[Product]

Not available.

Respiratory

Conclusion/Summary

[Product]

Not available.

Germ cell mutagenicity

Not available.

Conclusion/Summary

[Product]

Not available.

Carcinogenicity

Not available.

Conclusion/Summary

[Product] Classification Not available.

Product/ingredient name

glass, oxide, chemicals

OSHA

IARC NTP

3

Reproductive toxicity

Not available.

Conclusion/Summary

[Product]

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes

of exposure

Routes of entry anticipated: Dermal, Inhalation, Eyes.

Routes of entry not anticipated: Oral.

Potential acute health effects

Eye contact No known significant effects or critical hazards. Inhalation No known significant effects or critical hazards.

Skin contact Causes skin irritation.

29026459 Article Number :

Page: 6/9

Ingestion No known significant effects or critical hazards

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following:

pain or irritation watering

redness

Inhalation No specific data.

Skin contact Adverse symptoms may include the following:

irritation

redness

Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Irritating to skin.

Potential delayed effects Not available.

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Suspected of causing cancer.

Potential chronic health effects

Not available.

Conclusion/Summary

[Product]

Not available.

General No known significant effects or critical hazards.

Carcinogenicity Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.

MutagenicityNo known significant effects or critical hazards.Reproductive toxicityNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Other information Adverse symptoms include the following: Suspected of causing cancer.

Section 12. Ecological information

Toxicity

Not available.

Conclusion/Summary

No known significant effects or critical hazards.

[Product]
Ingredient name

Conclusion/Summary

glass, oxide, chemicals No known significant effects or critical hazards.

Persistence and degradability

Not available

Ingredient nameConclusion/Summaryglass, oxide, chemicalsNo special recommendations.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/Water partition coefficient Not available.

Other adverse effects No known significant effects or critical hazards.

Article Number: 29026459 Page: 7/9



Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Product is not regulated as dangerous goods for transport.

Section 15. Regulatory information

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112(b) Hazardous Air Pollutants

(HAPs)

Clean Air Act Section 602 Class I Substances

Clean Air Act Section 602 Class II Substances

Not listed

DEA List I Chemicals (Precursor Chemicals)

Not listed

DEA List II Chemicals (Essential Chemicals)

Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ Not applicable.

SARA 311/312

Classification SKIN IRRITATION - Category 2

CARCINOGENICITY - Category 2

Composition/information on ingredients

Name % Classification

glass, oxide, chemicals 50 - 100 SKIN IRRITATION - Category 2

CARCINOGENICITY - Category 2

Listed

State regulations

Massachusetts The following components are listed: FIBROUS GLASS

New YorkNone of the components are listed.New JerseyNone of the components are listed.PennsylvaniaNone of the components are listed.

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Article Number: 29026459



Page: 8/9

Inventory list

United States Not determined.

Canada inventory Not determined.

Section 16. Other information

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification Justification

SKIN IRRITATION - Category 2 Calculation method CARCINOGENICITY - Category 2 Calculation method

History

Date of printing 9/29/2025

Date of issue/Date of revision 9/29/2025

Date of previous issue No previous validation

Version 1

sds_author@cytiva.com

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations Not available.

References N

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.